

A high-pressure structural transition of norsethite-type $\text{BaFe}(\text{CO}_3)_2$: Comparison with $\text{BaMg}(\text{CO}_3)_2$ and $\text{BaMn}(\text{CO}_3)_2$

CHENGCHENG HE^{1,2,*}†, CHAOSHUAI ZHAO³, JIANJUN JIANG¹, PAN WANG¹, AND HEPING LI^{1,*}‡

¹Key Laboratory of High-temperature and High-pressure Study of the Earth's Interior, Institute of Geochemistry, Chinese Academy of Sciences, Guiyang, 550081, China

²University of Chinese Academy of Sciences, Beijing, 100049, China

³Center for High Pressure Science and Technology Advanced Research, Beijing 100193, China

ABSTRACT

Investigations on the phase stability of the norsethite-type family [$\text{BaMg}(\text{CO}_3)_2$, $\text{BaMn}(\text{CO}_3)_2$, $\text{BaFe}(\text{CO}_3)_2$] under high-pressure conditions are of great significance for understanding the structure and metal cationic (Mg^{2+} , Fe^{2+} , Mn^{2+}) substitution mechanism in double divalent metal carbonates. The structural evolution and equation of state of $\text{BaFe}(\text{CO}_3)_2$ were studied at high pressure up to ~ 7.3 GPa by synchrotron X-ray diffraction (XRD) in diamond-anvil cell (DAC) in this study. $\text{BaFe}(\text{CO}_3)_2$ undergoes a reversible phase transition from $R\bar{3}m$ (α -phase) to $C2/c$ (γ -phase) space groups at ~ 3.0 GPa. The fitted elastic parameters are $V_0 = 377.79(2) \text{ \AA}^3$ and $K_0 = 40.3(7) \text{ GPa}$ for α - $\text{BaFe}(\text{CO}_3)_2$, $V_0 = 483.24(5) \text{ \AA}^3$ and $K_0 = 91.2(24) \text{ GPa}$ for γ - $\text{BaFe}(\text{CO}_3)_2$ using second-order Birch-Murnaghan equation of state (BM2-EoS). Besides, the vibrational properties and structural stability of complete norsethite-type minerals were also investigated first by Raman spectroscopy combined with DAC up to 11.1 GPa. Similar structural phase transitions occur in $\text{BaMg}(\text{CO}_3)_2$, $\text{BaFe}(\text{CO}_3)_2$, $\text{BaMn}(\text{CO}_3)_2$ at 2.2–2.6, 2.6–3.7, and 3.7–4.1 GPa, respectively. The onset phase transition pressures of the norsethite-type family are much lower than that of dolomite-type $\text{Ca}(\text{Mg,Fe,Mn})(\text{CO}_3)_2$ and calcite-type $(\text{Mg,Fe,Mn})\text{CO}_3$ carbonates. These results provide new insights into the divalent cation substitution effects on the stability and structural evolution of carbonates under high-pressure conditions.

Keywords: Norsethite-type minerals, synchrotron X-ray diffraction, Raman spectroscopy, phase transition, diamond anvil cell; Earth Analogs for Martian Geological Materials and Processes