

## SUBJECT INDEX, VOLUME 80, 1995

- AgFeS<sub>2</sub>, 184  
AgHgSb<sub>3</sub>, 1328  
AgInS<sub>2</sub>, 404  
Ag-Sn-S mineral, 1073  
Ag<sub>4</sub>Sb<sub>2</sub>S<sub>5</sub>, 1328  
Ag<sub>9</sub>(Sb,As)Te<sub>2</sub>S<sub>4</sub>, 184  
Al-in-hornblende, 549  
Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O, 1286  
Au-Pb-Te-Sb-S mineral, 184  
Abenakiite-(Ce), 1073  
Ahrens, Louis H., Memorial of, 410  
Aikinite, 1166  
Alarsite, 1328  
Albite, 878  
Alkali basalt inclusions, 534  
Alkali feldspar, 280, 897  
Aluminosilicate, 432  
Alunite-jarosite, 630  
Amphibolite, 649  
Analcime, 268  
Analcite, 705  
Analysis, chemical (mineral)  
    aluminosilicate, 432  
    analcime, 268  
    anorthite, 645  
    apatite, 336, 765  
    armalcolite, 810  
    armstrongite, 1031  
    artroite, 179  
    B-bearing minerals, 1132  
    B-containing glass, 873  
    bariopyrochlore, 732  
    biotite, 345, 361, 1229  
    braunite, 560  
    calcite, 131  
    chromite, 1307  
    clinochlore, 441  
    clinopyroxene, 144, 465, 799  
    columbite group, 613  
    corundum, 1157  
    datolite, 576  
    diopside, 131  
Analysis, chemical (mineral), *cont.*  
    dolomite, 131  
    dozyite, 65  
    dravite, 491  
    elbaite, 491  
    elpidite, 1031  
    enstatite, 982  
    Fe analog of kinoshitalite, 833  
    feldspar, 757  
    forsterite, 131, 823  
    garnet, 361, 475, 799, 1026  
    gittinsite, 1031  
    glass, 982, 1229  
    grossular-andradite garnet, 1145  
    haüyne, 87  
    hornblende, 549  
    humite, 638  
    huntite, 355  
    ilmenite, 810, 968  
    kaersutitic amphibole, 534, 1347  
    kalipyrochlore, 732  
    kirschsteinit, 585  
    kyanite, 78, 799  
    lawsonite, 1286  
    (Mg,Fe)SiO<sub>3</sub> glass, 201  
    (Mg<sub>0.75</sub>Fe<sub>0.25</sub>)<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>, 9  
    (Mg,Fe,Ni)<sub>2</sub>SiO<sub>4</sub>, 1089  
    maghemite, 664  
    magnesian calcite, 947  
    magnesioferrite, 1065  
    magnetite, 664, 757  
    magnetite-spinel, 213  
    manandonite, 387  
    minehillite, 173  
    monazite, 21, 765  
    muscovite, 361, 1078 [erratum],  
        1229  
    Na<sub>1.8</sub>Ca<sub>1.1</sub>Si<sub>6</sub>O<sub>14</sub>, 1269  
    Ni-bearing olivine, 1089  
    nchwaningite, 377  
    olivine, 585, 1089  
    orthopyroxene, 144, 465, 923  
Analysis, chemical (mineral), *cont.*  
    pääkkönenite, 1054  
    phlogopite, 982, 1307  
    plagioclase, 144, 744, 776  
    plumboferrite, 1065  
    pyrochlore, 732  
    pyrope, 465  
    pyroxene, 46, 1208  
    rectorite, 247  
    reederite-(Y), 1059  
    rhodonite, 560  
    rutile, 448, 810  
    scapolite, 744  
    schorl, 491  
    schorlomite, 27  
    spinel, 285, 1041  
    staurolite, 78  
    stishovite, 454  
    Ta-Nb oxides, 613  
    talc, 131  
    titanian fluor-richterite, 162  
    tourmaline, 491  
    tremolite, 131  
    ulvöspinel, 968  
    ungarettiite, 165  
    uranypyrochlore, 732  
    uvite, 491  
    xenotime, 21, 765  
Analysis, chemical (rock)  
    basalt, 776  
    basaltic andesite, 162  
    basanite melt, 1339  
    dacite, 776  
    granitic glass, 94  
    mafic norite, 1343  
    magnesian gabbronorite, 1343  
    obsidian, 319  
    orthogneiss, 475  
    Anatexis, 765, 1229  
    Annite, 345  
    Anorthite, 239, 645, 907  
    Anorthosite, 144, 1317

- Anthophyllite, 502  
 Apatite, 336, 765  
 Arizonite, 1073  
 Armalcolite, 810  
 Armstrongite, 1031  
 Arsenowaylandite, 184  
 Artroeite, 179  
 Atomic radii, 670  
 Aurichalcite, 1073  
 Awards  
   Distinguished Public Service Medal, acceptance of, 859  
 Distinguished Public Service Medal, presentation of, 857  
 Mineralogical Society of America Award, acceptance of, 855  
 Mineralogical Society of America Award, presentation of, 854  
 Roebling Medal, acceptance of, 852  
 Roebling Medal, presentation of, 851
- B-bearing minerals, 1132  
 B-containing glass, 873  
 B K edge, 873  
 B phases, 676  
 $\text{Bi}_2\text{S}_3\text{-CuPbBiS}_3$ , 1166  
 $(\text{Bi},\text{Pb})_3(\text{S},\text{Se})_4$ , 630  
 $\text{Bi}_4\text{Se}_3$ , 184  
 Baddeleyite, 1317  
 Bariopyrochlore, 732  
 Barium-zinc alumopharmacosiderite, 184  
 Basalt, 776  
 Basaltic andesite, 162  
 Basaltic melt, 1339  
 Basanite melt, 1339  
 Basinite, 404  
 Baykovite, 1328  
 Bilibinskite, 845  
 Biotite, 345, 361, 757, 1229  
 Biotite-6A, 404  
 Bismuthinite, 1166  
 Bogdanovite, 845  
 Bolivarite, 1073
- Book reviews  
   Newton, R.C.: *Granulites and Crustal Evolution*. Edited by D. Vielzeuf and P. Vidal, 415  
   Petersen, E.U.: *Metallogeny of Tin*. By B. Lehmann, 416  
   Rose, W.I.: *Mount Pelée, Martinique: A Study of an Active Island-Arc Volcano*. By A.L. Smith and M.J. Roobol, 1334  
   Singer, B.S.: *Magma Transport and Storage*. Edited by M.P. Ryan, 636
- Braunite, 560  
 Briartite, 845  
 Briziite, 630  
 Brucite, 222, 947  
 Burns, Roger G., Memorial of, 1082
- Ca analogue clinojimthompsonite, 630  
 $\text{Ca}[\text{B}_3\text{O}_4(\text{OH})_3]$ , 1328  
 $\text{CaCO}_3\text{-CaSO}_4$ , 115  
 $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$ , 1286  
 $\text{CaO-B}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$ , 576  
 $\text{Ca}(\text{OH})_2\text{-CaCO}_3\text{-H}_2\text{O}$ , 865  
 $(\text{Ca},\text{REE})\text{PO}_4 \cdot n\text{H}_2\text{O}$ , 630  
 $\text{Ca}_3\text{Ti}(\text{Al},\text{Ti})_2(\text{Si},\text{Al})_3\text{O}_{14}$ , 630  
 $(\text{Ce},\text{La})\text{OF}$ , 184  
 $\text{Ce}_4\text{O}_5\text{F}_2$ , 184  
 $\text{CoAl}_2\text{O}_4$ , 184  
 C-O-H speciation, 109  
 $\text{CuFe}_3\text{S}_4$ , 184  
 $\text{CuNiSb}_2$ , 1073  
 $\text{Cu}(\text{Re},\text{Mo},\text{Os})_5\text{S}_9$ , 1073  
 $\text{Cu}_2\text{Pb}_2\text{Bi}_9$ , 1166  
 $\text{Cu}_{20}(\text{Fe},\text{Cu},\text{Zn})_6\text{W}_2\text{Ge}_6\text{S}_{32}$ , 630  
 $\text{Cu}_{20}(\text{Fe},\text{Zn},\text{Cu})_6\text{Mo}_2\text{Ge}_6\text{S}_{32}$ , 630  
 Calcite, 115, 131, 941, 1004  
 Calcite + dolomite, 131  
 Carbonatite, 115  
 Cathodoluminescence, 823  
   armstrongite, 1031  
   elpidite, 1031  
   gittinsite, 1031  
 Chalcopyrite, 725
- Chameanite, 845  
 Chevkinitie, 1328  
 Choloalite, 630  
 Chromite, 1307  
 Chromitite, 1041  
 Clinochlore, 441  
 Clinopyroxene, 144, 465, 799  
 Coconinoite, 404  
 Coesite, 231  
 Columbite, 732  
 Columbite group, 613  
 Compressibility  
   calcite, 941  
    $(\text{Mg},\text{Fe})\text{SiO}_3$  glass, 201  
   silicate melt, 1085  
 Coniféite, 630  
 Contact metamorphism, 1004, 1222, 1226  
 Corundum, 1157  
 Corvusite, 404  
 Crawfordite, 1328  
 Crerarite, 845  
 Crocidolite, 1093  
 Crystal growth  
   armstrongite, 1031  
   forsterite, 823  
   gittinsite, 1031  
   grossular, 691  
   humite, 638  
   ice, 1302  
   mica, 715  
   monazite, 765  
   plagioclase, 776  
   pyrope, 691  
   sector zoning, 1179  
   serpentine, 1116
- Crystal structure  
   anorthite, 645  
   artroeite, 179  
   cummingtonite, 649, 916  
   dozyite, 65  
   Fe analog of kinoshitalite, 833  
   fluorapatite, 329  
   gillulyite, 394  
   hammarite, 1166  
   hillebrandite, 841

- Crystal structure, *cont.*  
 lawsonite, 1277  
 lead aluminosilicate hollandite, 937  
 leucophoenicite, 676  
 lizardite, 1104  
 $(\text{Mg}, \text{Fe})\text{Si}_3\text{O}_8$  glass, 201  
 $\text{Mg}_2\text{GeO}_4$  olivine, 1293  
 $\text{Mg}_2\text{GeO}_4$  spinel, 1293  
 $\text{Mg}_2\text{TiO}_4$ , 885  
 manandonite, 387  
 mica, 715  
 minehillite, 173  
 monazite, 21  
 $\text{Na}_{1.8}\text{Ca}_{1.1}\text{Si}_6\text{O}_{14}$ , 1269  
 nchwaningite, 377  
 olivine, 197, 1089  
 opal-CT, 869  
 orthopyroxene, 9, 253, 923  
 pääkkönenite, 1054  
 pararealgar, 400  
 plumboferrite, 1065  
 pyrope, 457  
 rectorite, 247  
 reederite-(Y), 1059  
 rutile, 448  
 serpentine, 1104, 1116  
 sinkankasite, 620  
 tourmaline, 491  
 ungarettiite, 165  
 xenotime, 21  
 $\text{Zn}_2\text{TiO}_4$ , 885
- Crystal synthesis  
 annite, 345  
 biotite, 1229  
 braunite, 560  
 clinochlore, 441  
 fluorapatite, 329  
 leucite, 705  
 $\text{Mg}_2\text{TiO}_4$ , 885  
 magnetite-spinel, 213  
 muscovite, 1229  
 $\text{Na}_{1.8}\text{Ca}_{1.1}\text{Si}_6\text{O}_{14}$ , 1269  
 pääkkönenite, 1054  
 siderophyllite, 345  
 $\text{Zn}_2\text{TiO}_4$ , 885
- Crystallization, 1188
- Cubanite, 1  
 Cummingtonite, 502, 649, 916
- Dacite, 649, 776  
 Datolite, 576  
 Diamond-anvil cell, 1335  
 Diaspore, 1286  
 Diffusion, 670, 1020, 1179  
 Diopside, 131, 1188  
 Discredited minerals  
   arizonite, 1073  
   doranite, 404  
   kleberite, 1073  
   leucoxene, 1073  
   lusungite, 1073  
   portite, 404  
   rézbányite, 404  
   staringite, 184  
 Distinguished Public Service Medal  
   acceptance of, 859  
   presentation of, 857
- Dolomite, 131  
 Dorallcharite, 184  
 Doranite, 404  
 Dozyite, 65  
 Dravite, 491  
 DTA, TGA  
   analcime, 268  
   artroeite, 179  
   humite, 638  
   LiCl, 231  
   maghemite, 664  
 Dzhezhazganite, 1328
- Eclogite, 799  
 Effenbergerite, 845  
 Elbaite, 491  
 Electrical properties  
   olivine, 46  
   pyroxene, 46  
   tourmaline, 491
- Electron diffraction  
   aikinite, 1166  
   alkali feldspar, 897  
   anorthite, 907
- Electron diffraction, *cont.*  
 bismuthinite, 1166  
 dozyite, 65  
 ferrierite, 930  
 hammarite, 1166  
 häüyne, 87  
 kyanite, 78  
 $\text{Mg}_2\text{GeO}_4$  olivine, 1293  
 $\text{Mg}_2\text{GeO}_4$  spinel, 1293  
 mordenite, 930  
 Sr-bearing feldspar, 907  
 serpentine, 1104, 1116  
 staurolite, 78
- Electron microscopy  
 aikinite, 1166  
 alkali feldspar, 897  
 analcime, 268  
 anorthite, 907  
 B-bearing minerals, 1132  
 biotite, 1229  
 bismuthinite, 1166  
 dozyite, 65  
 ferrierite, 930  
 franckeite, 1174  
 glass, 765, 1229  
 hammarite, 1166  
 häüyne, 87  
 kirschsteinite, 585  
 kyanite, 78  
 $\text{Mg}_2\text{GeO}_4$  olivine, 1293  
 $\text{Mg}_2\text{GeO}_4$  spinel, 1293  
 magnesian calcite, 947  
 magnetite, 757  
 mordenite, 930  
 muscovite, 1229  
 olivine, 585  
 orthopyroxene, 923  
 PEELS, 1132  
 plagioclase, 776  
 Sr-bearing feldspar, 907  
 serpentine, 1104, 1116  
 staurolite, 78
- ELNES, 1132  
 Elpidite, 1031  
 Emmons, Richard Conrad, Memorial of, 194  
 Enstatite, 982, 1252

- Ernienickelite, 404  
 Erratum, 1078  
 Eugenite, 845  
 Evansite, 1073  
 Ewaldite, 630  
 Expansivity  
     calcite, 941  
     lawsonite, 1277  
     orthopyroxene, 9  
     rutile, 448  
     silicate melt, 1085  
 Experimental petrology  
     anatexis, 1229  
     annite, 345  
     apatite, 336, 765  
     biotite, 345  
     C-O-H speciation, 109  
     coesite, 231  
     cummingtonite, 502  
     diamond-anvil cell, 1335  
     diopside, 1188  
     enstatite, 1252  
     fluid inclusions, 641  
     granite, 94, 752, 765, 1229  
     grunerite, 502  
     H fugacity, 345  
     H<sub>2</sub>O, 1302  
     humite, 638  
     ilmenite, 968  
     kaersutitic amphibole, 534, 1347  
     lawsonite, 1286  
     leucite, 1188  
     (Mg,Fe)SiO<sub>3</sub> glass, 201  
     Mg<sub>2</sub>GeO<sub>4</sub>, 1293  
     mafic norite, 1343  
     magnesian gabbronorite, 1343  
     magnesite, 1252  
     monazite, 765  
     Na<sub>2</sub>O-MgO-SiO<sub>2</sub>, 1269  
     oxidation, 345  
     phlogopite, 982  
     phosphates, 1261  
     portlandite, 865  
     pyrope, 483  
     quartz, 231  
     rhyolite, 1229  
     rhyolitic glass, 593  
 Experimental petrology, *cont.*  
     scapolite, 744  
     siderophyllite, 345  
     silicate melt, 297  
     solubilities, 765  
     spinel, 285  
     staurolite, 520  
     talc, 998  
     10 Å phase, 998  
     ulvöspinel, 968  
     xenotime, 765  
 Fe analog of kinoshitalite, 833  
 FeO-MgO-SiO<sub>2</sub>-H<sub>2</sub>O, 649  
 (Fe,Rh,Pt)O?, 845  
 FeS<sub>2</sub>O<sub>3</sub>, 1328  
 Fe-Ti-G-O, 968  
 (Fe<sub>1.5</sub>Pb<sub>0.5</sub>)S<sub>3</sub>O<sub>7</sub>, 1328  
 Fe<sub>2</sub>TlAs<sub>3</sub>O<sub>12</sub>·4H<sub>2</sub>O, 1073  
 Feldspar, 757  
 Fernandinite, 404  
 Ferrierite, 930  
 Ferritungstite, 845  
 Ferromagnesian cummingtonite, 916  
 Fersmite, 732  
 Fichtelite, 1073  
 Fluid flow, 1222, 1226  
 Fluid inclusions, 641  
 Fluorapatite, 329  
 Fluorrichterite, 404  
 Forsterite, 131, 823  
 Fractionation, 1188  
 Franckeite, 1174  
 Gainesite, 1073  
 Garnet, 361, 475, 757, 799, 1026,  
     1145  
 Garnet + biotite, 361  
 Garnet + plagioclase, 361  
 Gaultite, 1073  
 Geobarometry  
     Al-in-hornblende, 549  
     cummingtonite, 502, 649  
     fluid inclusions, 641  
     garnet + plagioclase, 361  
 Geobarometry, *cont.*  
     grunerite, 502  
     H fugacity, 345  
     kaersutitic amphibole, 534  
 Geochemistry  
     armstrongite, 1031  
     atomic radii, 670  
     bariopyrochlore, 732  
     basalt, 776  
     chalcopyrite, 725  
     dacite, 776  
     eclogite, 799  
     elpidite, 1031  
     fluid flow, 1226  
     garnet, 475  
     gittinsite, 1031  
     haycockite, 725  
     huntite, 355  
     kalipyrochlore, 732  
     (Mg,Fe)SiO<sub>3</sub> glass, 201  
     manandonite, 387  
     metasomatism, 1226  
     mooihoeekite, 725  
     muscovite, 1078 [erratum]  
     noble gases, 670  
     orthopyroxene, 144  
     plagioclase, 776  
     pyrochlore, 732  
     pyroxene, 1208  
     REE, 732, 765  
     silicate melt, 1085  
     talnakhite, 725  
     uranpyrochlore, 732  
     Zr, 1031  
 Geochronology, 1317  
 Geothermometry  
     biotite, 757  
     calcite + dolomite, 131  
     cummingtonite, 502, 649  
     feldspar, 757  
     fluid inclusions, 641  
     garnet + biotite, 361  
     granite, 549, 757  
     grunerite, 502  
     magnetite, 757  
     plagioclase + hornblende, 549  
     volcanic glass, 593

- Gillulyite, 394  
 Gittinsite, 1031  
 Glass, 94, 201, 319, 765, 873,  
     982, 1229  
 Glass transformation temperature,  
     1335  
 Grambling, Jeffrey A., Memorial of,  
     1079  
 Granite, 94, 549, 752, 765, 1229  
 Granitic glass, 94  
 Granitic melt, 297  
 Granulite, 641  
 Grossite, 630  
 Grossular, 691, 1020  
 Grossular-andradite garnet, 1145  
 Grunerite, 502
- H fugacity, 345, 534  
 $\text{H}_2\text{O}$ , 1302  
 $\text{H}_2\text{O}$  fugacity, 534  
 $\text{H}_2\text{O}$  solubility, 94  
 Hammarite, 1166  
 Haplogranite, 94  
 Harada, Zyunpei, Memorial of, 412  
 Harkerite, 39  
 Haüyne, 87  
 Haycockite, 725  
 Hexagonal pyrrhotite, 960  
 High-pressure phases  
     anorthite, 239, 645  
     B phases, 676  
     brucite, 222  
     coesite, 231  
     cubanite, 1  
      $\text{H}_2\text{O}$ , 1302  
     humite, 638  
     ice, 1302  
     lead aluminosilicate hollandite,  
         937  
      $\text{Mg}_2\text{GeO}_4$  spinel, 1293  
      $\text{Na}_{1.8}\text{Ca}_{1.1}\text{Si}_6\text{O}_{14}$ , 1269  
     phase "egg", 1286  
     portlandite, 865  
     stishovite, 454  
     10 Å phase, 998  
     topaz-OH, 1286
- Hillebrandite, 841  
 Høgtuvaite, 404  
 Hornblende, 549  
 Humite, 638  
 Huntite, 355  
 Hydromagnesite, 947  
 Hydrothermal alteration, 1004  
 Hydroxylellestadite, 1328
- Ice, 1302  
 Igneous petrology  
     alkali basalt inclusions, 534  
     anatexis, 765  
     anorthosite, 144, 1317  
     baddeleyite, 1317  
     basalt, 776  
     carbonatite, 115  
     chromitite, 1041  
     crystallization, 1188  
     cummingtonite, 502, 649  
     dacite, 649, 776  
     eclogite, 799  
     fractionation, 1188  
     glass, 319  
     granite, 549, 765, 1229  
     granitic melt, 297  
     ilmenite, 968  
      $(\text{Mg},\text{Fe})\text{SiO}_3$  glass, 201  
     mafic norite, 1343  
     magnesian gabbronorite, 1343  
     peralkaline granite, 1031  
     peridotite xenolith, 1041  
     plagioclase, 776  
     pyroxene, 1208  
     rhyolite, 649, 1229  
     sector zoning, 1179  
     silicate melt, 1085, 1335  
     tonalite, 549  
     ulvöspinel, 968  
     volcanic rocks, 593  
     zircon, 1317
- Ilmenite, 810, 968  
 IR spectroscopy  
     apatite, 336  
     basaltic melt, 1339  
     brucite, 947
- IR spectroscopy, *cont.*  
 clinochlore, 441  
 clinopyroxene, 465  
 garnet, 799  
 glass, 94, 319  
 grossular, 691  
 grossular-andradite garnet, 1145  
 hydromagnesite, 947  
 $(\text{Mg},\text{Fe})\text{SiO}_3$  glass, 201  
 mackinawite, 960  
 magnesian calcite, 947  
 orthopyroxene, 465  
 pyrope, 465, 691  
 reederite-(Y), 1059  
 rhyolitic glass, 593  
 schorlomite, 27  
 silicate melt, 1335
- Iron formation, 649
- K analogue of nendarkevichite, 630  
 $\text{K}_2(\text{Na},\text{Li})_4\text{Ca}_3\text{Ti}_2\text{Be}_4\text{Si}_{12}\text{O}_{38}$ ,  
     1328  
 Kaersutitic amphibole, 534, 1347  
 Kalipyrochlore, 404, 732  
 Kaolinite, 1048  
 Karasugite, 184  
 Khristovite-(Ce), 404  
 Kieftite, 184  
 Kinetics  
     alkali feldspar, 897  
     analcime, 268  
     diffusion, 670, 1179  
     grossular, 1020  
     hammarite, 1166  
     hexagonal pyrrhotite, 960  
     ilmenite, 968  
     mackinawite, 960  
     olivine-spinel, 1293  
     plagioclase-melt, 776  
     pyrope, 483  
     rhyolitic glass, 593  
     sodium silicate melt, 861  
     ulvöspinel, 968
- Kintoreite, 1073  
 Kirschsteinite, 585  
 Kleberite, 1073

- Kulanite, 184  
 Kuznetsovite, 184  
 Kyanite, 78, 799
- LiCl, 231  
 Lawsonite, 1277, 1286  
 Lead aluminosilicate hollandite, 937  
 Leucite, 705, 1188  
 Leucophoenicite, 676  
 Leucoxene, 1073  
 Lidinite, 404  
 Lizardite, 1104  
 Lueshite, 732  
 Lusungite, 1073
- (Mg,Fe)SiO<sub>3</sub> glass, 201  
 MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O, 441  
 MgO-SiO<sub>2</sub>-H<sub>2</sub>O, 638  
 (Mg<sub>0.75</sub>Fe<sub>0.25</sub>)<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>, 9  
 (Mg,Fe,Ni)<sub>2</sub>SiO<sub>4</sub>, 1089  
 Mg<sub>2</sub>GeO<sub>4</sub> olivine, 1293  
 Mg<sub>2</sub>GeO<sub>4</sub> spinel, 1293  
 Mg<sub>2</sub>TiO<sub>4</sub>, 885  
 MnO-SiO<sub>2</sub>-CO<sub>2</sub>-O<sub>2</sub>, 560  
 Mackinawite, 184, 960  
 Macquartite, 404  
 Mafic norite, 1343  
 Maghemite, 664  
 Magnesian calcite, 947  
 Magnesian gabbronorite, 1343  
 Magnesio-cummingtonite, 502  
 Magnesioferrite, 1065  
 Magnesite, 1252  
 Magnetic properties  
     maghemite, 664  
     magnetite-spinel, 213  
 Magnetite, 664, 757  
 Magnetite-spinel, 213  
 Makovickyite, 1328  
 Manandonite, 387  
 Marble, 131, 1004  
 Mcalpineite, 630  
 Mccrillisite, 1073
- Mechanical properties  
     plumboferrite, 1065  
     quartz, 641  
     serpentine, 1116  
     viscosity, 297
- Melt structure  
     atomic radii, 670  
     carbonatite, 115  
     granitic glass, 94  
     granitic melt, 297  
     (Mg,Fe)SiO<sub>3</sub> glass, 201  
     NaAlSiO<sub>4</sub>, 417  
     NaAlSi<sub>2</sub>O<sub>6</sub>, 417  
     NaAlSi<sub>3</sub>O<sub>8</sub>, 417  
     silicate melt, 1085, 1335  
     sodium silicate, 861
- Memorials  
     Ahrens, Louis H., 410  
     Burns, Roger G., 1082  
     Emmons, Richard Conrad, 194  
     Grambling, Jeffrey A., 1079  
     Harada, Zyunpei, 412  
     Van Valkenburg, Alvin, Jr., 191  
     von Knorring, Oleg, 189
- Metamorphic petrology  
     amphibolite, 649  
     contact metamorphism, 1004, 1222, 1226  
     cummingtonite, 502, 649  
     fluid flow, 1222, 1226  
     fluid inclusions, 641  
     granite, 752  
     granulite, 641  
     grunerite, 502  
     hydrothermal alteration, 1004  
     iron formation, 649  
     kyanite, 78  
     marble, 131, 1004  
     metamorphism, 1222  
     metapelite, 1229  
     muscovite, 1078 [erratum], 1229  
     paragneiss, 810  
     pelitic schist, 361  
     scapolite, 744  
     sector zoning, 1179  
     siliceous dolomite, 1226  
     staurolite, 78, 520
- Metamorphism, 1222  
 Metapelite, 1229  
 Metasomatism, 1226  
 Meteorite  
     forsterite, 823  
     olivine, 197  
     orthopyroxene, 923
- Mgriite, 845  
 Mica, 715  
 Mikasaite, 845  
 Minehillite, 173  
 Mineralogical Society of America  
     Award  
         acceptance of, 855  
         presentation of, 854  
 Monazite, 21, 765, 1261  
 Monsmedite, 630  
 Mooihoeekite, 725  
 Mordenite, 930  
 Morimotoite, 1073  
 Mössbauer spectroscopy  
     cubanite, 1  
     kaersutitic amphibole, 534, 1347  
     maghemite, 664  
     muscovite, 1078 [erratum]  
     schorlomite, 27
- Mrázeckite, 404  
 Muscovite, 361, 1078 [erratum], 1229
- NaAlSiO<sub>4</sub>, 417  
 NaAlSiO<sub>4</sub>-SiO<sub>2</sub>, 417  
 NaAlSi<sub>2</sub>O<sub>6</sub>, 417  
 NaAlSi<sub>3</sub>O<sub>8</sub>, 417  
 Na-Ca-Nb-Fe-O, 732  
 Na-Mg-Ca borate-carbonate, 184  
 Na<sub>1.8</sub>Ca<sub>1.1</sub>Si<sub>6</sub>O<sub>14</sub>, 1269  
 Na<sub>2</sub>O-MgO-SiO<sub>2</sub>, 1269  
 Ni-bearing olivine, 1089  
 Ni carbonates, 184  
 Nagyagite, 184, 630  
 Namibite, 1073  
 Nchwaningite, 377  
 Neutron diffraction  
     olivine, 197  
     rutile, 448

New mineral data (abstracts)  
alunite-jarosite, 630  
aurichalcite, 1073  
bilibinskite, 845  
bogdanovite, 845  
bolivarite, 1073  
briartite, 845  
chameanite, 845  
chevkinitite, 1328  
choloalite, 630  
coconinoite, 404  
corvusite, 404  
dzhezkazganite, 1328  
evansite, 1073  
ewaldite, 630  
fernandinite, 404  
ferritungstite, 845  
fichtelite, 1073  
hydroxylellestadite, 1328  
kalipyrochlore, 404  
kulanite, 184  
kuznetsovite, 184  
mackinawite, 184  
macquartite, 404  
mgriite, 845  
monsmedite, 630  
mrázeckite, 404  
nagyagite, 184, 630  
namibite, 1073  
olympite, 404  
parakhinitite, 1073  
parisite-(Ce)-16H, 184  
parisite-(Ce)-42R, 184  
parisite-(Ce)-48R, 184  
poitevinitite, 1328  
rhomboclase, 404  
richelsdorfite, 845  
schulenbergite, 845  
smirnovskite, 630  
smythite, 184  
synchysite-(Ce), 1073  
tilasite, 845  
uralolite, 1328  
varlamoffite, 845  
wermlandite, 404  
wherryite, 404  
wickenburgite, 845

New minerals (abstracts)  
AgFeS<sub>2</sub>, 184  
AgHgSb<sub>3</sub>, 1328  
AgInS<sub>2</sub>, 404  
Ag-Sn-S mineral, 1073  
Ag<sub>4</sub>Sb<sub>2</sub>S<sub>5</sub>, 1328  
Ag<sub>9</sub>(Sb,As)Te<sub>2</sub>S<sub>4</sub>, 184  
Au-Pb-Te-Sb-S mineral, 184  
abenakiite-(Ce), 1073  
alarsite, 1328  
arsenowaylandite, 184  
(Bi,Pb)<sub>3</sub>(S,Se)<sub>4</sub>, 630  
Bi<sub>4</sub>Se<sub>3</sub>, 184  
barium-zinc alumophosphate, 184  
basinite, 404  
baykovite, 1328  
biotite-6A, 404  
briziite, 630  
Ca analogue clinojimmonite-thompsonite, 630  
Ca[B<sub>3</sub>O<sub>4</sub>(OH)<sub>3</sub>], 1328  
(Ca,REE)PO<sub>4</sub>·nH<sub>2</sub>O, 630  
Ca<sub>3</sub>Ti(Al,Ti)<sub>2</sub>(Si,Al)<sub>3</sub>O<sub>14</sub>, 630  
(Ce,La)OF, 184  
Ce<sub>4</sub>O<sub>5</sub>F<sub>2</sub>, 184  
CoAl<sub>2</sub>O<sub>4</sub>, 184  
CuFe<sub>3</sub>S<sub>4</sub>, 184  
CuNiSb<sub>2</sub>, 1073  
Cu(Re,Mo,Os)<sub>5</sub>S<sub>9</sub>, 1073  
Cu<sub>20</sub>(Fe,Cu,Zn)<sub>6</sub>W<sub>2</sub>Ge<sub>6</sub>S<sub>32</sub>, 630  
Cu<sub>20</sub>(Fe,Zn,Cu)<sub>6</sub>Mo<sub>2</sub>Ge<sub>6</sub>S<sub>32</sub>, 630  
coniféite, 630  
crawfordite, 1328  
crerarite, 845  
dorallcharite, 184  
effenbergerite, 845  
ernienickelite, 404  
eugenite, 845  
(Fe,Rh,Pt)O?, 845  
FeS<sub>2</sub>O<sub>3</sub>, 1328  
(Fe<sub>1.5</sub>Pb<sub>0.5</sub>)S<sub>3</sub>O<sub>7</sub>, 1328  
Fe<sub>2</sub>TlAs<sub>3</sub>O<sub>12</sub>·4H<sub>2</sub>O, 1073  
fluorrichterite, 404  
gainesite, 1073  
gaultite, 1073  
grossite, 630

New minerals (abstracts), cont.  
høgtuvaite, 404  
K analogue of nenadkevichite, 630  
K<sub>2</sub>(Na,Li)<sub>4</sub>Ca<sub>3</sub>Ti<sub>2</sub>Be<sub>4</sub>Si<sub>12</sub>O<sub>38</sub>, 1328  
karasugite, 184  
khristovite-(Ce), 404  
kieftite, 184  
kintoreite, 1073  
lidinite, 404  
makovickyite, 1328  
mcalpineite, 630  
mccrillisite, 1073  
mikasaite, 845  
morimotoite, 1073  
Na-Mg-Ca borate-carbonate, 184  
Ni carbonates, 184  
Pb<sub>2</sub>Bi<sub>2</sub>(S,Se)<sub>3</sub>, 630  
Pt(Cu,Sb)<sub>3</sub>, 404  
(Pt,Fe)O?, 845  
(Pt,Fe,Rh,Ir)O?, 845  
paraniite-(Y), 630  
peterbaylissite, 1073  
petersenite-(Ce), 404  
PGE oxides, 845  
protoantigorite, 1328  
pseudorutile, 845  
quadridavyne, 630  
ReS<sub>n</sub>, 404  
(Rh-Ir,Ni-Fe)<sub>1-x</sub>S, 1328  
(Rh,Fe,Ir)<sub>3</sub>O, 845  
Rh<sub>11</sub>S<sub>9</sub>, 1328  
(Ru,Mn,Fe)(O,OH)<sub>3</sub>?, 845  
saliotite, 845  
samfowlerite, 184  
sazykinaite-(Y), 630  
schwertmannite, 845  
selwynite, 1073  
shuangfengite, 1328  
sodium autunite, 1328  
sodium meta-autunite, 1328  
soucekite-like mineral, 845  
tangeite, 184  
thorium silicate, 845  
trigonal analog of donnayite-(Y), 1328  
unnamed (Pd,Pt)<sub>3</sub>(Bi,Sb), 404

New minerals (abstracts), *cont.*  
vanadomalayite, 1073  
vicanite-(Ce), 1328  
wycheoproofite, 845  
 $\chi$ -alumina, 1328  
yanomamite, 184  
yuanjiangite, 1328  
Zn-Cd-In sulfides, 1328  
zinc indium sulfide, 404  
zinc iron copper sulfide, 404  
New minerals (descriptions)  
artroeite, 179  
dozyite, 65  
nchwaningite, 377  
titanian fluor-richterite, 162  
ungarettiite, 165  
NMR spectroscopy  
albite, 878  
analcite, 705  
brucite, 947  
clinochlore, 441  
grossular, 691  
harkerite, 39  
hydromagnesite, 947  
leucite, 705  
 $Mg_2TiO_4$ , 885  
magnesian calcite, 947  
pargasite, 628, 629  
pyrope, 691  
rectorite, 247  
sodium silicate, 861  
 $Zn_2TiO_4$ , 885  
zunyite, 39  
Noble gases, 670  
  
Obsidian, 319  
Olivine, 46, 197, 585, 1089  
Olivine-spinel, 1293  
Olympite, 404  
Opal-CT, 869  
Optical properties  
artroeite, 179  
corundum, 1157  
dozyite, 65  
Fe analog of kinoshitalite, 833  
haüyne, 87

Optical properties, *cont.*  
lawsonite, 1277  
(Mg,Fe)SiO<sub>3</sub> glass, 201  
manandonite, 387  
nchwaningite, 377  
plumboferrite, 1065  
reederite-(Y), 1059  
schorlomite, 27  
ungarettiite, 165  
Optical spectroscopy  
forsterite, 823  
schorlomite, 27  
Order-disorder  
alkali feldspar, 897  
analcite, 705  
anorthite, 907  
armalcolite, 810  
Bi<sub>2</sub>S<sub>3</sub>-CuPbBiS<sub>3</sub>, 1166  
Cu<sub>2</sub>Pb<sub>2</sub>Bi<sub>9</sub>, 1166  
clinochlore, 441  
columbite group, 613  
cummingtonite, 502, 649, 916  
ferrierite, 930  
fluorapatite, 329  
grossular, 691  
hammarite, 1166  
haüyne, 87  
hillebrandite, 841  
leucite, 705  
Mg<sub>2</sub>TiO<sub>4</sub>, 885  
manandonite, 387  
olivine, 197, 1089  
opal-CT, 869  
orthopyroxene, 9, 253  
pargasite, 629  
pyrope, 457, 691  
rectorite, 247  
Sr-bearing feldspar, 907  
spinel, 285  
ungarettiite, 165  
Zn<sub>2</sub>TiO<sub>4</sub>, 885  
Orthogneiss, 475  
Orthopyroxene, 9, 144, 253, 465,  
923  
Oscillatory zoning, 823  
Oxidation, 345  
Oxygen, 757  
Pb<sub>2</sub>Bi<sub>2</sub>(S,Se)<sub>3</sub>, 630  
Pt(Cu,Sb)<sub>3</sub>, 404  
(Pt,Fe)O?, 845  
(Pt,Fe,Rh,Ir)O?, 845  
Pääkkönenite, 1054  
Paragneiss, 810  
Parakhinite, 1073  
Paraniite-(Y), 630  
Pararealgar, 400  
Pargasite, 628, 629  
Parisite-(Ce)-16H, 184  
Parisite-(Ce)-42R, 184  
Parisite-(Ce)-48R, 184  
Partition coefficients, 1179  
PEELS, 1132  
Pelitic schist, 361  
Peralkaline granite, 1031  
Periclase, 1226, 1252  
Peridotite xenolith, 1041  
Peterbaylissite, 1073  
Petersenite-(Ce), 404  
PGE oxides, 845  
Phase "egg", 1286  
Phase equilibria  
anorthite, 239  
armstrongite, 1031  
biotite, 1229  
braunite, 560  
CaCO<sub>3</sub>-CaSO<sub>4</sub>, 115  
columbite, 732  
cummingtonite, 502, 649  
diaspore, 1286  
diopside, 1188  
epidote, 1031  
enstatite, 1252  
fersmite, 732  
garnet, 1026  
gittinsite, 1031  
granite, 94, 752  
H<sub>2</sub>O, 1302  
ilmenite, 968  
kaersutitic amphibole, 534  
kaolinite, 1048  
lawsonite, 1286  
leucite, 1188  
lueshite, 732  
mafic norite, 1343

- Phase equilibria, *cont.*
- magnesian gabbronorite, 1343
  - magnesite, 1252
  - marble, 1004
  - muscovite, 1229
  - $\text{Na}_2\text{O}-\text{MgO}-\text{SiO}_2$ , 1269
  - pelitic schists, 361
  - periclase, 1226, 1252
  - phase "egg", 1286
  - phlogopite, 982
  - portlandite, 865
  - pyrochlore, 732
  - quartz-coesite, 231
  - rhodonite, 560
  - staurolite, 520
  - talc, 998
  - 10 Å phase, 998
  - topaz-OH, 1286
  - tremolite, 1226
  - ulvöspinel, 968
  - vlasovite, 1031
- Phase transformation mechanisms, 1293
- Phase transitions
- anorthite, 907
  - ferromagnesian cummingtonite, 916
  - lawsonite, 1277
  - Sr-bearing feldspar, 907
- Phlogopite, 982, 1307
- Phosphates, 1261
- Plagioclase, 144, 744, 776
- Plagioclase + hornblende, 549
- Plagioclase-melt, 776
- Planetary studies, 115, 585, 1208
- Plumboferrite, 1065
- Poitevinite, 1328
- Polytypism
- mica, 715
  - serpentinite, 1104, 1116
- Portite, 404
- Portlandite, 865
- Protoantigorite, 1328
- Pseudorutile, 845
- Pyrochlore, 732
- Pyrope, 457, 465, 483, 691
- Pyroxene, 46, 1208
- Pyroxmangite, 560
- Quadrivayne, 630
- Quantum mechanical calculations, 1132
- Quartz, 231, 641
- Quartz-coesite, 231
- $\text{ReS}_n$ , 404
- $(\text{Rh},\text{Fe},\text{Ir})_3\text{O}?$ , 845
- $(\text{Rh}-\text{Ir},\text{Ni}-\text{Fe})_{1-x}\text{S}$ , 1328
- $\text{Rh}_{11}\text{S}_9$ , 1328
- $(\text{Ru},\text{Mn},\text{Fe})(\text{O},\text{OH})_3?$ , 845
- Raman spectroscopy
- anorthite, 645
  - brucite, 222
  - corundum, 1157
- Rectorite, 247
- REE
- apatite, 765
  - fluorapatite, 329
  - garnet, 475
  - glass, 765
  - monazite, 21, 765, 1261
  - orthogneiss, 475
  - pyrochlore, 732
  - pyroxene, 1208
  - reederite-(Y), 1059
  - schorlomite, 27
  - xenotime, 21, 765
- Reederite-(Y), 1059
- Rézbányite, 404
- Rhodonite, 560
- Rhomboclase, 404
- Rhyolite, 649, 1229
- Rhyolitic glass, 593
- Richelsdorffite, 845
- Rigid-body motion, 680
- Roebling Medal
- acceptance of, 852
  - presentation of, 851
- Rutile, 448, 810
- $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{FeO}-\text{MgO}-\text{MnO}-\text{H}_2\text{O}$ , 361
- $\text{SrAl}_2\text{Si}_2\text{O}_8-\text{CaAl}_2\text{Si}_2\text{O}_8$ , 907
- Sr-bearing feldspar, 907
- Saliotite, 845
- Samfowlerite, 184
- Sazykinaite-(Y), 630
- Scapolite, 744
- Schorl, 491
- Schorlomite, 27
- Schulenbergite, 845
- Schwertmannite, 845
- Sector zoning, 1179
- Selwynite, 1073
- Serpentine, 1104, 1116
- Shuangfengite, 1328
- Siderophyllite, 345
- Silicate, 680
- Silicate melt, 297, 305, 1085, 1335
- Siliceous dolomite, 1226
- Sinkankasite, 620
- Smirnovskite, 630
- Smythite, 184
- Sodium autunite, 1328
- Sodium meta-autunite, 1328
- Sodium silicate, 861
- Sodium silicate melt, 861
- Solubilities, 765
- Soucekite-like mineral, 845
- Spinel, 285, 1041
- Stable isotopes
- biotite, 757
  - calcite, 1004
  - eclogite, 799
  - feldspar, 757
  - garnet, 757
  - magnetite, 757
  - marble, 1004
  - oxygen, 757
  - siliceous dolomite, 1226
- Starlingite, 184
- Staurolite, 78, 520
- Stishovite, 454
- Structure-energy calculations, 1020
- Synchysite-(Ce), 1073

## Systems (chemical)

- $\text{Al}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$ , 1286  
 $\text{Bi}_2\text{S}_3\text{-CuPbBiS}_3$ , 1166  
 $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$ , 1286  
 $\text{CaO-B}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$ , 576  
 $\text{Ca(OH)}_2\text{-CaCO}_3\text{-H}_2\text{O}$ , 865  
chalcopyrite, 725  
 $\text{FeO-MgO-SiO}_2\text{-H}_2\text{O}$ , 649  
Fe-Ti-G-O, 968  
haycockite, 725  
 $\text{MgO-Al}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$ , 441  
 $\text{MgO-SiO}_2\text{-H}_2\text{O}$ , 638  
 $\text{MnO-SiO}_2\text{-CO}_2\text{-O}_2$ , 560  
mooihoekite, 725  
 $\text{NaAlSiO}_4\text{-SiO}_2$ , 417  
Na-Ca-Nb-Fe-O, 732  
 $\text{Na}_2\text{O-MgO-SiO}_2$ , 1269  
 $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-FeO-MgO-MnO-H}_2\text{O}$ , 361  
 $\text{SrAl}_2\text{Si}_2\text{O}_8\text{-CaAl}_2\text{Si}_2\text{O}_8$ , 907  
silicate, 680  
talnakhite, 725

Ta-Nb oxides, 613

Talc, 131, 998

Talnakhite, 725

Tangeite, 184

10 Å phase, 998

Thermal behavior

- lawsonite, 1277  
rigid-body motion, 680  
sodium silicate melt, 861

Thermodynamic data

- alkali feldspar, 280  
anthophyllite, 502  
armalcolite, 810  
braunite, 560  
calcite, 115  
clinochlore, 441  
corundum, 1157  
cummingtonite, 502, 649  
datolite, 576  
enstatite, 1252  
grossular, 691  
grunerite, 502  
huntite, 355

Thermodynamic data, *cont.*

- kaolinite, 1048  
magnesio-cummingtonite, 502  
magnesite, 1252  
phlogopite, 982  
pyrope, 691  
rhodonite, 560  
scapolite, 744  
silicate melt, 1085  
spinel, 285  
staurolite, 520  
Thorium silicate, 845  
Tilasite, 845  
Titanian fluor-richterite, 162  
Tonalite, 549  
Topaz-OH, 1286  
Tourmaline, 491  
Trace elements  
biotite, 1229  
braunite, 560  
clinopyroxene, 144, 465  
columbite group, 613  
forsterite, 823  
garnet, 475  
glass, 319  
granite, 1229  
(Mg,Fe)SiO<sub>3</sub> glass, 201  
maghemite, 664  
muscovite, 1229  
olivine, 1089  
orthopyroxene, 144, 465  
partition coefficients, 1179  
plagioclase, 776  
pyrope, 465  
pyroxene, 1208  
rhodonite, 560  
schorlomite, 27  
titanian fluor-richterite, 162  
Zr, 1031  
Tremolite, 131, 1226  
Trigonal analog of donnayite-(Y), 1328

- Ulvöspinel, 968  
Ungarettiite, 165

## Unit-cell data

- alkali feldspar, 280  
anorthite, 239, 907  
artroeite, 179  
braunite, 560  
calcite, 941  
clinochlore, 441  
columbite group, 613  
dozyite, 65  
Fe analog of kinoshitalite, 833  
gillulyite, 394  
hillebrandite, 841  
kirschsteinit, 585  
lawsonite, 1277  
lead aluminosilicate hollandite, 937  
 $\text{Mg}_2\text{TiO}_4$ , 885  
maghemite, 664  
manandonite, 387  
mica, 715  
minehillite, 173  
monazite, 21  
mordenite, 930  
nchwaningite, 377  
olivine, 585  
orthopyroxene, 9, 923  
pääkkönenite, 1054  
pararealgar, 400  
plumboferrite, 1065  
pyroxene, 46  
pyroxmangite, 560  
rectorite, 247  
reederite-(Y), 1059  
rhodonite, 560  
rutile, 448  
Sr-bearing feldspar, 907  
schorlomite, 27  
sinkankasite, 620  
stishovite, 454  
ungarettiite, 165  
xenotime, 21  
 $\text{Zn}_2\text{TiO}_4$ , 885  
Unnamed (Pd,Pt)<sub>3</sub>(Bi,Sb), 404  
Uralolite, 1328  
Uranpyrochlore, 732  
Uvite, 491

Van Valkenburg, Alvin, Jr.,

Memorial of, 191

Vanadomalayite, 1073

Varlamoffite, 845

Vicanite-(Ce), 1328

Viscosity, 297

Vlasovite, 1031

Volcanic glass, 593

Volcanic rocks, 593

von Knorring, Oleg, Memorial of,

189

Wermlandite, 404

Wherryite, 404

Wickenburgite, 845

Wycheaproofite, 845

$\chi$ -alumina, 1328

XAS, 1089

aluminosilicate, 432

B K edge, 873

glass, 873

schorlomite, 27

Xenotime, 21, 765

XPS, 1093

XRD

analcite, 705

anorthite, 907

XRD, *cont.*

artocite, 179

calcite, 941

clinochlore, 441

cubanite, 1

dozyite, 65

Fe analog of kinoshitalite, 833

humite, 638

lawsonite, 1277

lead aluminosilicate hollandite,

937

leucite, 705

$Mg_2TiO_4$ , 885

maghemite, 664

manandonite, 387

mica, 715

monazite, 21

$NaAlSiO_4$ , 417

$NaAlSi_2O_6$ , 417

$NaAlSi_3O_8$ , 417

nchwaningite, 377

opal-CT, 869

orthopyroxene, 253

pääkkönenite, 1054

pararealgar, 400

plumboferrite, 1065

pyrochlore, 732

pyrope, 457

rectorite, 247

reederite-(Y), 1059

XRD, *cont.*

rutile, 448

Sr-bearing feldspar,

907

schorlomite, 27

stishovite, 454

ungarettiite, 165

xenotime, 21

$Zn_2TiO_4$ , 885

XRF

basalt, 776

basaltic andesite, 162

clinopyroxene, 144

dacite, 776

orthogneiss, 475

orthopyroxene, 144

Yanomamite, 184

Yuanjiangite, 1328

Zn-Cd-In sulfides, 1328

$Zn_2TiO_4$ , 885

Zr, 1031

Zinc indium sulfide, 404

Zinc iron copper sulfide,  
404

Zircon, 1317

Zunyite, 39