

INVITED CENTENNIAL ARTICLE

**Secular change in metamorphism and the onset of global plate tectonics**

**MICHAEL BROWN<sup>1,\*</sup> AND TIM JOHNSON<sup>2</sup>**

<sup>1</sup>Laboratory for Crustal Petrology, Department of Geology, University of Maryland, College Park, MD 20742, U.S.A.

<sup>2</sup>Department of Applied Geology, The Institute for Geoscience Research (TIGeR), Curtin University, Perth WA 6845, Australia

---

\* Email: mbrown@umd.edu

**REFERENCES CITED IN THE SUPPLEMENTARY DATA TABLE**

- Adachi, T., Osanai, Y., Hokada, T., Nakano, N., Baba, S., and Toyoshima, T. (2013) Timing of metamorphism in the central Sør Rondane Mountains, eastern Dronning Maud Land, East Antarctica: Constrains from SHRIMP zircon and EPMA monazite dating. *Precambrian Research*, 234, 136–160.
- Adjerid, Z., Godard, G., Ouzegane, K., Kienast, J.R. (2013) Multistage progressive evolution of rare osumilite-bearing assemblages preserved in ultrahigh-temperature granulites from In Ouzzal (Hoggar, Algeria). *Journal of Metamorphic Geology*, 31, 505–524.
- Agard, P., Labrousse, L., Elvevold, S., and Lepvrier, C. (2005) Discovery of Paleozoic Fe-Mg carpholite on Motalafjella, Svalbard Caledonides: A milestone for subduction zone gradients. *Geology*, 33, 761–764.
- Agard, P., Monie, P., Gerber, W., Omrani, J., Molinaro, M., Meyer, B., Labrousse, L., Vrielynck, B., Jolivet, L., and Yamato, P. (2006) Transient, synobduction exhumation of Zagros blueschists inferred from P-T, deformation, time, and kinematic constraints: Implications for Neotethyan wedge dynamics. *Journal of Geophysical Research – Solid Earth*, 111, B11401.
- Agbossoumonde, Y., Menot, R.P., and Guillot, S. (2001) Metamorphic evolution of Neoproterozoic eclogites from south Togo (West Africa). *Journal of African Earth Sciences*, 33, 227–244.
- Ague, J.J., Eckert, J.O., Chu, X., Baxter, E.F., Chamberlain, C.P. (2013) Discovery of ultrahigh-temperature metamorphism in the Acadian orogen, Connecticut, USA. *Geology*, 41, 271–274.
- Aït-Djafer, S., Adjerid, Z., Badani, A., Ouzegane, K., Kienast, J.R. (2009) Spinel-quartz high temperature paragenesis in Al-Fe granulites from the Ihouhaouene area (NW Hoggar, Algeria). *Journal of African Earth Sciences*, 55, 79–91.
- Aleinikoff, J.N., Schenck, W.S., Plank, M.O., Srogi, L.A., Fanning, C.M., Kamo, S.L., and Bosbyshell, H. (2006) Deciphering igneous and metamorphic events in high-grade rocks of the Wilmington Complex, Delaware: Morphology, cathodoluminescence and backscattered electron zoning, and

- SHRIMP U-Pb geochronology of zircon and monazite. *Geological Society of America Bulletin*, 118, 39–64.
- Altenberger, U., Jimenez, D.M.M., Gunter, C., Rodriguez, G.I.S., Scheffler, F., and Oberhänsli, R. (2012) The Garzón Massif, Colombia—a new ultrahigh-temperature metamorphic complex in the Early Neoproterozoic of northern South America. *Mineralogy and Petrology*, 105, 171–185.
- Amaral, W.S., Santos, T.J.S., Wernick, E., Neto, J.A.N., Dantas, E.L., and Matteini, M. (2015) High-pressure granulites from Carire, Borborema Province, NE Brazil: Tectonic setting, metamorphic conditions and U-Pb, Lu-Hf and Sm-Nd geochronology. *Gondwana Research*, 22, 892–909.
- Anczkiewicz, R., and Vance, D. (2000) Isotopic constraints on the evolution of metamorphic conditions in the Jijal-Patan complex and the Kamila Belt of the Kohistan arc, Pakistan Himalaya. *Geological Society Special Publication*, 170, 321–331.
- Anczkiewicz, R., Platt, J.P., Thirlwall, M.F., and Wakabayashi, J. (2004) Franciscan subduction off to a slow start: Evidence from high-precision Lu-Hf garnet ages on high grade flux. *Earth and Planetary Science Letters*, 225, 147–161.
- Anczkiewicz, R., Szczepanski, J., Mazur, S., Storey, C., Crowley, Q., Villa, I.M., Thirlwall, M.E., and Jeffries, T.E. (2007) Lu-Hf geochronology and trace element distribution in garnet: Implications for uplift and exhumation of ultra-high pressure granulites in the Sudetes, SW Poland. *Lithos*, 95, 363–380.
- Anczkiewicz, R., Chakraborty, S., Dasgupta, S., Mukhopadhyay, D., and Kołtonik, K. (2014) Timing, duration and inversion of prograde Barrovian metamorphism constrained by high resolution Lu-Hf garnet dating: A case study from the Sikkim Himalaya, NE India. *Earth and Planetary Science Letters*, 407, 70–81.
- Anderson, J.R., Payne, J.L., Kelsey, D.E., Hand, M., Collins, A.S., and Santosh, M. (2012) High-pressure granulites at the dawn of the Proterozoic. *Geology*, 40, 431–434.
- Anderson, J.R., Kelsey, D.E., Hand, M., and Collins, W.J. (2013) Conductively driven, high-thermal gradient metamorphism in the Anmatjira Range, Arunta region, central Australia. *Journal of Metamorphic Geology*, 31, 1003–1026.
- Angiboust, S., Langdon, R., Agard, P., Waters, D., and Chopin, C. (2012) Eclogitization of the Monviso ophiolite (W. Alps) and implications on subduction dynamics. *Journal of Metamorphic Geology*, 30, 37–61.
- Angiboust, S., Agard, P., Glodny, J., Omrani, J., and Oncken, O. (2016) Zagros blueschists: Episodic underplating and long-lived cooling of a subduction zone. *Earth and Planetary Science Letters*, 443, 48–58.
- Annesley, I.R., Madore, C., and Portella, P. (2005) Geology and thermotectonic evolution of the western margin of the Trans-Hudson Orogen: evidence from the eastern sub-Athabasca basement, Saskatchewan. *Canadian Journal of Earth Sciences*, 42, 573–597.
- Arai, T., Omori, S., Komiya, T., and Maruyama, S. (2015) Intermediate P/T-type regional metamorphism of the Isua Supracrustal Belt, southern west Greenland: The oldest Pacific-type orogenic belt? *Tectonophysics*, 662, 22–39.

- Arab, A., Ouzegane, K., Drareni, A., Doukkari, S., Zetoutou, S., Kienast, J.R. (2015) Phase equilibria modeling of kyanite-bearing eclogitic metapelites in the NCKFMASHTO system from the Egere terrane (Central Hoggar, South Algeria). *Arabian Journal of Geosciences*, 8, 2443–2455.
- Arai, T., Omori, S., Komiya, T., and Maruyama, S. (2015) Intermediate P/T-type regional metamorphism of the Isua Supracrustal Belt, southern west Greenland: The oldest Pacific-type orogenic belt? *Tectonophysics* 662, 22–39.
- Aranovich, L.Ya., Dubinina, E.O., Avdeenko, A.S., Lebedeva, Yu.M., Bushmin, S.A., and Dolivo-Dobrovolskii, D.D. (2010) Oxygen isotopic composition of coexisting minerals of sillimanite-hypersthene rocks from the Por'ya bay area: Evidence of fluid involvement in granulite-facies metamorphism. *Geochemistry International*, 48, 739–751.
- Aronoff, R.F., Andronicos, C.L., Vervoort, J.D., and Hunter, R.A. (2016) Redefining the metamorphic history of the oldest rocks in the southern Rocky Mountains. *Geological Society of America Bulletin*, in press.
- Ashley, K.T., Caddick, M.J., Steele-MacInnis, M.J., Bodnar, R.J., and Dragovic, B. (2014) Geothermobarometric history of subduction recorded by quartz inclusions in garnet. *Geochemistry Geophysics Geosystems*, 15, 350–360.
- Attoh, K. (1998) High-pressure granulite facies metamorphism in the Pan-African Dahomeyide orogen, West Africa. *Journal of Geology*, 106, 236–246.
- Augier, R., Choulet, F., Faure, M., and Turrillot, P. (2015) A turning-point in the evolution of the Variscan orogen: the ca. 325 Ma regional partial-melting event of the coastal South Armorican domain (South Brittany and Vendée, France) *Bulletin de la Société géologique de France*, 186, 63–91.
- Axler, J.A., and Ague, J.J. (2015a) Oriented multiphase needles in garnet from ultrahigh-temperature granulites, Connecticut, USA. *American Mineralogist*, 100, 2254–2271.
- Axler, J.A., and Ague, J.J. (2015b) Too hot for zircons? U-Pb zircon geochronology of the ultrahigh-temperature (UHT) region of the Central Maine Terrane, Connecticut, USA. *Geological Society of America Abstracts with Programs*, 47, 7, 773.
- Baba, S., Owada, M., and Shiraishi, K. (2008) Contrasting metamorphic P–T path between Schirmacher Hills and Mühlig-Hofmannfjella, central Dronning Maud Land, East Antarctica. *Geological Society, London, Special Publications*, 308, 401–417.
- Baba, S., Hokada, T., Kaiden, H., Dunkley, D.J., Owada, M., and Shiraishi, K. (2010) SHRIMP Zircon U-Pb Dating of Sapphirine-Bearing Granulite and Biotite-Hornblende Gneiss in the Schirmacher Hills, East Antarctica: Implications for Neoproterozoic Ultrahigh-Temperature Metamorphism Predating the Assembly of Gondwana. *Journal of Geology*, 118, 621–639.
- Baba, S., Dunkley, D.J., Hokada, T., Horie, K., Suzuki, K., and Shiraishi, K. (2012) New SHRIMP U–Pb zircon ages and CHIME monazite ages from South Harris granulites, Lewisian Complex, NW Scotland: Implications for two stages of zircon formation during Palaeoproterozoic UHT metamorphism. *Precambrian Research*, 200–203, 104–128.
- Baba, S., Osanai, Y., Nakano, N., Owada, M., Hokada, T., Horie, K., Adachi, T., and Toyoshima, T. (2013) Counterclockwise P–T path and isobaric cooling of metapelites from Brattnipene, Sør Rondane

- Mountains, East Antarctica: Implications for a tectonothermal event at the proto-Gondwana margin. *Precambrian Research*, 234, 210–228.
- Backeberg, N.R., Rowe, C.D., van Hinsberg, V.J., and Bellefroid, E.J. (2014) Structural and metamorphic evidence for Mesoproterozoic subduction in the Finlayson Lake greenstone belt, Superior Province, Ontario. *Precambrian Research*, 249, 100–114.
- Bagas, L. (2004) Proterozoic evolution and tectonic setting of the northwest Paterson Orogen, western Australia. *Precambrian Research*, 128, 475–496.
- Baldwin, J. A., and Brown, M. (2008) Age and duration of ultrahigh-temperature metamorphism in the Anapolis-Itaúçu Complex, Southern Brasília Belt, central Brazil - constraints from U-Pb geochronology, mineral rare earth element chemistry and trace-element thermometry. *Journal of Metamorphic Geology*, 26, 213–233.
- Baldwin, J.A., Bowring, S.A., Williams, M.L., and Williams, I.S. (2004) Eclogites of the Snowbird Tectonic Zone: Petrological and U-Pb geochronological evidence for Paleoproterozoic high-pressure metamorphism in the western Canadian Shield: *Contributions to Mineralogy and Petrology*, 147, 528–548.
- Baldwin, J.A., Powell, R., Williams, M.L., and Goncalves, P. (2007) Formation of eclogite, and reaction during exhumation to mid-crustal levels, Snowbird tectonic zone, western Canadian Shield. *Journal of Metamorphic Geology*, 25, 953–974.
- Baldwin, J.A., Powell, R., Brown, M., Moraes, R., and Fuck, R.A. (2005) Mineral equilibria modeling of ultrahigh-temperature metamorphism: an example from the Anápolis-Itaúçu Complex, central Brazil. *Journal of Metamorphic Geology*, 23, 511–531.
- Baldwin, J.A., Brown, M. and Schmitz, M.D. (2007) First application of titanium-in-zircon thermometry to ultrahigh-temperature metamorphism. *Geology*, 35, 295–298.
- Baldwin, S.L., Webb, L.E., and Monteleone, B.D. (2008) Late Miocene coesite-eclogite exhumed in the Woodlark Rift. *Geology*, 36, 735–738.
- Ballèvre, M., and Marchand, J. (1991) Zoning of the eclogite-facies metamorphism in the Champtoceaux nappe (Armorican Massif, France). *Comptes Rendus de l'Académie des Sciences Serie II*, 312, 705–711.
- Ballèvre, M., Pitra, P., and Bohn, M. (2003) Lawsonite growth in the epidote blueschist from the Ile de Groix (Armorican Massif, France): A potential geobarometer. *Journal of Metamorphic Geology*, 21, 723–735.
- Banno, S., Enami, M., Hirajima, T., Ishiwatari, A., and Wang, Q.C. (2000) Decompression P-T path of coesite eclogite to granulite from Weihai, eastern China. *Lithos*, 52, 97–108.
- Barbosa, J., Martin, H., and Peucat, J.J. (2004) Paleoproterozoic dome-forming structures related to granulite-facies metamorphism, Jequié Block, Bahia, Brazil: Petrogenetic approaches. *Precambrian Research*, 135, 105–131.
- Barbosa, J., Nicollet, C., Leite, C., Kienast, J.R., Fuck, R.A., Macedo, E.P. (2006) Hercynite-quartz-bearing granulites from Brejoes Dome area, Jequié Block, Bahia, Brazil: Influence of charnockite intrusion on granulite facies metamorphism. *Lithos*, 92, 537–556.

- Barnhart, K.R., Walsh, P.J., Hollister, L.S., Daniel, C.G., and Andronicos, C.L. (2012) Decompression during Late Proterozoic  $\text{Al}_2\text{SiO}_5$  Triple-Point Metamorphism at Cerro Colorado, New Mexico. *Journal of Geology*, 120, 385–404.
- Barnicoat, A.C., Fare, R.J., Groves, D.I., and McNaughton, N.J. (1991) Synmetamorphic lode-gold deposits in high-grade Archean settings. *Geology*, 19, 921–924.
- Bendaoud, A., Ouzegane, K., Godard, G., Liégeois, J.P., Kienast, J.R., Bruguier, O., and Drareni, A. (2008) Geochronology and metamorphic P–T–X evolution of the Eburnean granulite-facies metapelites of Tidjenouine (Central Hoggar, Algeria): witness of the LATEA metacratonic evolution. *Geological Society, London, Special Publications*, 297, 111–146.
- Berger, A., Kokfelt, T.F., and Kolb, J. (2014) Exhumation rates in the Archean from pressure-time paths: Example from the Skjoldungen Orogen (SE Greenland). *Precambrian Research*, 255, 774–790.
- Berger, J., Féménias, O., Ohnenstetter, D., Bruguier, O., Plissart, G., Mercier, J.-C.C., and Demaiffe, D. (2010) New occurrence of UHP eclogites in Limousin (French Massif Central): Age, tectonic setting and fluid–rock interactions. *Lithos*, 118, 365–382.
- Berger, J., Ouzegane, K., Bendaoud, A., Liégeois, J.P., Kienast, J.R., Bruguier, O., Caby, R. (2014) Continental subduction recorded by Neoproterozoic eclogite and garnet amphibolites from Western Hoggar (Tassendjanet terrane, Tuareg Shield, Algeria). *Precambrian Research*, 247, 139–158.
- Berman, R.G., Pehrsson, S., Davis, W.J., Ryan, J.J., Qui, H., and Ashton, K.E. (2013a) The Arrowsmith orogeny: Geochronological and thermobarometric constraints on its extent and tectonic setting in the Rae craton, with implications for pre-Nuna supercontinent reconstruction. *Precambrian Research*, 232, 44–69.
- Berman, R.G., Sanborn-Barrie, M., Rayner, N., and Whalen, J. (2013b) The tectonometamorphic evolution of Southampton Island, Nunavut: Insight from petrologic modeling and in situ SHRIMP geochronology of multiple episodes of monazite growth. *Precambrian Research*, 232, 140–166.
- Bhandari, A., Pant, N.C., Bhowmik, S.K., and Goswami, S. (2011) ~1.6 Ga ultrahigh-temperature granulite metamorphism in the Central Indian Tectonic Zone: insights from metamorphic reaction history, geothermobarometry and monazite chemical ages. *Geological Journal*, 46, 198–216.
- Bhowmik, S.K., and Spiering, B. (2004) Constraining the prograde and retrograde P–T paths of granulites using decomposition of initially zoned garnets: an example from the Central Indian Tectonic Zone. *Contributions to Mineralogy and Petrology*, 147, 581–603.
- Bhowmik, S.K., Wilde, S.A., Bhandari, A., Pal, T., and Pant, N.C. (2012) Growth of the Greater Indian Landmass and its assembly in Rodinia: Geochronological evidence from the Central Indian Tectonic Zone. *Gondwana Research*, 22, 54–72.
- Bhowmik, S.K., Wilde, S.A., Bhandari, A., and Sarbadhikari, A.B. (2014) Zoned Monazite and Zircon as Monitors for the Thermal History of Granulite Terranes: an Example from the Central Indian Tectonic Zone. *Journal of Petrology*, 55, 585–621.
- Bial, J., Buttner, S.H., Schenk, V., and Appel, P. (2015) The long-term high-temperature history of the central Namaqua Metamorphic Complex: Evidence for a Mesoproterozoic continental back-arc in southern Africa. *Precambrian Research*, 268, 243–278.

- Bailie, R., Armstrong, R., and Reid, D. (2007) The Bushmanland Group supracrustal succession, Aggeneys, Bushmanland, South Africa: Provenance, age of deposition and metamorphism. *South African Journal of Geology*, 110, 59–86.
- Bingen, B., Davis, W.J., Hamilton, M.A., Engvik, A.K., Stein, H.J., Skar, O., and Nordgulen, O. (2008) Geochronology of high-grade metamorphism in the Sveconorwegian belt, S. Norway: U-Pb, Th-Pb and Re-Os data. *Norwegian Journal of Geology*, 88, 13–42.
- Bisnath, A., and Frimmel, H.E. (2005) Metamorphic evolution of the Maud Belt: P-T-t path for high-grade gneisses in Gjelsvikfjella, Dronning Maud land, East Antarctica. *Journal of African Earth Sciences*, 43, 505–524.
- Bisnath, A., Frimmel, H.E., Armstrong, R.A., and Board, W.S. (2006) Tectono-thermal evolution of the Maud Belt: New SHRIMP U-Pb zircon data from Gjelsvikfjella, Dronning Maud Land, East Antarctica. *Precambrian research*, 150, 95–121.
- Black, L.P., Seymour, D.B., Corbett, K.D., Cox, S.E., Streit, J.E., Bottrill, R.S., Calver, C.R., Everard, J.L., Green, G.R., McClenaghan, M.P., Pemberton, J., Taheri, J., and Turner, N.J. (1997) Dating Tasmania's oldest geological events. *Australian Geological Survey Organization, Record 1997/15*, 57 pp.
- Blereau, E., Clark, C., Taylor, R.J.M., Johnson, T.E., Fitzsimons, I.C.W., and Santosh, M. (2016) Constraints on the timing and conditions of high-grade metamorphism, charnockite formation and fluid–rock interaction in the Trivandrum Block, southern India. *Journal of Metamorphic Geology*, in press.
- Blichert-Toft, J., and Frei, R. (2001) Complex Sm-Nd and Lu-Hf isotope systematics in metamorphic garnets from the Isua supracrustal belt, West Greenland. *Geochimica et Cosmochimica Acta*, 65, 3177–3189.
- Block, S., Moyen, J.-F., Zeh, A., Poujol, M., Jaguin, J., and Paquette, J.L. (2013) The Murchison Greenstone Belt, South Africa: Accreted slivers with contrasting metamorphic conditions. *Precambrian Research*, 227, 77–98.
- Block, S., Ganne, J., Baratoux, L., Zeh, A., Parra-Avila, L.A., Jessell, M., Ailleres, L., and Siebenaller, L. (2015) Petrological and geochronological constraints on lower crust exhumation during Paleoproterozoic (Eburnean) orogeny, NW Ghana, West African Craton. *Journal of Metamorphic Geology*, 33, 463–494.
- Bodorkos, S., and Clark, D.J. (2004) Evolution of a crustal-scale transpressive shear zone in the Albany-Fraser Orogen, SW Australia: 1. P-T conditions of Mesoproterozoic metamorphism in the Coramup Gneiss. *Journal of Metamorphic Geology*, 22, 691–711.
- Boger, S.D., White, R.W., and Schulte, B. (2012) The importance of iron speciation ( $\text{Fe}^{+2}/\text{Fe}^{+3}$ ) in determining mineral assemblages: an example from the high-grade aluminous metapelites of southeastern Madagascar. *Journal of Metamorphic Geology*, 30, 997–1018.
- Bohlen, S.R., Wall, V.J., and Boettcher, A.L. (1983) Experimental investigations and geological applications of equilibria in the system  $\text{FeO}-\text{TiO}_2-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$ . *American Mineralogist*, 68, 1049–1058.
- Boniface, N., and Schenk, V. (2012b) Neoproterozoic eclogites in the Paleoproterozoic Ubendian Belt of Tanzania: Evidence for a Pan-African suture between the Bangweulu Block and the Tanzania Craton. *Precambrian Research*, 208–211, 72–89.

- Boniface, N., Schenk, V., and Appel, P. (2012a) Paleoproterozoic eclogites of MORB-type chemistry and three Proterozoic orogenic cycles in the Ubendian Belt (Tanzania): Evidence from monazite and zircon geochronology, and geochemistry. *Precambrian Research*, 192–195, 16–33.
- Boniface, N., Schenk, V., and Appel, P. (2014) Mesoproterozoic high-grade metamorphism in pelitic rocks of the northwestern Ubendian Belt: Implication for the extension of the Kibaran intra-continental basins to Tanzania. *Precambrian Research*, 249, 215–228.
- Boniface, N., Schenk, V., and Appel, P. (2014) Mesoproterozoic high-grade metamorphism in pelitic rocks of the northwestern Ubendian Belt: Implication for the extension of the Kibaran intra-continental basins to Tanzania. *Precambrian Research*, 249, 215–228.
- Booth, A.L., Chamberlain, C.P., Kidd, W.S.F., and Zeitler, P.K. (2009) Constraints on the metamorphic evolution of the eastern Himalayan syntaxis from geochronologic and petrologic studies of Namche Barwa. *Geological Society of America Bulletin*, 121, 385–407.
- Bosse, V., Féraud, G., Ruffet, G., Ballèvre, M., Peucat, J.J., and De Jong, K. (2000) Late Devonian subduction and early-orogenic exhumation of eclogite-facies rocks from the Champtoceaux Complex (Variscan belt, France). *Geological Journal*, 35, 297–325.
- Bosse, V., Féraud, G., Ballèvre, M., Peucat, J.-J., and Corsini, M. (2005) Rb-Sr and  $^{40}\text{Ar}/^{39}\text{Ar}$  ages in blueschists from the Ile de Groix (Armorican Massif, France): Implications for closure mechanisms in isotopic systems: *Chemical Geology*, 220, 21–45.
- Bostick, B.C., Jones, R.E., Ernst, W.G., Chen, C., Leech, M.L., and Beane, R.J. (2003.) Low-temperature microdiamond aggregates in the Maksyutov Metamorphic Complex, South Ural Mountains, Russia. *American Mineralogist*, 88, 1709–1717.
- Bouyo M.H., Toteu, S.F., Deloule, E., Penaye, J., and Van Schmus, W.R. (2009) U–Pb and Sm–Nd dating of high-pressure granulites from Tcholliré and Banyo regions: Evidence for a Pan-African granulite facies metamorphism in north-central Cameroon. *Journal of African Earth Sciences*, 54, Issue 5, 144–154.
- Bouyo M.H., Penaye, J., Barbey, P., Toteu, S.F., and Wandji P. (2013) Petrology of high-pressure granulite facies metapelites and metabasites from Tcholliré and Banyo regions: Geodynamic implication for the Central African Fold Belt (CAFB) of north-central Cameroon. *Precambrian Research*, 224, 412–433.
- Bowman, J.R., Moser, D.E., Valley, J.W., Wooden, J.L., Kita, N.T., and Mazdab, F.K. (2011) Zircon U-Pb isotope,  $\delta^{18}\text{O}$  and trace element response to 80 m.y. of high temperature metamorphism in the lower crust: sluggish diffusion and new records of Archean craton formation. *American Journal of Science*, 311, 719–772.
- Brandt, S., Will, T.M., and Klemm, R. (2007) Magmatic loading in the Proterozoic Epupa Complex, NW Namibia, as evidenced by ultrahigh-temperature sapphirine-bearing orthopyroxene-sillimanite-quartz granulites. *Precambrian Research*, 153, 143–178.
- Brandt, S., Schenk, V., Raith, M.M., Appel, P., Gerdes, A., and Srikanthappa, C. (2011) Late Neoproterozoic P–T evolution of HP-UHT Granulites from the Palni Hills (South India): New Constraints from Phase Diagram Modelling, LA-ICP-MS Zircon Dating and in-situ EMP Monazite Dating. *Journal of Petrology*, 52, 1813–1856.

- Bröcker, M., Boehnke, M., Hoffmann, J., Maulana, A., Setiawan, N.I., and Klemm, R. (2017) Geochronology of high-pressure and amphibolite facies rocks from the Central Indonesia Accretionary Collision Complex (Sulawesi, Java). 12th International Eclogite Conference, High- and ultrahigh-pressure rocks—keys to lithosphere dynamics through geologic time, Åre, Sweden, August 26–29, 2017, Abstract book and mid-conference excursion field guide, p. 34.
- Bröcker, M., and Klemm, R. (1996) Ultrahigh-pressure metamorphism in the Snieznik Mountains (Sudetes, Poland): P-T constraints and geological implications. *Journal of Geology*, 104, 417–433.
- Bröcker, M., Klemm, R., Kooijman, E., Berndt, J., and Larionov, A. (2010) Zircon geochronology and trace element characteristics of eclogites and granulites from the Orlica-Snieznik complex, Bohemian Massif. *Geological Magazine*, 147, 339–362.
- Bröcker, M., Rad, G.F., Burgess, R., Theunissen, S., and Paderin, I. (2013) New age constraints for the geodynamic evolution of the Sistan Suture Zone, eastern Iran. *Lithos*, 170, 17–34.
- Brovarone, A.V., Groppo, C., Hetenyi, G., Compagnoni, R., and Malavieille, J. (2011) Coexistence of lawsonite-bearing eclogite and blueschist: phase equilibria modelling of Alpine Corsica metabasalts and petrological evolution of subducting slabs. *Journal of Metamorphic Geology*, 29, 583–600.
- Brovarone, A.V., and Agard, P. (2013) True metamorphic isograds or tectonically sliced metamorphic sequence? New high-spatial resolution petrological data for the New Caledonia case study. *Contributions to Mineralogy and Petrology*, 166, 451–469.
- Brovarone, A.V., and Herwartz, D. (2013) Timing of HP metamorphism in the Schistes Lustrés of Alpine Corsica: New Lu-Hf garnet and lawsonite ages. *Lithos*, 172–173, 175–191.
- Broussole, A., Stipska, P., Lehmann, J., Schulmann, K., Hacker, B.R., Holder, R., Kylander-Clark, A.R.C., Hanzl, P., Racek, M., Hasalova, P., Lexa, O., Hrdlickova, K., and Burianek, D. (2015) P-T-t-D record of crustal-scale horizontal flow and magma-assisted doming in the SW Mongolian Altai. *Journal of Metamorphic Geology*, 3, 359–383.
- Brown, M. (1998) Unpairing metamorphic belts: *P-T* paths and a tectonic model for the Ryoke Belt, southwest Japan. *Journal of Metamorphic Geology*, 16, 3–22.
- Brown, M., and Dallmeyer, R.D. (1996) Rapid Variscan exhumation and role of magma in core complex formation: Southern Brittany metamorphic belt, France. *Journal of Metamorphic Geology*, 14, 361–379.
- Brown, M., and Phadke, A.V. (1983) High temperature reactions in pelitic gneiss from Precambrian Sausar metasediments of the Ramakona area, Chindwara District, Madhya Pradesh (India): Definition of the exhumation P-T path and the tectonic implications. In: Phadke, A.V. and Pansalkar, V.G. (eds), Prof. Kelkar Memorial Volume, Indian Society of Earth Scientists, Poona, 61–96.
- Bruand, E., Stüwe, K., and Proyer, A. (2010) Pseudosection modelling for a selected eclogite body from the Koralpe (Hohle), Eastern Alps. *Mineralogy and Petrology*, 99, 75–87.
- Brueckner, H.K., Lallemand, H.G.A., Sisson, V.B., and Harlow, G.E., Hemming, S.R., Martens, U., Tsujimori, T., and Sorensen, S.S. (2009). Metamorphic reworking of a high pressure-low temperature melange along the Motagua fault, Guatemala: A record of Neocomian and Maastrichtian transpressional tectonics. *Earth and Planetary Science Letters*, 284, 228–235.



- Butler, J.P., Jamieson, R.A., Steenkamp, H.M., and Robinson, P. (2013) Discovery of coesite-eclogite from the Nordoyane UHP domain, Western Gneiss Region, Norway: field relations, metamorphic history, and tectonic significance. *Journal of Metamorphic Geology*, 31, 147–163.
- Caby, R. (1994) Precambrian coesite from northern Mali: first record and implications for plate tectonics in the trans-Saharan segment of the Pan-African belt. *European Journal of Mineralogy*, 6, 235–244.
- Caby, R., and Kienast, J.R. (2009) Neoproterozoic and Hercynian metamorphic events in the Central Mauritania: Implications for the geodynamic evolution of West Africa. *Journal of African Earth Sciences*, 53, 122–136.
- Caby, R., Bruguier, O., Fernandez, L., Hammor, D., Bosch, D., Mechat, M., Laouar, R., Ouabadi, A., Abdallah, N., and Douchet, C. (2014) Metamorphic diamonds in garnet megacryst from the Edough Massif (northeastern Algeria). Recognition and geodynamic consequences. *Tectonophysics*, 637, 341–353.
- Cai, J., Liu, F.L., Liu, P.H., Liu, C.H., Wang, F., and Shi, J.R. (2014) Metamorphic P-T path and tectonic implications of pelitic granulites from the Daqingshan Complex of the Khondalite Belt, North China Craton. *Precambrian Research*, 241, 161–184.
- Cai, J., Liu, F.L., Liu, P.H., Liu, C.H., Wang, F., and Shi, J.R. (2015a) Silica-undersaturated spinel granulites in the Daqingshan complex of the Khondalite Belt, North China Craton: Petrology and quantitative P-T-X constraints. *Precambrian Research*, 266, 119–136.
- Cai, J., Liu, F.L., Liu, P.H., Wang, F., and Shi, J.R. (2015b) Geochronology of the Paleoproterozoic khondalite rocks from the Wulashan-Daqingshan area, the Khondalite Belt. *Acta Petrologica Sinica*, 31, 3081–3106.
- Camacho, A., Compston, W., McCulloch, M., and McDougall, I. (1997) Timing and exhumation of eclogite facies shear zones, Musgrave Block, central Australia. *Journal of Metamorphic Geology*, 15, 735–751.
- Carlson, W.D., Anderson, S.D., Mosher, S., Davidow, J.S., Crawford, W.D., and Lane, E.D. (2007) High-pressure metamorphism in the Texas Grenville Orogen: Mesoproterozoic subduction of the Southern Laurentian continental margin. *International Geology Review*, 49, 99–119.
- Carson, C.J., Ague, J.J., and Coath, C.D. (2002) U-Pb geochronology from Tonagh Island, East Antarctica: implications for the timing of ultra-high temperature metamorphism of the Napier Complex. *Precambrian Research*, 116, 237–263.
- Casquet, C., Fanning, C.M., Galindo, C., Pankhurst, R.J., Rapela, C.W., and Torres, P. (2010) The Arequipa Massif of Peru: New SHRIMP and isotope constraints on a Paleoproterozoic inlier in the Grenvillian orogeny. *Journal of South American Earth Sciences*, 29, 128–142.
- Castelli, D., Rolfo, F., Groppo, C., and Compagnoni, R. (2007) Impure marbles from the UHP Brossasco-Isasca Unit (Dora-Maira Massif, western Alps): evidence for Alpine equilibration in the diamond stability field and evaluation of the X(CO<sub>2</sub>) fluid evolution. *Journal of Metamorphic Geology*, 25, 587–603.
- Cetinkaplan, M., Candan, O., Oberhänsli, R., and Bousquet, R. (2008) Pressure-temperature evolution of lawsonite eclogite in Sivrihisar, Tavşanlı Zone-Turkey. *Lithos*, 104, 12–32.

- Cetinkaplan, M., Pourteau, A., Candan, O., Koralay, O.E., Oberhansli, R., Okay, A.I., Chen, F.K., Kozlu, H., and Sengun, F. (2013) P-T-t evolution of eclogite/blueschist facies metamorphism in Alanya Massif: time and space relations with HP event in Bitlis Massif, Turkey. *International Journal of Earth Sciences*, 105, 247–281.
- Chatterjee, N., Mazumdar, A.C., Bhattacharya, A., and Saikia, R.R. (2007) Mesoproterozoic granulites of the Shillong-Meghalaya Plateau: Evidence of westward continuation of the Prydz Bay Pan-African suture into Northeastern India. *Precambrian Research*, 152, 1–26.
- Chatterjee, N., Crowley, J.L., and Ghose, N.C. (2008) Geochronology of the 1.55 Ga Bengal anorthosite and Grenvillian metamorphism in the Chotanagpur gneissic complex, eastern India. *Precambrian Research*, 161, 303–316.
- Chatterjee, N., Banerjee, M., Bhattacharya, A., and Maji, A.K. (2010) Monazite chronology, metamorphism-anatexis and tectonic relevance of the mid-Neoproterozoic Eastern Indian Tectonic Zone. *Precambrian Research*, 179, 99–120.
- Chen, Y., Ye, K., Liu, J.B., and Sun, M. (2006) Multistage metamorphism of the Huangtuling granulite, Northern Dabie Orogen, eastern China: implications for the tectonometamorphic evolution of subducted lower continental crust. *Journal of Metamorphic Geology*, 24, 633–654.
- Cheney, J.T., Brady, J.B., Tierney, K.A., DeGraff, K.A., Mohlman, H.K., Frisch, J.D., Hatch, C.E., Steiner, M.L., Carmichael, S.K., Fisher, R.G.M., Tuit, C.B., Steffen, K.J., Cady, P., Lowell, J., Archuleta, L.L., Hirst, J., Wegmann, K.W. and Monteleone, B. (2004) Proterozoic metamorphism of the Tobacco Root Mountains, Montana. In J.B. Brady, H.R. Burger, J.T. Cheney, and T.A. Harms, Eds., *Precambrian Geology of the Tobacco Root Mountains, Montana, Special Paper 377*, 105–129. Geological Society of America, Boulder, Colorado.
- Cheney, J.T., Webb, A.A.G., Coath, C.D., and McKeegan, K.D. (2004) In situ ion microprobe  $^{207}\text{Pb}/^{206}\text{Pb}$  dating of monazite from Precambrian metamorphic suites, Tobacco Root Mountains, Montana. In J.B. Brady, H.R. Burger, J.T. Cheney, and T.A. Harms, Eds., *Precambrian Geology of the Tobacco Root Mountains, Montana, Special Paper 377*, 151–179. Geological Society of America, Boulder, Colorado.
- Cheng, H., and Cao, D. (2015) Protracted garnet growth in high-P eclogite: constraints from multiple geochronology and P-T pseudosection. *Journal of Metamorphic Geology*, 33, 613–632.
- Cheng, H., C. Zhang, J. D. Vervoort, X. Li, Q. Li, Y. Wu, and S. Zheng (2012) Timing of eclogite facies metamorphism in the North Qinling by U–Pb and Lu–Hf geochronology, *Lithos*, 136–139, 46–59.
- Cheng, H., Zhang, C., Vervoort, J.D., Lu, H.H., Wang, C., and Cao, D.D. (2012) Zircon U-Pb and garnet Lu-Hf geochronology of eclogites from the Lhasa Block, Tibet. *Lithos*, 155, 341–359.
- Cheng, H., Liu, Y.M., Vervoort, J.D., and Lu, H.H. (2015) Combined U-Pb, Lu-Hf, Sm-Nd and Ar-Ar multichronometric dating on the Bailang eclogite constrains the closure timing of the Paleo-Tethys Ocean in the Lhasa terrane, Tibet. *Gondwana Research*, 28, 1482–1499.
- Cheng, H., Lu, T., and Cao, D. (2016) Coupled Lu–Hf and Sm–Nd geochronology constrains blueschist-facies metamorphism and closure timing of the Qilian Ocean in the North Qilian orogeny. *Gondwana Research*, 34, 99–108.

- Cheng, H., Liu, X.C., Vervoort, J.D., Wilford, D., and Cao, D.D. (2016) Micro-sampling Lu-Hf geochronology reveals episodic garnet growth and multiple high-P metamorphic events.. *Journal of Metamorphic Geology*, 34, 363–377.
- Chowdhury, P., Talukdar, M., Sengupta, P., Sanyal, S., and Mukhopadhyay, D. (2013) Controls of P-T path and element mobility on the formation of corundum pseudomorphs in Paleoproterozoic high-pressure anorthosite from Sittampundi, Tamil Nadu, India. *American Mineralogist*, 98, 1725–1737.
- Chu, X., Ague, J.J., Axler, J.A., and Tian, M. (2016) Taconian retrograde eclogite from northwest Connecticut, USA, and its petrotectonic implications. *Lithos*, 240–243, 276–294.
- Clark, C., Collins, A.S., Santosh, M., Taylor, R., and Wade, B.P. (2009) The P-T-t architecture of a Gondwanan suture: REE, U-Pb and Ti-in-zircon thermometric constraints from the Palghat Cauvery shear system, South India. *Precambrian Research*, 174, 129–144.
- Clark, C., Kinny, P.D., and Harley, S.L. (2012) Sedimentary provenance and age of metamorphism of the Vestfold Hills, East Antarctica: Evidence for a piece of Chinese Antarctica? *Precambrian Research*, 196, 23–45.
- Clark, C., Kirkland, C.L., Spaggiari, C.V., Oorschot, C., Wingate, M.T.D., and Taylor, R.J. (2014) Proterozoic granulite formation driven by mafic magmatism: An example from the Fraser Range Metamorphics, Western Australia. *Precambrian Research*, 240, 1–21.
- Clark, C., Healy, D., Johnson, T., Collins, A.S., Taylor, R.J., Santosh, M., and Timms, N.E. (2015) Hot orogens and supercontinent amalgamation: A Gondwanan example from southern India. *Gondwana Research*, 28, 1310–1328.
- Collett, S., and Faryad, S.W. (2015) Pressure-temperature evolution of Neoproterozoic metamorphism in the Welayati Formation (Kabul Block), Afghanistan. *Journal of Asian Earth Sciences*, 111, 698–710.
- Collett, S., Faryad, S.W., and Mosazai, A.M. (2015) Polymetamorphic evolution of the granulite-facies Paleoproterozoic basement of the Kabul Block, Afghanistan. *Mineralogy and Petrology*, 109, 463–484.
- Collins, A.S., Reddy, S.M., Buchan, C., and Mruma, A. (2004) Temporal constraints on Paleoproterozoic eclogite formation and exhumation (Usagaran Orogen, Tanzania): *Earth and Planetary Science Letters*, 224, 175–192.
- Coolen, J.J.M.M.M., Priem, H.N.A., Verdurmen, E.A.T., and Verschure, R.H. (1982) Possible zircon U-Pb evidence for pan-African granulite facies metamorphism in the Mozambique belt of southern Tanzania. *Precambrian Research*, 17, 31–40.
- Cordani, U.G., Cardona, A., Jimenez, D.M., Liu, D., and Nutman, A.P. (2005) Geochronology of Proterozoic basement inliers in the Colombian Andes: tectonic history of remnants of a fragmented Grenville belt. *Geological Society Special Publication*, 246, 329–346.
- Corfu F., and Hartz, E.H. (2011) U-Pb geochronology in Liverpool Land and Canning Land, East Greenland—the complex record of a polyphase Caledonian orogeny. *Canadian Journal of Earth Sciences*, 48, 473–494.

- Corfu, F., Ravna, E.J.K., and Kullerød, K. (2003) A Late Ordovician U-Pb age for the Tromsø Nappe eclogites, Uppermost Allochthon of the Scandinavian Caledonides. *Contributions to Mineralogy and Petrology*, 145, 502–513.
- Corrie, S.L., Kohn, M.J., and Vervoort, J.D. (2010) Young eclogite from the Greater Himalayan Sequence, Arun Valley, eastern Nepal: P-T-t path and tectonic implications. *Earth and Planetary Science Letters*, 289, 406–416.
- Cortesogno, L., Gaggero, L., Oggiano, G., and Paquette, J.L. (2004) Different tectono-thermal evolutionary paths in eclogitic rocks from the axial zone of the Variscan chain in Sardinia (Italy) compared with the Ligurian Alps. *Ophioliti*, 29, 125–144.
- Corvino, A.F., Boger, S.D., Henjes-Kunst, F., Wilson, C.J.L., and Fitzsimons, I.C.W. (2008) Superimposed tectonic events at 2450 Ma, 2100 Ma, 900 Ma and 500 Ma in the North Mawson Escarpment, Antarctic Prince Charles Mountains. *Precambrian Research*, 167, 281–302.
- Couëslan, C.G., and Pattison, D.R.M. (2012) Low-pressure regional amphibolite-facies to granulite-facies metamorphism of the Paleoproterozoic Thompson Nickel Belt, Manitoba. *Canadian Journal of Earth Sciences*, 49, 1117–1153.
- Couëslan, C.G., Pattison, D.R.M., and Dufrane, S.A. (2013) Paleoproterozoic metamorphic and deformation history of the Thompson Nickel Belt, Superior Boundary Zone, Canada, from in situ U-Pb analysis of monazite. *Precambrian Research*, 237, 13–35.
- Cox, R., and Indares, A. (1999) High-pressure and high-temperature metamorphism of the mafic and ultramafic Lac Espadon suite, Manicouagan imbricate zone, eastern Grenville Province, Quebec. *Canadian Mineralogist*, 37, 335–357.
- Cox, R.A., Dunning, G.R., and Indares, A. (1998) Petrology and U-Pb geochronology of mafic, high-pressure, metamorphic coronites from the Tshenukutish domain, eastern Grenville Province. *Precambrian Research*, 90, 59–83.
- Cross, C.B., Diener, J.F.A., and Fagereng, A. (2015) Metamorphic imprint of accretion and ridge subduction in the Pan-African Damara Belt, Namibia. *Journal of Metamorphic Geology*, 33, 633–648.
- Crowley, Q.G., Key, R., and Noble, S.R. (2015) High-precision U-Pb dating of complex zircon from the Lewisian Gneiss Complex of Scotland using an incremental CA-ID-TIMS approach. *Gondwana Research*, 27, 1381–1391.
- Cruciani, G., Franceschelli, M., Groppo, C., and Spano, M.E. (2012) Metamorphic evolution of non-equilibrated granulitized eclogite from Punta de li Tulchi (Variscan Sardinia) determined through texturally controlled thermodynamic modeling. *Journal of Metamorphic Geology*, 30, 667–685.
- Cruz-Uribe, A.M., Hoisch, T.D., Wells, M.L., Vervoort, J.D., and Mazdab, F.K. (2015) Linking thermodynamic modelling, Lu-Hf geochronology and trace elements in garnet: new P-T-t paths from the Sevier hinterland. *Journal of Metamorphic Geology*, 33, 763–781.
- Cutts, K.A., Hand, M., Kelsey, D.E., and Strachan, R.A. (2009) Orogenic versus extensional settings for regional metamorphism: Knoydartian events in the Moine Supergroup revisited. *Journal of the Geological Society*, 166, 201–204.

- Cutts, K.A., Hand, M., and Kelsey, D.E. (2011) Evidence for early Mesoproterozoic (ca. 1590 Ma) ultrahigh-temperature metamorphism in southern Australia. *Lithos*, 124, 1–16.
- Cutts, K.A., Hand, M., and Kelsey, D.E. (2013) Evidence for late Paleoproterozoic (ca 1690–1665 Ma) high- to ultrahigh-temperature metamorphism in southern Australia: Implications for Proterozoic supercontinent models. *Gondwana Research*, 23, 617–640.
- Cutts, K.A., Hand, M., Kelsey, D.E., and Strachan, R.A. (2011) P-T constraints and timing of Barrovian metamorphism in the Shetland Islands, Scottish Caledonides: implications for the structural setting of the Unst ophiolite. *Journal of the Geological Society*, 168, 1265–1284.
- Cutts, K.A., Kinny, P.D., Strachan, R.A., Hand, M., Kelsey, D.E., Emery, M., Friend, C.R.L., and Leslie, A.G. (2010) Three metamorphic events recorded in a single garnet: Integrated phase modelling, in situ LA-ICPMS and SIMS geochronology from the Moine Supergroup, NW Scotland. *Journal of Metamorphic Geology*, 28, 249–267.
- Cutts, C.A., Stevens, G., Hoffmann, J.E., Buick, I.S., Frei, D., and Münker, C. (2014) Paleo- to Mesoarchean polymetamorphism in the Barberton Granite–Greenstone Belt, South Africa: Constraints from U–Pb monazite and Lu–Hf garnet geochronology on the tectonic processes that shaped the belt: *Geological Society of America Bulletin*, 126, 251–270.
- Dahl, P.S., Hamilton, M.A., Jercinovic, M.J., Terry, M.P., Williams, M.L., and Frei, R. (2005) Electron probe (Ultrachron) microchronometry of metamorphic monazite: unraveling the timing of polyphase thermotectonism in the easternmost Wyoming Craton (Black Hills, South Dakota). *American Mineralogist*, 90, 619–638.
- Dale, J., and Holland, T.J.B. (2003) Geothermobarometry, P-T paths and metamorphic field gradients of high-pressure rocks from the Adula Nappe, Central Alps. *Journal of Metamorphic Geology*, 21, 813–829.
- Dallmeyer, R.D., Peucat, J.J., Hirajima, T., and Ohta, Y. (1990a) Tectonothermal chronology within a blueschist-eclogite complex, west-central Spitsbergen, Svalbard: Evidence from  $^{40}\text{Ar}/^{39}\text{Ar}$  and Rb–Sr mineral ages. *Lithos*, 24, 291–304.
- Dallmeyer, R.D., Peucat, J.J., and Ohta, Y. (1990b) Tectonothermal evolution of contrasting metamorphic complexes in northwest Spitsbergen (Biskayerhalvøya): Evidence from  $^{40}\text{Ar}/^{39}\text{Ar}$  and Rb–Sr mineral ages. *Geological Society of America Bulletin*, 102, 653–663.
- Dallmeyer, R.D., Johansson, L., and Möller, C. (1992) Chronology of Caledonian high-pressure granulite-facies metamorphism, uplift, and deformation within northern parts of the Western Gneiss Region, Norway. *Geological Society of America Bulletin*, 104, 444–455.
- Dawson, J.B., Harley, S.L., Rudnick, R.L., and Ireland, T. (1997) Equilibrium and reaction in Archaean sapphirine granulite xenoliths from the Lace kimberlite pipe, South Africa. *Journal of Metamorphic Geology*, 15, 253–266.
- Daly, J.S., Balagansky, V.V., Timmerman, M.J., Whitehouse, M.J., de Jong, K., Guise, P., Bogdanova, S., Gorbatshev, R., and Bridgwater, D., 2001. Ion microprobe U–Pb zircon geochronology and isotopic evidence for a trans-crustal suture in the Lapland-Kola orogen, Northern Fennoscandian Shield. *Precambrian Research*, 105, 289–314.

- De Paoli, M.C., Clarke, G.L., Klepeis, K.A., Allibone, A.H., and Turnbull, I.M. (2009) The Eclogite-Granulite Transition: Mafic and Intermediate Assemblages at Breaksea Sound, New Zealand. *Journal of Petrology*, 50, 2307–2343.
- De Roever, E.W.F., Lafon, J.M., Delor, C., Cocherie, A., Rossi, P., Guerrrot, C., and Potrel, A. (2003) The Bakhuis ultrahigh-temperature granulite belt (Suriname): I. Petrological and geochronological evidence for a counterclockwise P-T path at 2.07–2.05 Ga. *Geologie de la France*, 2003, 175–205.
- DesOrmeau, J.W., Gordon, S.M., Kylander-Clark, A.R.C., Hacker, B.R., Bowring, S.A., Schoene, B., and Samperton, K.M. (2015) Insights into (U)HP metamorphism of the Western Gneiss Region, Norway: A high-spatial resolution and high-precision zircon study. *Chemical Geology*, 414, 138–155.
- Dharmapriya, P.L., Malaviarachchi, S.P.K., Galli, A., Su, B.X., Subasinghe, N.D., Dissanayake, C.B., Nimalsiri, T.B., and Zhu, B. (2014) P-T evolution of a spinel plus quartz bearing khondalite from the Highland Complex, Sri Lanka: Implications for non-UHT metamorphism. *Journal of Asian Earth Sciences*, 95, 99–113.
- Dharmapriya, P.L., Malaviarachchi, S.P.K., Galli, A., Su, B.X., Subasinghe, N.D., Dissanayake, C.B. (2015a) Rare evidence for formation of garnet plus corundum during isobaric cooling of ultrahigh temperature metapelites: New insights for retrograde P-T trajectory of the Highland Complex, Sri Lanka. *Lithos*, 220, 300–317.
- Dharmapriya, P.L., Malaviarachchi, S.P.K., Santosh, M., Tang, L., and Sajeew, K. (2015b) Late-Neoproterozoic ultrahigh-temperature metamorphism in the Highland Complex, Sri Lanka. *Precambrian Research*, 271, 311–333.
- Di Vincenzo, G., Palmeri, R., Talarico, F., Andriessen, P.A.M., and Ricci, C.A. (1997) Petrology and geochronology of eclogites from the Lanterman Range, Antarctica. *Journal of Petrology*, 38, 1391–1417.
- Diener, J.F.A. (2014) Low-P–high-T metamorphism of the Aggeneys terrane, Namaqua metamorphic complex, South Africa. *South African Journal of Geology*, 117, 31–44.
- Diener, J.F.A., Stevens, G., Kisters, A.F.M., and Poujol, M. (2005) Metamorphism and exhumation of the basal parts of the Barberton greenstone belt, South Africa: Constraining the rates of Mesoarchean tectonism. *Precambrian Research*, 143, 87–112.
- Diener, J.F.A., Stevens, G., and Kisters, A.F.M. (2006) High-pressure–intermediate-temperature metamorphism in the southern Barberton granitoid–greenstone terrain, South Africa: A consequence of subduction-driven overthickening and collapse of Mid-Archean continental crust. In: Benn, K., Mareschal, J.-C., and Condie, K. (eds) *Archean Geodynamics and Environments*. American Geophysical Union Geophysical Monograph Series, v. 164, p. 239–254.
- Diener, J.F.A., White, R.W., and Powell, R. (2008) Granulite facies metamorphism and subsolidus fluid-absent reworking, Strangways Range, Arunta Block, central Australia. *Journal of Metamorphic Geology*, 26, 603–622.
- Diener, J.F.A., White, R.W., Link, K., Dreyer, T.S., and Moodley, A. (2013) Clockwise, low-P metamorphism of the Aus granulite terrain, southern Namibia, during the Mesoproterozoic Namaqua Orogeny. *Precambrian Research*, 224, 629–652.

- Ding, H., Zhang, Z., Dong, X., Tian, Z., Xiang, H., Mu, H., Gou, Z., Shui, X., Li, W., and Mao. (2016) Early Eocene (c. 50Ma) collision of the Indian and Asian continents: Constraints from the North Himalayan metamorphic rocks, southeastern Tibet. *Earth and Planetary Science Letters*, 435, 64–73.
- Donohue, C.L., and Essene, E.J. (2005) Granulite-facies conditions preserved in vanadium- and chromium-rich metapelites from the Paradise Basin, Wind River Range, Wyoming, U.S.A. *Canadian Mineralogist*, 43, 495–511.
- Doukkari, S.A., Ouzegane, K., Arab, A., Kienast, J.R., Godard, G., Drareni, A., Zetoutou, S., Liegeois, J.P. (2014) Phase relationships and P-T path in NCFMASHTO system of the eclogite from the Tighsi area (Egere terrane, Central Hoggar, Algeria). *Journal of African Earth Sciences*, 99, 276–286.
- Doukkari, S.A., Ouzegane, K., Godard, G., Diener, J.F.A., Kienast, J.R., Liegeois, J.P., Arab, A., Drareni, A. (2015) Prograde and retrograde evolution of eclogite from Adrar Izzilatene (Egere-Aleksod terrane, Hoggar, Algeria) determined from chemical zoning and pseudosections, with geodynamic implications. *Lithos*, 226, 217–232.
- Dragovic, B., Baxter, E.F., and Caddick, M.J. (2015) Pulsed dehydration and garnet growth during subduction revealed by zoned garnet geochronology and thermodynamic modeling, Sifnos, Greece. *Earth and Planetary Science Letters*, 413, 111–122.
- Dragovic, B., Guevara, V., Caddick, M.J., and Baxter, E.F. (2015) Limitations and utility of Sm-Nd garnet geochronology of high-temperature metamorphism: an example from the Wyoming craton. *Geological Society of America Abstracts with Programs*, 47, 772.
- Druppel, K., Elsassner, L., Brandt, S., and Gerdes, A. (2013) Sveconorwegian Mid-crustal Ultrahigh-temperature Metamorphism in Rogaland, Norway: U-Pb LA-ICP-MS Geochronology and Pseudosections of Sapphirine Granulites and Associated Paragneisses. *Journal of Petrology*, 54, 305–350.
- Du, J.X., Zhang, L.F., Bader, T., Chen, Z.Y., and Lu, Z. (2014a) Metamorphic evolution of relict lawsonite-bearing eclogites from the (U) HP metamorphic belt in the Chinese southwestern Tianshan. *Journal of Metamorphic Geology*, 32, 575–598.
- Du, J.X., Zhang, L.F., Bader, T., and Shen, T.T. (2014b) Metamorphic evolution of ultrahigh-pressure rocks from Chinese southwestern Tianshan and a possible indicator of UHP metamorphism using garnet composition in low-T eclogites. *Journal of Asian Earth Sciences*, 91, 69–88.
- Duan, Z., Wei, C., and Qian, J. (2015) Metamorphic P–T paths and Zircon U–Pb age data for the Paleoproterozoic metabasic dykes of high-pressure granulite facies from Eastern Hebei, North China Craton. *Precambrian Research*, 271, 295–310.
- Ducea, M.N., Otamendi, J.E., Bergantz, G., Stair, K.M., Valencia, V.A., and Gehrels, G.E. (2010) Timing constraints on building an intermediate plutonic arc crustal section: U-Pb zircon geochronology of the Sierra Valle Fertil-La Huerta, Famatinian arc, Argentina. *Tectonics*, 29, TC4002.
- Duclaux, G., Rolland, Y., Ruffet, G., Menot, R.P., Guillot, S., Peucat, J.J., Fanning, M., Rey, P., and Pecher, A. (2008) Superimposed Neoarchean and Paleoproterozoic tectonics in the Terre Adelie Craton (East Antarctica): Evidence from Th-U-Pb ages on monazite and Ar-40/Ar-39 ages. *Precambrian Research*, 167, 316–338.

- Dumond, G., Goncalves, P., Williams, M.L., and Jercinovic, M.J. (2015) Monazite as a monitor of melting, garnet growth and feldspar recrystallization in continental lower crust. *Journal of Metamorphic Geology*, 33, 735–762.
- Dutch, R.A., Hand, M., and Kelsey, D.E. (2010) Unravelling the tectonothermal evolution of reworked Archean granulite facies metapelites using in situ geochronology: an example from the Gawler Craton, Australia. *Journal of Metamorphic Geology*, 28, 293–316.
- Dyck, B., Reno, B.L., and Kokfelt, T.F. (2015) The Majorqaaq Belt: A record of Neoarchean orogenesis during final assembly of the North Atlantic Craton, southern West Greenland. *Lithos*, 220–223, 253–271.
- Dziggel, A., Armstrong, R.A., Stevens, G., and Nasdala, L. (2005) Growth of zircon and titanite during metamorphism in the granitoid-gneiss terrane south of the Barberton greenstone belt, South Africa. *Mineralogical Magazine*, 69, 1019–1036.
- Dziggel, A., Diener, J.F.A., Stoltz, N.B., and Kolb, J. (2012) Role of H<sub>2</sub>O in the formation of garnet coronas during near-isobaric cooling of mafic granulites: the Tasiarsuaq terrane, southern West Greenland. *Journal of Metamorphic Geology*, 30, 957–972.
- Dziggel, A., Diener, J.F.A., Kolb, J., and Kokfelt, T.F. (2014) Metamorphic record of accretionary processes during the Neoarchean: The Nuuk region, southern West Greenland. *Precambrian Research*, 242, 22–38.
- Eglinger, A., Tarantola, A., Durand, C., Ferraina, C., Vanderhaeghe, O., Andre-Mayer, A.S., Paquette, J.L., and Deloule, E. (2014) Uranium mobilization by fluids associated with Ca-Na metasomatism: A P-T-t record of fluid-rock interactions during Pan-African metamorphism (Western Zambian Copperbelt). *Chemical Geology*, 386, 218–237.
- Eglinger, A., Vanderhaeghe, O., André-Mayer, A.S., Goncalves, P., Zeh, A., Durand, C., and Deloule, A. (2016) Tectono-metamorphic evolution of the internal zone of the Pan-African Lufilian orogenic belt (Zambia): Implications for crustal reworking and syn-orogenic uranium mineralizations. *Lithos*, 240–243, 167–188.
- Ellis, D.J., and Maboko, M.A.H. (1992) Precambrian tectonics and the physicochemical evolution of the continental crust. I. The gabbro-eclogite transition revisited. *Precambrian Research*, 55, 491–506.
- Elvevold, S., Thrane, K., and Gilotti, J.A. (2003) Metamorphic history of high-pressure granulites in Payer Land, Greenland Caledonides. *Journal of Metamorphic Geology*, 21, 49–63.
- Elvevold, S., Ravna, E.J.K., Nasipuri, P., and Labrousse, L. (2013) Calculated phase equilibria for phengite-bearing eclogites from NW Spitsbergen, Svalbard Caledonides. *Geological Society Special Publications*, 390, 385–401.
- Endo, S., Wallis, S.R., Tsuboi, M., De Leon, R.T., and Solari, L.A. (2012) Metamorphic evolution of lawsonite eclogites from the southern Motagua fault zone, Guatemala: insights from phase equilibria and Raman spectroscopy. *Journal of Metamorphic Geology*, 30, 143–164.
- Escuder-Viruete, J., and Perez-Estaun, A. (2013) Contrasting exhumation P-T paths followed by high-P rocks in the northern Caribbean subduction-accretionary complex: Insights from the structural geology, microtextures and equilibrium assemblage diagrams. *Lithos*, 160, 117–144.



- Ewing, T.A., Hermann, J., and Rubatto, D. (2013) The robustness of the Zr-in-rutile and Ti-in-zircon thermometers during high-temperature metamorphism (Ivrea-Verbano Zone, northern Italy). *Contributions to Mineralogy and Petrology*, 165, 757–779.
- Faleiros, F.M., Campanha, G.A.D., Martins, L., Vlach, S.R.F., and Vasconcelos, P.M. (2011) Ediacaran high-pressure collision metamorphism and tectonics of the southern Ribeira Belt (SE Brazil): Evidence for terrane accretion and dispersion during Gondwana assembly. *Precambrian Research*. Volume: 189, 263–291.
- Fan, W.M., Wang, Y.J., Zhang, Y.H., Zhang, Y.Z., Jourdan, F., Zi, J.W., and Liu, H.C. (2015) Paleotethyan subduction process revealed from Triassic blueschists in the Lancang tectonic belt of Southwest China. *Tectonophysics*, 662, 95–108.
- Faryad, S.W. (2012) High-pressure polymetamorphic garnet growth in eclogites from the Marianske Lazne Complex (Bohemian Massif). *European Journal of Mineralogy*, 24, 483–497.
- Faryad, S.W., Collett, S., Finger, F., Sergeev, S.A., Čopjaková, R., and Siman, P. (2016) The Kabul Block (Afghanistan), a segment of the Columbia Supercontinent, with a Neoproterozoic metamorphic overprint. *Gondwana Research*, In Press, doi:10.1016/j.gr.2015.02.019.
- Faure, M., Sommers, C., Melleton, J., Cocherie, A., and Lautout, O. (2010) The Léon Domain (French Massif Armoricain): a westward extension of the Mid-German Crystalline Rise? Structural and geochronological insights. *International Journal of Earth Sciences*, 99, 65–81.
- Federico, L., Capponi, G., Crispini, L., Scambelluri, M., and Villa, I.M. (2005)  $^{39}\text{Ar}/^{40}\text{Ar}$  dating of high-pressure rocks from the Ligurian Alps: Evidence for a continuous subduction–exhumation cycle. *Earth and Planetary Science Letters*, 240, 668–680.
- Fernandez, L., Bosch, D., Bruguier, O., Hammor, D., Caby, R., Monie, P., Arnaud, N., Toubal, A., Galland, B., and Douchet, C. (2016) Permo-Carboniferous and early Miocene geological evolution of the internal zones of the Maghrebides - New insights on the western Mediterranean evolution. *Journal of Geodynamics*, 96, 146–173.
- Ferrando, S., Lombardo, B., and Compagnoni, R. (2008) Metamorphic history of HP mafic granulites from the Gesso-Stura Terrain (Argentera Massif, Western Alps, Italy). *European Journal of Mineralogy*, 20, 777–790.
- Ferrero, S., Wunder, B., Walczak, K., O'Brien, P.J., and Ziemann, M.A. (2015) Preserved near ultrahigh-pressure melt from continental crust subducted to mantle depths. *Geology*, 43, 447–450.
- Flores, K.E., Skora, S., Martin, C., Harlow, G.E., Rodriguez, D., and Baumgartner, P.O. (2015) Metamorphic history of riebeckite- and aegirine-augite-bearing high-pressure-low-temperature blocks within the Siuna Serpentinite Melange, northeastern Nicaragua. *International Geology Review*, 57, 943–977.
- Flowers, R., Bowring, S., and Williams, M. (2006) Timescales and significance of high-pressure, high-temperature metamorphism and mafic dike anatexis, Snowbird tectonic zone, Canada. *Contributions to Mineralogy and Petrology*, 151, 558–581.
- Flowers, R.M., Bowring, S., Mahan, K.H., and Williams, M.L. (2008) Stabilization and reactivation of cratonic lithosphere from the lower crustal record in the western Canadian shield. *Contributions to Mineralogy and Petrology*, 156, 529–549.

- Fonarev, V.I., Pilugin, S.M., Savko, K.A., and Novikova, M.A., 2006, Exsolution textures of ortho- and clinopyroxene in high-grade BIF of the Voronezh Crystalline Massif: Evidence of ultrahigh-temperature metamorphism: *Journal of Metamorphic Geology*, 24, 135-151.
- Fotoohi Rad, G.R., Droop, G.T.R., Amini, S., and Moazzen, M., (2005) Eclogites and blueschists of the Sistan Suture Zone, eastern Iran: A comparison of P-T histories from a subduction mélange. *Lithos*, 84, 1–24.
- François, C., Philippot, P., Rey, P., and Rubatto, D. (2014) Burial and exhumation during Archean sagduction in the East Pilbara Granite–Greenstone Terrane. *Earth and Planetary Science Letters*, 396, 235–251.
- Fréville, K., Cenko-Tok, B., Trap, P., Rabin, M., Leyreloup, A., Régnier, J.-L., and Whitney, D.L. (2016) Thermal interaction of middle and upper crust during gneiss dome formation: example from the Montagne Noire (French Massif Central). *Journal of Metamorphic Geology*, 34, 447–462.
- Frezzotti, M.L., Huizenga, J.M., Compagnoni, R., and Selverstone, J. (2014) Diamond formation by carbon saturation in C-O-H fluids during cold subduction of oceanic lithosphere. *Geochimica et Cosmochimica Acta*, 143, 68–86.
- Friend, C.R.L., and Nutman, A.P. (1992) Response of zircon U-Pb isotopes and whole-rock geochemistry to CO<sub>2</sub> fluid-induced granulite-facies metamorphism, Kabbaldurga, Karnataka, south India. *Contributions to Mineralogy and Petrology*, 111, 299–310.
- Friend, C.R.L., Jones, K.A., and Burns, I.M. (2000) New high-pressure granulite event in the Moine Supergroup, northern Scotland: Implications for Taconic (early Caledonian) crustal evolution. *Geology*, 28, 543–546.
- Froitzheim, N., Miladinova, I., Janák, M., Kullerud, K., Ravna, E.K., Majka, J., Fonseca, R.O.C., Münker, C., and Nagel, T.J. (2016) Devonian subduction and syncollisional exhumation of continental crust in Lofoten, Norway. *Geology*, 44, 223–226.
- Frost, B.R., McFarlane, C., Swapp, S.M., Frost, C.D., Chamberlain, K.R., Allen, C.M., and Fitzgerald, B. (2007) Timing and duration of high-P granulite facies metamorphism in the northern Teton Range, Wyoming. *Geological Society of America Abstracts with Programs*, 39/6, 202.
- Frost, B.R., Swapp, S.M., and Frost, C.D. (2009) 2.685-2.671 Ga Himalayan-Type Orogeny in the Northern Teton Range, Wyoming, USA" *Geochimica Et Cosmochimica Acta*, 73, A399–A399.
- Gabudianu Radulescu, I., Rubatto, D., Gregory, C., and Compagnoni, R. (2009) The age of HP metamorphism in the Gran Paradiso Massif, Western Alps: A petrological and geochronological study of "silvery micaschists". *Lithos*, 110, 95–108.
- Galli, A., Le Bayon, B., Schmidt, M.W., Burg, J.P., Caddick, M.J., and Reusser, E. (2011) Granulites and charnockites of the Gruf Complex: Evidence for Permian ultra-high temperature metamorphism in the Central Alps. *Lithos*, 124, 17–45.
- Galli, A., Le Bayon, B., Schmidt, M.W., Burg, J.P., Reusser, E., Sergeev, S.A., and Larionov, A. (2012) U-Pb zircon dating of the Gruf Complex: disclosing the late Variscan granulitic lower crust of Europe stranded in the Central Alps. *Contributions to Mineralogy and Petrology*, 163, 353–378.

- Ganade de Araujo, C.E., Rubatto, D., Hermann, J., Cordani, U.G., Caby, R., and Basei, M.A.S., (2014) Ediacaran 2,500-km-long synchronous deep continental subduction in the West Gondwana Orogen. *Nature Communications*, 5, 5198, DOI: 10.1038/ncomms6198
- Ganne, J., De Andrade, V., Weinberg, R.F., Vidal, O., Dubacq, B., Kagambega, N., Naba, S., Baratoux, L., Jessell, M., and Allibon, J. (2012) Modern-style plate subduction preserved in the Palaeoproterozoic West African craton. *Nature Geoscience*, 5, 60–65.
- Gasco, I., Borghi, A., and Gattiglio, M. (2011) P–T Alpine metamorphic evolution of the Monte Rosa nappe along the Piedmont Zone boundary (Gressoney Valley, NW Italy). *Lithos*, 127, 336–353.
- Gasser, D., Jerabek, P., Faber, C., Stunitz, H., Menegon, L., Corfu, F., Erambert, M., Whitehouse, M.J. (2015) Behaviour of geochronometers and timing of metamorphic reactions during deformation at lower crustal conditions: phase equilibrium modelling and U–Pb dating of zircon, monazite, rutile and titanite from the Kalak Nappe Complex, northern Norway. *Journal of Metamorphic Geology*, 33, 513–534.
- Gazley, M.F., Vry, J.K., and Boorman, J.C. (2011) P–T evolution in greenstone-belt mafic amphibolites: an example from Plutonic Gold Mine, Marymia Inlier, Western Australia. *Journal of Metamorphic Geology*, 29, 685–697.
- Gazley, M.F., Vry, J.K., and Pearce, M.A. (2014) Further evidence for ~8 kbar amphibolite facies metamorphism in the Marymia Inlier, Western Australia. *Australian Journal of Earth Sciences*, 61, 919–926.
- Ge, R., Zhu, W.B., and Wilde, S.A. (2016) Mid-Neoproterozoic (ca. 830–800 Ma) metamorphic P–T paths link Tarim to the circum-Rodinia subduction–accretion system. *Tectonics*, in press.
- Gebauer, D. (1991) Two Palaeozoic high-pressure events in a garnet peridotite of northern Bohemia, Czechoslovakia. 2nd Eclogite Field Symposium, Granada, Terra Abstracts, (Supplement 6 to Terra Nova) 3, 5.
- Gebauer, D., Schertl, H.-P., Brix, W., and Schreyer, W. (1997) 35 Ma old ultrahigh-pressure metamorphism and evidence for very rapid exhumation in the Dora Maira Massif, Western Alps. *Lithos*, 41, 5–24.
- Ghent, E., Tinkham, D., and Marr, R. (2009) Lawsonite eclogites from the Pinchi Lake area, British Columbia—new P–T estimates and interpretation. *Lithos*, 109, 248–253.
- Gilotti, J.A., and Elvevold, S. (2002) Extensional exhumation of a high-pressure granulite terrane in Payer Land, Greenland Caledonides: structural, petrologic, and geochronologic evidence from metapelites. *Canadian Journal of Earth Sciences*, 39, 1169–1187.
- Gilotti, J.A., and Ravna, E.J.K. (2002) First evidence for ultrahigh-pressure metamorphism in the North-East Greenland Caledonides. *Geology*, 30, 551–554.
- Giustinaa, M.E.S.D., Pimentel, M.M., Ferreira Filhoa, C.F., Fuck, R.A., and Andrade, S. (2011) U–Pb–Hf trace element systematics and geochronology of zircon from a granulite-facies metamorphosed mafic–ultramafic layered complex in Central Brazil. *Precambrian Research* 189 (2011) 176–192.
- Glassley, W.E., Korstgard, J.A., Sorensen, K., and Platou, S.W. (2014) A new UHP metamorphic complex in the ~1.8 Ga Nagssugtoqidian Orogen of West Greenland. *American Mineralogist*, 99, 1315–1334.

- Glodny, J., Kuhn, A., and Austrheim, H. (2008) Geochronology of fluid-induced eclogite and amphibolite facies metamorphic reactions in a subduction-collision system, Bergen Arcs, Norway. *Contributions to Mineralogy and Petrology*, 156, 27–48.
- Godard, G. (2009) Two orogenic cycles recorded in eclogite-facies gneiss from the southern Armorican Massif (France). *European Journal of Mineralogy*, 2, 1173–1190.
- Godard, G., Martin, S., Prosser, G., Kienast, J.R., and Morten, L. (1996) Variscan migmatites, eclogites and garnet-peridotites of the Ulten zone, Eastern Austroalpine system. *Tectonophysics*, 259, 313–341.
- Goncalves, P., Nicollet, C., and Montel, J.-M. (2004) Petrology and *in situ* U-Th-Pb monazite geochronology of ultrahigh-temperature metamorphism from the Andriamena mafic unit, north-central Madagascar. Significance of a petrographical *P-T* path in a polymetamorphic context: *Journal of Petrology*, 45, 1923–1957.
- Gordon, S.M., Luffi, P., Hacker, B., Valley, J., Spicuzza, M., Kozdon, R., Kelemen, P., Ratshbacher, L., and Minaev, V. (2012) The thermal structure of continental crust in active orogens: insight from Miocene eclogite and granulite xenoliths of the Pamir Mountains. *Journal of Metamorphic Geology*, 30, 413–434.
- Gou, L.L., Zhang, C.L., and Wang, Q. (2015) Petrological evidence for isobaric cooling of ultrahigh-temperature pelitic granulites from the Khondalite Belt, North China Craton. *Science Bulletin*, 60, 1535–1542.
- Gou, L.L., Zhang, C.L., Brown, M., Piccoli, P.M., Lin, H.B., and Wei, X.S. (2016) *P-T-t* evolution of pelitic gneiss from the basement underlying the Northwestern Ordos Basin, North China Craton, and the tectonic implications. *Precambrian Research*, in press.
- Gregory, C.J., Buick, I.S., Hermann, J., and Rubatto, D. (2009) Mineral-scale trace element and U-Th-Pb age constraints on metamorphism and melting during the Petermann Orogeny (Central Australia). *Journal of Petrology*, 50, 251–287.
- Grevel, C., Maresch, W.V., Stanek, K.P., Grafe, F., and Hoernes, S. (2006) Petrology and geodynamic significance of deerite-bearing metaquartzites from the Escambray Massif, Cuba. *Mineralogical Magazine*, 70, 545–564.
- Groppo, C., Lombardo, B., Castelli, D., and Compagnoni, R. (2007) Exhumation history of the UHPM Brossasco-Isasca Unit, Dora-Maira Massif, as inferred from a phengite-amphibole eclogite. *International Geology Review*, 49, 142–168.
- Groppo, C., Beltrando, M., and Compagnoni, R. (2009) The *P-T* path of the ultra-high pressure Lago Di Cignana and adjoining high-pressure meta-ophiolitic units: insights into the evolution of the subducting Tethyan slab. *Journal of Metamorphic Geology*, 27, 207–231.
- Guevara, V.E., and Caddick, M.J. (2016) Shooting at a moving target: phase equilibria modelling of high-temperature metamorphism. *Journal of Metamorphic Geology*, 34, 209–235.
- Guevara, V., Dragovic, B., and Caddick, M.J. (2015) *P-T* path of short-lived Neoproterozoic granulite facies metamorphism of the Wyoming craton. *Geological Society of America Abstracts with Programs*, 47, 708.

- Guilmette, C., Indares, A., and Hébert, R. (2011) High-pressure anatectic paragneisses from the Namche Barwa, Eastern Himalayan Syntaxis: Textural evidence for partial melting, phase equilibria modeling and tectonic implications. *Lithos*, 124, 66–81.
- Guynn, J.H., Kapp, P., Pullen, A., Heizier, M., Gehrels, G., and Ding, L. (2006) Tibetan basement rocks near Amdo reveal "missing" Mesozoic tectonism along the Bangong suture, central Tibet. *Geology*, 34, 505–508.
- Guynn, J., Tropper, P., Kapp, P., and Gehrels, G.E. (2013) Metamorphism of the Amdo metamorphic complex, Tibet: implications for the Jurassic tectonic evolution of the Bangong suture zone. *Journal of Metamorphic Geology*, 31, 705–727.
- Hacker, B.R. (2006) Pressures and temperatures of ultrahigh-pressure metamorphism: Implications for UHP tectonics and H<sub>2</sub>O in subducting slabs. *International Geology Review*, 48, 1053–1066.
- Hacker, B., Luffi, P., Lutkov, V., Minaev, V., Ratschbacher, L., Plank, T., Ducea, M., Patino-Douce, A., McWilliams, M., and Metcalf, J. (2005) Near-ultrahigh pressure processing of continental crust: Miocene crustal xenoliths from the Pamir. *Journal of Petrology*, 46, 1661–1687.
- Hagen, B., Hoernes, S., and Rötzler, J. (2008) Geothermometry of the ultrahigh-temperature Saxon granulites revisited. Part II: Thermal peak conditions and cooling rates inferred from oxygen-isotope fractionations. *European Journal of Mineralogy*, 20, 1117–1133.
- Hagen-Peter, G., Cottle, J.M., Smit, M., and Cooper, A.F. (2016) Coupled garnet Lu-Hf and monazite U-Pb geochronology constrain early convergent margin dynamics in the Ross orogen, Antarctica. *Journal of Metamorphic Geology*, 34, 293–319.
- Hafler, J., and Kotková (2016) UHP–UHT peak conditions and near-adiabatic exhumation path of diamond bearing garnet–clinopyroxene rocks from the Eger Crystalline Complex, North Bohemian Massif. *Lithos*, in press.
- Halpin, J.A., White, R.W., Clarke, G.L., and Kelsey, D.E. (2007a) The Proterozoic P-T-t evolution of the Kemp Land coast, East Antarctica; Constraints from Si-saturated and Si-undersaturated metapelites. *Journal of Petrology*, 48, 1321–1349.
- Halpin, J.A., Clarke, C.L., White, R.W., and Kelsey, D.E. (2007b) Contrasting P-T-t paths for Neoproterozoic metamorphism in MacRobertson and Kemp Lands, East Antarctica. *Journal of Metamorphic Geology*, 25, 683–701.
- Halpin, J.A., Daczko, N.R., Clarke, G.L., and Murray, K.R. (2013) Basin analysis in polymetamorphic terranes: An example from east Antarctica. *Precambrian Research*, 231, 78–97.
- Halpin, J.A., and Reid, A.J. (2016) Earliest Paleoproterozoic high-grade metamorphism and orogenesis in the Gawler Craton, South Australia; the southern cousin in the Rae family? *Precambrian Research*, in press.
- Hamblock, J.M., Andronicos, C.L., Miller, K.C., Barnes, C.G., Ren, M.H., Averill, M.G., and Anthony, E.Y. (2007) A composite geologic and seismic profile beneath the southern Rio Grande rift, New Mexico, based on xenolith mineralogy, temperature, and pressure. *Tectonophysics*, 442, 14–48.

- Han, L., Zhang, L.F., and Zhang, G. (2015) Ultra-deep subduction of Yematan eclogite in the North Qaidam UHP belt, NW China: Evidence from phengite exsolution in omphacite. *American Mineralogist*, 100, 1848–1855.
- Harley, S.L. (2008) Refining the P–T records of UHT crustal metamorphism. *Journal of Metamorphic Geology*, 26, 125–154.
- Harley, S.L., Hensen, B.J., and Sheraton, J.W., 1990, Two-stage decompression in orthopyroxene–sillimanite granulites from Forefinger Point, Enderby Land, Antarctica: implications for the evolution of the Archaean Napier Complex. *Journal of Metamorphic Geology*, v. 8, p. 591–613.
- Harley, S.L., Hokada, T., and Kelly, N. (2013) Granulites and Neoproterozoic orogeny: new evidence from Prydz Bay. *Granulites & Granulites 2013*, Hyderabad, 16–20 January 2013, Abstract Volume, 31.
- Harley, S.L., and Nandakumar, V. (2016) New evidence for Palaeoproterozoic high grade metamorphism in the Trivandrum Block, Southern India. *Precambrian Research*, 280, 120–138.
- Hartz, E.H., Condon, D., Austrheim, H., and Erambert, M. (2005) Rediscovery of the Liverpool Land Eclogites (Central East Greenland): a post supra-subduction UHP province. Abstract, *Mitteilungen der Österreichischen Mineralogischen Gesellschaft*, 150.
- Hauzenberger, C.A., Holler, W., and Hoinkes, G. (1996) Transition from eclogite to amphibolite-facies metamorphism in the Austroalpine Ulten Zone. *Mineralogy and Petrology*, 58, 111–130.
- Hayob, J.L., Bohlen, S.R., and Essene, E.J. (1993) Experimental investigation and application of the equilibrium rutile + orthopyroxene = quartz + ilmenite. *Contributions to Mineralogy and Petrology*, 115, 18–35.
- Hayob, J.L., Essene, E.J., Ruiz, J., Ortega-Gutiérrez, F., and Aranda-Gómez, J.J. (1989) Young high-temperature granulites from the base of the crust in central Mexico. *Nature*, 342, 265–268.
- Hazarika, P., Pruseth, K.L., and Mishra, B. (2015) Neoarchean greenstone metamorphism in the eastern Dharwar craton, India: Constraints from monazite U-Th-Pb<sub>total</sub> ages and PT pseudosection calculations. *The Journal of Geology*, 2015, 123, 429–461.
- He, Z.Y., Zhang, Z.M., Zong, K.Q., Wang, W., and Santosh, M. (2012) Neoproterozoic granulites from the northeastern margin of the Tarim Craton: Petrology, zircon U-Pb ages and implications for the Rodinia assembly. *Precambrian Research*, 212, 21–33.
- He, Z.Y., Zhang, Z.M., Zong, K.Q., Xiang, H., and Klemd, R. (2014) Metamorphic P-T-t evolution of mafic HP granulites in the northeastern segment of the Tarim Craton (Dunhuang block): Evidence for early Paleozoic continental subduction. *Lithos*, 196, 1–13.
- Heaman, L.M., Böhm, Ch.O., Machado, N., Krogh, T., Weber, W., and Corkery, M.T. (2011) The Pikwitonei Granulite Domain, Manitoba: a giant Neoarchean high-grade terrane in the northwest Superior Province. *Canadian Journal of Earth Science*, 48, 205–245.
- Hegardt, E.A., Cornell, D., Claesson, L., Simakov, S., Stein, H., and Hannah, J. (2005) Eclogites in the central part of the Sveconorwegian Eastern Segment of the Baltic Shield: Support for an extensive eclogite terrane. *GFF*, 127, 221–232.

- Hegner, E., Klemm, R., Kroner, A., Corsini, M., Alexeiev, D.V., Iaccheri, L.M., Zack, T., Dulski, P., Xia, X., and Windley, B.F. (2010) Mineral ages and P–T conditions of late Paleozoic high-pressure eclogite and provenance of melange sediments from Atbashi in the South Tianshan orogen of Kyrgyzstan. *American Journal of Science*, 310, 916–950.
- Heilbron, M., and Machado, N. (2003) Timing of terrane accretion in the Neoproterozoic–Eopaleozoic Ribeira orogen (SE Brazil). *Precambrian Research*, 125, 87–112.
- Hensen, B.J., and Zhou, B. (1995) Retention of isotopic memory in garnets partially broken down during an overprinting granulite-facies metamorphism - implications for the Sm–Nd closure temperature: *Geology*, 23, 225–228.
- Hensen, B.J., Zhou, B., and Thost, D.E. (1995) Are reaction textures reliable guides to metamorphic histories? Timing constraints from garnet Sm–Nd chronology for 'decompression' textures in granulites from Sostrene Island, Prydz Bay, Antarctica. *Geological Journal*, 30, 261–271.
- Hermann, J. (2003) Experimental evidence for diamond-facies metamorphism in the Dora-Maira Massif. *Lithos*, 70, 163–182.
- Hermann, J., and Rubatto, D. (2003) Relating zircon and monazite domains to garnet growth zones: age and duration of granulite facies metamorphism in the Val Malenco lower crust. *Journal of Metamorphic Geology*, 21, 833–852.
- Hermann, J., Rubatto, D., Korsakov, A., and Shatsky, V.S. (2001) Multiple zircon growth during fast exhumation of diamondiferous, deeply subducted continental crust (Kokchetav Massif, Kazakhstan). *Contributions to Mineralogy and Petrology*, 141, 66–82.
- Herwartz, D., Münker, C., Scherer, E.E., Nagel, T.J., Pleuger, J., and Froitzheim, N. (2008) Lu–Hf garnet geochronology of eclogites from the Balma Unit (Pennine Alps): implications for Alpine paleotectonic reconstructions. *Swiss Journal of Geosciences*, 101, S173–S189.
- Herwartz, D., Nagel, T.J., Münker, C., Scherer, E.E., and Froitzheim, N. (2011) Tracing two orogenic cycles in one eclogite sample by Lu–Hf garnet chronometry. *Nature Geoscience*, 4, 178–183.
- Hirdes, W., and Davis, D.W. (2002) U–Pb zircon and rutile metamorphic ages of Dahomeyan garnet–hornblende gneiss in southeastern Ghana, West Africa. *Journal of African Earth Sciences*, 35, 445–449.
- Hokada, T., Misawa, K., Shiraishi, K., and Suzuki, S. (2003) Mid to late Archaean (3.3–2.5 Ga) tonalitic crustal formation and high-grade metamorphism at Mt. Riiser-Larsen, Napier Complex, East Antarctica. *Precambrian Research*, 127, 215–228.
- Hokada, T., Misawa, K., Yokoyama, K., Shiraishi, K., and Yamaguchi, A. (2004) SHRIMP and electron microprobe chronology of UHT metamorphism in the Napier complex, east Antarctica: Implications for zircon growth at >1,000°C. *Contributions to Mineralogy and Petrology*, 147, 1–20.
- Hokada, T., Motoyoshi, Y., Suzuki, S., Ishikawa, M., and Ishizuka, H. (2008) Geodynamic evolution of Mt. Riiser-Larsen, Napier Complex, East Antarctica, with reference to the UHT mineral associations and their reaction relations. *Geological Society Special Publication*, 308, 253–282.

- Holland, T.J.B., Babu, E.V.S.S.K., and Waters, D.J. (1996) Phase relations of osumilite and dehydration melting in pelitic rocks: A simple thermodynamic model for the KFMASH system. *Contributions to Mineralogy and Petrology*, 124, 383–394.
- Hollis, J.A., Harley, S.L., White, R.W., and Clarke, G.L. (2006) Preservation of evidence for prograde metamorphism in ultrahigh-temperature, high-pressure kyanite-bearing granulites, South Harris, Scotland. *Journal of Metamorphic Geology*, 24, 263–279.
- Hölttä, P., and Paavola, J., 2000. *P–T–t* development of Archaean granulites in Varpaisjärvi, Central Finland, I: Effects of multiple metamorphism on the reaction history of mafic rocks. *Lithos*, 50, 97–120.
- Horie, K., Nutman, A.P., Friend, C.R.L., and Hidaka, H. (2013) The complex age of orthogneiss protoliths exemplified by the Eoarchaean Itsaq Gneiss Complex (Greenland) SHRIMP and old rocks. *Precambrian Research*, 183, 25–43.
- Horsfall, C. (2009)  $^{40}\text{Ar}/^{39}\text{Ar}$  Laser probe dating of prograde metamorphism. PhD thesis, University of Manchester, UK.
- Horton, F., Hacker, B., Kylander-Clark, A., Holder, R., and Jöns, N. (2016) Focused radiogenic heating of middle crust caused ultrahigh temperatures in southern Madagascar. *Tectonics*, 35, 293–314.
- Hoschek, G. (2013) Garnet zonation in metapelitic schists from the Eclogite Zone, Tauern Window, Austria: comparison of observed and calculated profiles. *European Journal of Mineralogy*, 25, 615–629.
- Hyppolito, T., Juliani, C., Garcia-Casco, A., Meira, V., Bustamante A., and Hall, C. (2015) LP/HT metamorphism as a temporal marker of change of deformation style within the Late Palaeozoic accretionary wedge of central Chile. *Journal of Metamorphic Geology*, 33, 1003–1024.
- Iaccarino, S., Montomoli, C., Carosi, R., Massonne, H.J., Langone, A., and Visona, D. (2015) Pressure-temperature-time-deformation path of kyanite-bearing migmatitic paragneiss in the Kali Gandaki valley (Central Nepal): Investigation of Late Eocene-Early Oligocene melting processes. *Lithos*, 231, 103–121.
- Ikeda, T. (2004) Pressure–temperature conditions of the Ryoke metamorphic rocks in Yanai district, SW Japan. *Contributions to Mineralogy and Petrology*, 146, 577–589.
- Indares, A., Dunning, G., Cox, R., Gale, D., and Connelly, J. (1998) High-pressure, high-temperature rocks from the base of thick continental crust: Geology and age constraints from the Manicouagan Imbricate Zone, eastern Grenville Province. *Tectonics*, 17, 426–440.
- Indares, A., White, R. W., and Powell, R. (2008) Phase equilibria modelling of kyanite-bearing anatectic paragneisses from the central Grenville Province. *Journal of Metamorphic Geology*, 26, 815–836.
- Janak, M., Cornell, D., Froitzheim, N., De Hoog, J.C.M., Broska, I., Vrabec, M., and Hurai, V. (2009) Eclogite-hosting metapelites from the Pohorje Mountains (Eastern Alps): P-T evolution, zircon geochronology and tectonic implications. *European Journal of Mineralogy*, 21, 1191–1212.
- Janak, M., Froitzheim, N., Yoshida, K., Sasinkova, V., Nosko, M., Kobayashi, T., Hirajima, T., and Vrabec, M. (2015) Diamond in metasedimentary crustal rocks from Pohorje, Eastern Alps: a window to deep continental subduction. *Journal of metamorphic geology*, 33, 495–51.



- Janak, M., Ravna, E.J.K., Kullerud, K., Yoshida, K., Milovsky, R., and Hirajima, T. (2013) Discovery of diamond in the Tromso Nappe, Scandinavian Caledonides (N. Norway). *Journal of Metamorphic Geology*, 31, 691–703.
- Jedlicka, R., Faryad, S.W., and Hauzenberger, C. (2015) Prograde Metamorphic History of UHP Granulites from the Moldanubian Zone (Bohemian Massif) Revealed by Major Element and Y + REE Zoning in Garnets. *Journal of Petrology*, 56, 2069–2088.
- Jian, P., Kröner, A., and Zhou, G. (2012) SHRIMP zircon U–Pb ages and REE partition for high-grade metamorphic rocks in the North Dabie complex: Insight into crustal evolution with respect to Triassic UHP metamorphism in east-central China. *Chemical Geology*, 328, 49–69.
- Jiao, S.J., and Guo, J.H. (2011) Application of the two-feldspar geothermometer to ultrahigh-temperature (UHT) rocks in the Khondalite belt, North China craton and its implications. *American Mineralogist*, 96, 250–260.
- Johannes, W., Ehlers, C., Kriegsman, L.A., and Mengel, K. (2003) The link between migmatites and S-type granites in the Turku area, southern Finland. *Lithos*, 68, 69–90.
- Johansson, L., and Möller, C. (1986) Formation of sapphirine during retrogression of a basic high-pressure granulite, Roan, Western Gneiss Region, Norway. *Contributions to Mineralogy and Petrology*, 94, 29–41.
- Johnson, T., and Brown, M. (2004) Quantitative Constraints on Metamorphism in the Variscides of Southern Brittany—a Complementary Pseudosection Approach. *Journal of Petrology*, 38, 1,237–1,259.
- Johnson, T.E., and White, R.W. (2011) Phase equilibrium constraints on conditions of granulite-facies metamorphism at Scourie, NW Scotland. *Journal of the Geological Society*, 168, 147–158.
- Johnson, T.E., Fischer, S., and White, R.W. (2013) Field and petrographic evidence for partial melting of TTG gneisses from the central region of the mainland Lewisian complex, NW Scotland. *Journal of the Geological Society*, 170, 319–326.
- Johnson, T.E., Clark, C., Taylor, R.J.M., Santosh, M., and Collins, A.S. (2015) Prograde and retrograde growth of monazite in migmatites: An example from the Nagercoil Block, southern India. *Geoscience Frontiers*, 6, 373–387.
- John, T., and Schenk, V. (2003) Partial eclogitisation of gabbroic rocks in a late Precambrian subduction zone (Zambia): prograde metamorphism triggered by fluid infiltration. *Contributions to Mineralogy and Petrology*, 146, 174–191.
- John, T., Schenk, V., Mezger, K., and Tembo, F. (2004) Timing and P–T evolution of whiteschist metamorphism in the Lufillian Arc-Zambezi Belt Orogen (Zambia): Implications for the assembly of Gondwana. *Journal of Geology*, 112, 71–90.
- Johnston, S.M., Kylander-Clark, A., and Brueckner, H.K. (2015) Migmatite gneiss of the Jaettedal complex, Liverpool Land, East Greenland: protracted high-T metamorphism in the overriding plate of the Caledonian orogeny. *Journal of Metamorphic Geology*, 33, 1025–1046.
- Jones, K.A. (1994) Progressive metamorphism in a crustal-scale shear zone - an example from the Leon region, north-west Brittany, France. *Journal of Metamorphic Geology*, 12, 69–88.

- Jöns, N., and Schenk, V. (2008) Relics of the Mozambique Ocean in the central East African Orogen: Evidence from the Vohibory Block of southern Madagascar. *Journal of Metamorphic Geology*, 26, 17–28.
- Jöns, N., Schenk, V., Appel, P., and Razakamanana, T. (2006) Two-stage metamorphic evolution of the Bemarivo Belt of northern Madagascar: constraints from reaction textures and in situ monazite dating. *Journal of Metamorphic Geology*, 24, 329–347.
- Jöns, N., Emmel, B., Schenk, V., and Razakamanana, T. (2009) From orogenesis to passive margin—the cooling history of the Bemarivo Belt (N Madagascar), a multi-thermochronometer approach. *Gondwana Research*, 16, 72–81.
- Jung, S., and Mezger, K. (2003) Petrology of basement-dominated terranes: I. Regional metamorphic T–t path from U–Pb monazite and Sm–Nd garnet geochronology (Central Damara orogen, Namibia). *Chemical Geology*, 198, 223–247.
- Jung, S., Brandt, S., Nebel, O., Hellebrand, E., Seth, B., and Jung, C. (2014) The P–T–t paths of high-grade gneisses, Kaoko Belt, Namibia: Constraints from mineral data, U–Pb allanite and monazite and Sm–Nd/Lu–Hf garnet ages and garnet ion probe data. *Gondwana Research*, 25, 775–796.
- Kadarusman, A., Massonne, H.J., van Roermund, H., Permana, H., and Munasri (2007) P–T evolution of eclogites and blueschists from the Luk Ulo Complex of central Java, Indonesia. *International Geology Review*, 49, 329–356.
- Kapp, P., Yin, A., Manning, C.E., Harrison, T.M., Taylor, M.H., and Ding, L. (2003) Tectonic evolution of the early Mesozoic blueschist-bearing Qiangtang metamorphic belt, central Tibet. *Tectonics*, 22, 1043.
- Karmakar, S., and Schenk, V. (2015a) Neoarchean UHT Metamorphism and Paleoproterozoic UHT Reworking at Uweinat in the East Sahara Ghost Craton, SW Egypt: Evidence from Petrology and Texturally Controlled in situ Monazite Dating. *Journal of Petrology*, 56, 1703–1742.
- Karmakar, S., and Schenk, V. (2015b) Neoproterozoic metamorphic events along the eastern margin of the East Sahara Ghost Craton at Sabaloka and Bayuda, Sudan: Petrology and texturally controlled in-situ monazite dating. *Precambrian Research*, 269, 217–241.
- Karmakar, S., and Schenk, V. (2016) Mesoproterozoic UHT metamorphism in the Southern Irumide Belt, Chipata, Zambia: Petrology and in situ monazite dating. *Precambrian Research*, 275, 332–356.
- Katayama, I., and Maruyama, S. (2009) Inclusion study in zircon from ultrahigh-pressure metamorphic rocks in the Kokchetav massif: an excellent tracer of metamorphic history. *Journal of the Geological Society*, 166, 783–796.
- Katayama, I., Maruyama, S., Parkinson, C.D., Terada, K., and Sano, Y. (2001) Ion micro-probe U–Pb zircon geochronology of peak and retrograde stages of ultrahigh-pressure metamorphic rocks from the Kokchetav massif, northern Kazakhstan. *Earth and Planetary Science Letters*, 188, 185–198.
- Kazimoto, E.O., Schenk, V., and Berndt, J. (2014) Neoarchean and Paleoproterozoic crust formation in the Ubendian Belt of Tanzania: Insights from zircon geochronology and geochemistry. *Precambrian Research*, 252, 119–144.

- Kazimoto, E.O., Schenk, V., and Appel, P. (2015) Granulite-facies metamorphic events in the northwestern Ubendian Belt of Tanzania: Implications for the Neoarchean to Paleoproterozoic crustal evolution. *Precambrian Research*, 256, 31–47.
- Keane, S.D., Hall, C.M., Essene, E.J., Cosca, M.A., DeWolf, C.P., and Halliday, A.N. (2006) Isotopic constraints on the thermal history of the Wind River Range, Wyoming: implications for Archean metamorphism. *Canadian Journal of Earth Science*, 4, 1511–1532.
- Kelly, E.D., Hoisch, T.D., Wells, M.L., Vervoort, J.D., and Beyene, M.A. (2015) An Early Cretaceous garnet pressure-temperature path recording synconvergent burial and exhumation from the hinterland of the Sevier orogenic belt, Albion Mountains, Idaho. *Contributions to Mineralogy and Petrology*, 170, 20.
- Kelly N.M., Clarke G.L., and Fanning C.M. (2004) Archaean crust in the Rayner Complex of East Antarctica: Oygarden Group of islands, Kemp Land. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 95, 491–510.
- Kelly, N.M., and Harley, S.L., 2005, An integrated microtextural and chemical approach to zircon geochronology: refining the Archaean history of the Napier complex, east Antarctica: *Contributions to Mineralogy and Petrology*, v. 149, p. 57–84.
- Kemp, A.I.S., Shimura, T., Hawkesworth, C.J., and EIMF (2007) Linking granulites, silicic magmatism, and crustal growth in arcs: Ion microprobe (zircon) U-Pb ages from the Hidaka metamorphic belt, Japan. *Geology*, 35, 807–810.
- Keyser, W., Tsai, C.-H., Iizuka, Y., Oberhänsli, R., and Ernst, W.G. (2016) High-pressure metamorphism in the Chinshuichi area, Yuli belt, eastern Taiwan. *Tectonophysics*, in press.
- Kihle, J., Harlov, D.E., Frigaard, O., and Jamtveit, B. (2010) Epitaxial quartz inclusions in corundum from a sapphirine-garnet boudin, Bamble Sector, SE Norway:  $\text{SiO}_2$ – $\text{Al}_2\text{O}_3$  miscibility at high P-T dry granulite facies conditions. *Journal of Metamorphic Geology*, 28, 769–784.
- Kim, S.W., Oh, C.W., Williams, I.S., Rubatto, D., Ryu, I.C., Rajesh, V.J., Kim, C.B., Guo, J.H., and Zhai, M.G. (2006) K Phanerozoic high-pressure eclogite and intermediate-pressure granulite facies metamorphism in the Gyeonggi Massif, South Korea: Implications for the eastward extension of the Dabie-Sulu continental collision zone. *Lithos*, 92, 357–377.
- Kinny, P.D., Friend, C.R.L., Strachan, R.A., Watt, G.R., and Burns, I.M. (1999) U-Pb geochronology of regional migmatites in East Sutherland, Scotland: evidence for crustal melting during the Caledonian orogeny. *Journal of the Geological Society*, 156, 1143–1152.
- Klaver, M., de Roever, E.W.F., Nanne, J.A.M., Mason, P.R.D., and Davies, G.R. (2015) Charnockites and UHT metamorphism in the Bakhuis Granulite Belt, western Suriname: Evidence for two separate UHT events. *Precambrian Research*, 262, 1–19.
- Klonowska, I., Majka, J., Janák, M., Gee, D.G., and Ladenberger, A. (2014) Pressure–temperature evolution of a kyanite–garnet pelitic gneiss from Åreskutan: evidence of ultra-high-pressure metamorphism of the Seve Nappe Complex, west-central Jämtland, Swedish Caledonides. *Geological Society Special Publications*, 390, 321–336.

- Klonowska, I., Janak, M., Majka, J., Froitzheim, N., and Kosminska, K. (2016) Eclogite and garnet pyroxenite from Stor Jougdan, Seve Nappe Complex, Sweden: implications for UHP metamorphism of allochthons in the Scandinavian Caledonides. *Journal of Metamorphic Geology*, 34, 103–119.
- Kober, B., Kalt, A., Hanel, M., and Pidgeon, R.T. (2004) SHRIMP dating of zircons from high-grade metasediments of the Schwarzwald/SW-Germany and implications for the evolution of the Moldanubian basement. *Contributions to Mineralogy and Petrology*, 147, 330–345.
- Konopásek, J., Pilatova, E., Kosler, J., and Slama, J. (2014) Zircon (re)crystallization during short-lived, high-P granulite facies metamorphism (Eger Complex, NW Bohemian Massif). *Journal of Metamorphic Geology*, 32, 885–902.
- Kooijman, E., Smit, M.A., Mezger, K., and Berndt, J. (2012) Trace element systematics in granulite facies rutile: implications for Zr geothermometry and provenance studies. *Journal of Metamorphic Geology*, 30, 397–412.
- Korhonen, F.J., Powell, R., and Stout, J.H. (2012) Stability of sapphirine plus quartz in the oxidized rocks of the Wilson Lake terrane, Labrador: calculated equilibria in NCKFMASHTO. *Journal of Metamorphic Geology*, 30, 21–36.
- Korhonen, F., Saito, S., Brown, M., and Siddoway, C. (2010) Modeling multiple melt loss events in the evolution of an active continental margin. *Lithos*, 116, 230–248.
- Korhonen, F., Saw, A.K., Clark, C., Brown, M., and Bhattacharya, S. (2011) New constraints on UHT metamorphism in the Eastern Ghats Province through the application of mineral equilibria modelling and in situ geochronology. *Gondwana Research*, 20, 764–781.
- Korhonen, F.J., Brown, M., Grove, M., Siddoway, C.S., Baxter, E.F., and Inglis, J.D. (2012) Separating metamorphic events in the Fosdick migmatite–granite complex, West Antarctica. *Journal of Metamorphic Geology*, 30, 165–192.
- Korhonen, F., Clark, C., Brown, M., Bhattacharya, S. and Taylor, R. (2013a) Long-lived ultrahigh temperature (UHT) metamorphism in the Eastern Ghats orogenic belt, India: Constraints from zircon and monazite geochronology. *Precambrian Research*, 234, 322–350.
- Korhonen, F.J., Brown, M., Clark, C., Bhattacharya, S. (2013b) Osumilite–melt interactions in ultrahigh temperature granulites: phase equilibria modelling and implications for the P–T–t evolution of the Eastern Ghats Province, India. *Journal of Metamorphic Geology*, 31, 881–907.
- Korhonen, F.J., Clark, C., Brown, M., and Taylor, R. (2014) Taking the temperature of Earth's hottest crust. *Earth and Planetary Science Letters*, 408, 341–354.
- Korhonen, F.J., Johnson, S.P., Fletcher I.R., Rasmussen, B., Sheppard, S., Muhling, J.R., Dunkley, D.J., Wingate, M.T.D., Roberts, M.P., and Kirkland, C.L. (2015) Pressure–temperature–time evolution of the Mutherbukin Tectonic Event, Capricorn Orogen. Geological Survey of Western Australia, Report 146, 64p.
- Kośmińska, K., Majka, J., Mazur, S., Krumbholz, M., Klonowska, I., Manecki, M., Czerny, J., and Dwornik, M. (2014) Blueschist facies metamorphism in Nordenskiöld Land of west-central Svalbard. *Terra Nova*, 26, 377–386.

- Kotková, J., Kröner, A., Todt, W., and Fiala, J. (1996) Zircon dating of North Bohemian granulites, Czech Republic: further evidence for the Lower Carboniferous high-pressure event in the Bohemian Massif. *Geologische Rundschau*, 85, 154–161.
- Kotkova, J., and Janak, M. (2015) UHP kyanite eclogite associated with garnet peridotite and diamond-bearing granulite, northern Bohemian Massif. *Lithos*, 226, 255–264.
- Krebs, M., Maresch, W.V., Schertl, H.-P., Münker, C., Baumann, A., Draper, G., Idleman, B., and Trapp, E. (2008) The dynamics of intra-oceanic subduction zones: a direct comparison between fossil petrological evidence (Rio San Juan Complex, Dominican Republic) and numerical simulation. *Lithos*, 103, 106–137.
- Krenn, K., Bauer, C., Proyer, A., Klotzli, U., and Hoinkes, G. (2010) Tectonometamorphic evolution of the Rhodope orogeny. *Tectonics*, 29, TC4001.
- Krogh, T.E., Kamo, S.L., Robinson, P., Terry, M.P., and Kwok, K. (2011) U-Pb zircon geochronology of eclogites from the Scandian Orogen, northern Western Gneiss Region, Norway: 14–20 million years between eclogite crystallization and return to amphibolite-facies conditions. *Canadian Journal of Earth Sciences*, 48, 441–472.
- Kröner, A., Cui, W.Y., Wang, S.Q., Wang, C.Q., and Nemchin, A.A. (1998) Single zircon ages from high-grade rocks of the Jianping Complex, Liaoning Province, NE China. *Journal of Asian Earth Sciences*, 16, 519–532.
- Kröner, A., Wilde, S.A., Zhao, G.C., O'Brien, P.J., Sun, M., Liu, D.Y., Wan, Y.S., Liu, S.W., and Guo, J.H. (2006) Zircon geochronology and metamorphic evolution of mafic dykes in the Hengshan Complex of northern China: Evidence for late Palaeoproterozoic extension and subsequent high-pressure metamorphism in the North China Craton. *Precambrian Research*, 146, 45–67.
- Kröner, A., and Willner, A.P. (1998) Time of formation and peak of Variscan HP-HT metamorphism of quartz-feldspar rocks in the central Erzgebirge, Saxony, Germany. *Contributions to Mineralogy and Petrology*, 132, 1–20.
- Kryza, R., Pin, C., and Vielzeuf, D. (1996) High-pressure granulites from the Sudetes (south-west Poland): evidence of crustal subduction and collisional thickening in the Variscan Belt. *Journal of Metamorphic Geology*, 14, 531–546.
- Kuhn, A., Stuwe, K., and Trouw, R.A.J. (2004) Metamorphic evolution of the Ribeira belt: Evidence from outcrops in the Rio de Janeiro area, Brazil. *Journal of Petrology*, 45, 2303–2323.
- Kwan, L.C.J., Zhao, G.C., Yin, C.Q., and Geng, H.Y. (2016) Metamorphic P-T path of mafic granulites from Eastern Hebei: Implications for the Neoarchean tectonics of the Eastern Block, North China Craton. *Gondwana Research*, in press.
- Kwon, S.H., Sajeey, K., Mitra, G., Park, Y., Kim, S.W., and Ryu, I.-C. (2009) Evidence for Permo-Triassic collision in Far East Asia: The Korean collisional orogen. *Earth and Planetary Science Letters*, 279, 340–349.
- Lanari, P., Riel, N., Guillot, S., Vidal, O., Schwartz, S., Pecher, A., and Hattori, K.H. (2013) Deciphering high-pressure metamorphism in collisional context using microprobe mapping methods: Application to the Stak eclogitic massif (northwest Himalaya). *Geology*, 41, 111–114.

- Ladenberger, A., Be'eri-Shlevin, Y., Claesson, S., Gee, D.G., Majka, J., and Romanova, I.V. (2014) Tectonometamorphic evolution of the Åreskutan Nappe – Caledonian history revealed by SIMS U–Pb zircon geochronology. *Geological Society Special Publications*, 390, 337–368.
- Lagos, M., Scherer, E.E., Tomaschek, F., Münker, C., Keiter, M., Berndt, J., and Ballhaus, C. (2007) High precision Lu–Hf geochronology of eocene eclogite-facies rocks from syros, cyclades, Greece. *Chemical Geology*, 243, 16–35.
- Lane, K., Jagodzinski, E.A., Dutch, R., Reid, A.J., and Hand, M. (2015) Age constraints on the timing of iron ore mineralisation in the southeastern Gawler Craton. *Australian Journal of Earth Sciences*, 62, 55–75.
- Lapen, T.J., Johnson, C.M., Baumgartner, L.P., Dal Piaz, G.V., Skora, S., and Beard, B.L. (2007) Coupling of oceanic and continental crust during Eocene eclogite-facies metamorphism: evidence from the Monte Rosa nappe, western Alps. *Contributions to Mineralogy and Petrology*, 153, 139–157.
- Lardeaux, J.M., Ledru, P., Daniel, I., and Duchene, S. (2001) The Variscan French Massif Central – a new addition to the ultrahigh pressure metamorphic 'club': exhumation processes and geodynamic consequences. *Tectonophysics*, 332, 143–167.
- Lasalle, S., and Indares, A. (2014) Anatectic record and contrasting P–T paths of aluminous gneisses from the central Grenville Province. *Journal of Metamorphic Geology*, 32, 627–646.
- Lasalle, S., Dunning, G., and Indares, A. (2014) In situ LA-ICP-MS dating of monazite from aluminous gneisses: insights on the tectono-metamorphic history of a granulite-facies domain in the central Grenville Province. *Canadian Journal of Earth Sciences*, 51, 558–572.
- Lee, J., Hacker, B.R., Dinklage, W.S., Wang, Y., Gans, P., Calvert, A., Wan, J.L., Chen, W.J., Blythe, A.E., and McClelland, W. (2000) Evolution of the Kangmar Dome, southern Tibet: Structural, petrologic, and thermochronologic constraints. *Tectonics*, 19, 872–895.
- Lee, J., Hacker, B., and Wang, Y. (2004) Evolution of North Himalayan gneiss domes: structural and metamorphic studies in Mabja Dome, southern Tibet. *Journal of Structural Geology*, 26, 2297–2316.
- Leech, M.L., and Willingshofer, E. (2004) Thermal modeling of the UHP Maksyutov Complex in the south Urals. *Earth and Planetary Science Letters*, 226, 85–99.
- Lefebvre, C., Peters, M.K., Wehrens, P.C., Brouwer, F.M., and van Roermund, H.L.M. (2015) Thermal history and extensional exhumation of a high-temperature crystalline complex (Hirkadag Massif, Central Anatolia). *Lithos*, 238, 156–173.
- Leite, C.D.M., Barbosa, J.S.F., Goncalves, P., Nicollet, C., and Sabate, P. (2009) Petrological evolution of silica-undersaturated sapphirine-bearing granulite in the Paleoproterozoic Salvador-Curaca Belt, Bahia, Brazil. *Gondwana Research*, 15, 49–70.
- Li, Q.L., Lin, W., Su, W., Li, X.H., Shi, Y.H., Liu, Y., and Tang, G.Q. (2011) SIMS U–Pb rutile age of low-temperature eclogites from southwestern Chinese Tianshan, NW China. *Lithos*, 122, 76–86.
- Li, W.C., Chen, R.X., Zheng, Y.F., and Hu, Z. (2014) Dehydration and anatexis of UHP metagranite during continental collision in the Sulu orogeny. *Journal of Metamorphic Geology*, 32, 915–936.

- Li, X., Yu, H.L., Zhang, L., Wei, C., and Bader, T. (2017a) 1.9 Ga eclogite from the Archean-Paleoproterozoic Belomorian Province, Russia. *Science Bulletin*, 62, 239–241.
- Li, X., Zhang, L., Wei, C., Slabunov, A.I., and Bader, T. (2017b) Neoarchean-Paleoproterozoic granulite-facies metamorphism in Uzkaya Salma eclogite-bearing melange, Belomorian Province (Russia). *Precambrian Research*, 294, 257–283.
- Li, X., and Wei, C. (2016) Phase Equilibria Modelling and Zircon Age Dating of pelitic granulites in Zhaojiayao, from the Jining Group of the Khondalite Belt, North China Craton. *Journal of Metamorphic Geology*, 34, 595–615.
- Li, X.-P., Zheng, Y.-F., Wu, Y.-B., Chen, F., Gong, B., and Li, Y.-L. (2004) Low-T eclogite in the Dabie Terrane of China: Petrological and isotopic constraints on fluid activity and radiometric dating: *Contributions to Mineralogy and Petrology*, 148, 443–470.
- Li, Z.L., Yang, X.Q., Li, Y., Santosh, M., Chen, H., and Xiao, W.J. (2014) Late Paleozoic tectono-metamorphic evolution of the Altai segment of the Central Asian Orogenic Belt: Constraints from metamorphic P-T pseudosection and zircon U-Pb dating of ultra-high-temperature granulite. *Lithos*, 204, 83–96.
- Liati, A., and Gebauer, D. (2003) Geochronological constraints of the time of metamorphism in the Gruf Complex (central Alps) and implications for the Adula-Cima Lunga Nappe system: *Schweizerische Mineralogische und Petrographische Mitteilungen*, 83, 159–172.
- Liati, A., Theye, T., Fanning, C.M., Gebauer, D., and Rayner, N. (2016) Multiple subduction cycles in the Alpine orogeny, as recorded in single zircon crystals (Rhodope zone, Greece). *Gondwana Research*, 29, 199–207.
- Liebscher, A (Liebscher, Axel); Franz, G (Franz, Gerhard); Frei, D (Frei, Dirk); Dulski, P (Dulski, Peter) (2007) High-pressure melting of eclogite and the P-T-X history of tonalitic to trondhjemitic zoisite-pegmatites, Munchberg Massif, Germany. *Journal of Petrology*. 48, 1001–1019.
- Liegeois, J.P., Latouche, L., Boughrara, M., Navez, J., Guiraud, M. (2003) The LATEA metacraton (Central Hoggar, Tuareg shield, Algeria): behaviour of an old passive margin during the Pan-African orogeny. *Journal of African Earth Sciences*, 37, 161–190.
- Lindsley, D.H. (1983) Pyroxene thermometry. *American Mineralogist*, 68, 477–493.
- Lister, G.S., and Forster, M.A. (2016) White mica  $^{40}\text{Ar}/^{39}\text{Ar}$  age spectra and the timing of multiple episodes of high-P metamorphic mineral growth in the Cycladic eclogite-blueschist belt, Syros, Aegean Sea, Greece. *Journal of Metamorphic Geology*, 34, 401–421.
- Liu, F., Liu, P., Wang, F., Liu, J., Meng, E., Cai, J., and Shi, J. (2014) U-Pb dating of zircons from granitic leucosomes in migmatites of the Jiaobei Terrane, southwestern Jiao-Liao-Ji Belt, North China Craton: Constraints on the timing and nature of partial melting. *Precambrian Research*, 245, 80–99.
- Liu, F.L., Gerdes, A., Robinson, P.T., Xue H.M., and Ye, J.G. (2007) Zoned zircon from eclogite lenses in marbles from the Dabie-Sulu UHP terrane, China: A clear record of ultra-deep subduction and fast exhumation. *Acta Geologica Sinica – English Edition*, 81, 204–225.

- Liu, F.L., Xu, Z.Q., and Xue, H.M. (2004) Tracing the protolith, UHP metamorphism, and exhumation ages of orthogneiss from the SW Sulu terrane (eastern China): SHRIMP U-Pb dating of mineral inclusion-bearing zircons. *Lithos*, 78, 411–429.
- Liu, F.L., Zhang, L.F., Li, X.L., Slabunov, A.I., Wei, C.J., and Bader, T. (2017) The metamorphic evolution of Paleoproterozoic eclogites in Kuru-Vaara, northern Belomorian Province, Russia: Constraints from P-T pseudosections and zircon dating. *Precambrian Research*, 289, 31–47.
- Liu, L., Wang, C., Cao, Y.T., Chen, D.L., Kang, L., Yang, W.Q., and Zhu, X.H. (2012) Geochronology of multi-stage metamorphic events: Constraints on episodic zircon growth from the UHP eclogite in the South Altyn, NW China. *Lithos*, 136, 10–26.
- Liu, P., Liu, F., Liu, C., Wang, F., Liu, J., Yang, H., Cai, J., and Shi, J. (2013). Petrogenesis, P–T–t path, and tectonic significance of high-pressure mafic granulites from the Jiaobei terrane, North China Craton. *Precambrian Research*, 233, 237–258.
- Liu, S., Jahn, B., Wan, Y., Xie, H., Wang, S., Xie, S., Dong, C., Ma, M., and Liu, D. (2015) Neoproterozoic to Paleoproterozoic high-pressure mafic granulite from the Jiaodong Terrain, North China Craton: Petrology, zircon age determination and geological implications. *Gondwana Research*, 28, 493–508.
- Liu, X.C., Zhao, Y., Zhao, G.C., Jian, P., and Xu, G. (2007) Petrology and geochronology of granulites from the McKaskle Hills, eastern Amery Ice Shelf, Antarctica, and implications for the evolution of the Prydz Belt. *Journal of Petrology*, 48, 1443–1470.
- Liu, X.C., Hu, J.M., Zhao, Y., Lou, Y.X., Wei, C.J., and Liu, X.H. (2009) Late Neoproterozoic/Cambrian high-pressure mafic granulites from the Grove Mountains, East Antarctica: P–T–t path, collisional orogeny and implications for assembly of East Gondwana. *Precambrian Research*, 174, 181–199.
- Liu, X.C., Chen, B.L., Jahn, B.M., Wu, G.G., and Liu, Y.S. (2011) Early Paleozoic (ca. 465 Ma) eclogites from Beishan (NW China) and their bearing on the tectonic evolution of the southern Central Asian Orogenic Belt. *Journal of Asian Earth Sciences*, 42, 715–731.
- Liu, X.C., Wang, W., Zhao, Y., Liu, J., Song, B. (2014) Early Neoproterozoic granulite facies metamorphism of mafic dykes from the Vestfold Block, east Antarctica. *Journal of Metamorphic Geology*, 32, 1041–1062.
- Liu, Y.C., Li, S.G., and Xu, S.T. (2007) Zircon SHRIMP U-Pb dating for gneisses in northern Dabie high T/P metamorphic zone, central China: Implications for decoupling within subducted continental crust. *Lithos*, 96, 170–185.
- Liu, Y.C., Gu, X.F., Li, S.G., Hou, Z.H., and Song, B.A. (2011a) Multistage metamorphic events in granulitized eclogites from the North Dabie complex zone, central China: Evidence from zircon U-Pb age, trace element and mineral inclusion. *Lithos*, 122, 107–121.
- Liu, Y.C., Gu, X.F., Rolfo, F., and Chen, Z.Y. (2011b) Ultrahigh-pressure metamorphism and multistage exhumation of eclogite of the Luotian dome, North Dabie Complex Zone (central China): Evidence from mineral inclusions and decompression textures. *Journal of Asian Earth Sciences*, 42, 607–617.
- Liu, Y.C., Deng, L.P., Gu, X.F., Groppo, C., and Rolfo, F. (2015) Application of Ti-in-zircon and Zr-in-rutile thermometers to constrain high-temperature metamorphism in eclogites from the Dabie orogen, central China. *Gondwana Research*, 27, 410–423.



- Longridge, L., Kinnaird, J.A., Gibson, R.L., and Armstrong, R.A. (2014) Amphibolites of the Central Zone: new shrimp U-Pb ages and implications for the evolution of the Damara Orogen, Namibia. *South African Journal of Geology*, 117, 67–86.
- Lopez-Carmona, A., Abati, J., Pitra, P., and Lee, J.K.W. (2014) Retrogressed lawsonite blueschists from the NW Iberian Massif: P-T-t constraints from thermodynamic modelling and Ar-40/Ar-39 geochronology. *Contributions to Mineralogy and Petrology*, 167, 987.
- Mahan, K.H., Goncalves, P., Flowers, R., Williams, M.L., and Hoffman-Setka, D. (2008) The role of heterogeneous strain in the development and preservation of a polymetamorphic record in high-P granulites, western Canadian Shield. *Journal of Metamorphic Geology*, 26, 669–694.
- Mahato, S., Goon, S., Bhattacharya, A., Mishra, B., and Bernhardt, H.J. (2008) Thermo-tectonic evolution of the North Singhbhum Mobile Belt (eastern India): A view from the western part of the belt. *Precambrian Research*, 162, 102–127.
- Majka, J., Janák, M., Andersson, B., Klonowska, I., Gee, D.G., Rosén, A., and Košmińska, K. (2014) Pressure–temperature estimates on the Tjeliken eclogite: new insights into the (ultra)-high-pressure evolution of the Seve Nappe Complex in the Scandinavian Caledonides. *Geological Society Special Publications*, 390, 369–384.
- Malatesta, C., Crispini, L., Federico, L., Capponi, G., and Scambelluri, M. (2012) The exhumation of high pressure ophiolites (Voltri Massif, Western Alps): Insights from structural and petrologic data on metagabbro bodies. *Tectonophysics*, 568, 102–123.
- Manton, R.J., Buckman, S., Nutman, A.P., Bennett, V.C., and Belousova, E.A. (2017) U-Pb-Hf-REE-Ti zircon and REE garnet geochemistry of the Cambrian Attunga eclogite, New England Orogen, Australia: Implications for continental growth along eastern Gondwana. *Tectonics*, 36, 1580–1613.
- Mänttari, I., and Hölttä, 2002. U–Pb dating of zircons and monazites from Archean granulites in Varpaisjärvi, Central Finland:: Evidence for multiple metamorphism and Neoarchean terrane accretion. *Precambrian Research*, 118, 101–131.
- Manzotti, P., Pitra, P., Langlade, J., and Ballevre, M. (2015) Constraining P-T conditions during thrusting of a higher pressure unit over a lower pressure one (Gran Paradiso, Western Alps). *Journal of Metamorphic Geology*, 33, 981–1002.
- Marschall, H.R., Kalt, A., and Hanel, M. (2003) P–T evolution of a Variscan lower-crustal segment: a study of granulites from the Schwarzwald, Germany. *Journal of Petrology*, 44, 227–253.
- Marsh, J.H., and Culshaw, N.G. (2014) Timing and conditions of high-pressure metamorphism in the western Grenville Province: Constraints from accessory mineral composition and phase equilibrium modeling. *Lithos*, 200–201, 402–417.
- Martens, U.C., Brueckner, H.K., Mattinson, C.G., Liou, J.G., and Wooden, J.L. (2012) Timing of eclogite-facies metamorphism of the Chuacús complex, Central Guatemala: Record of Late Cretaceous continental subduction of North America's sialic basement. *Lithos*, 1–10.
- Martignole, J., and Martelat, J-E. (2003) Regional-scale Grenvillian-age UHT metamorphism in the Mollendo-Camana block (basement of the Peruvian Andes). *Journal of Metamorphic Geology*, 21, 99–120.

- Martin, L.A.J., Rubatto, D., Brovarone, A.V., and Hermann, J. (2011) Late Eocene lawsonite-eclogite facies metasomatism of a granulite sliver associated to ophiolites in Alpine Corsica. *Lithos*, 125, 620–640.
- Massonne, H.J., Opitz, J., Theye, T., and Nasir, S. (2013) Evolution of a very deeply subducted metasediment from As Sifah, northeastern coast of Oman. *Lithos*, 156, 171–185.
- Mattinson, C.G., Zhang, R.Y., Tsujimori, T., and Liou, J.G. (2004) Epidote-rich calc-kyanite-phengite eclogites, Sulu Terrane, eastern China: P-T- $f_{O_2}$  estimates and the significance of the epidote-talc assemblage in eclogite. *American Mineralogist*, 89, 1772–1783.
- McClelland, W.C., Gilotti, J.A., Mazdab, F.K., and Wooden, J.L. (2010) Trace-element record in zircons during exhumation from UHP conditions, North-East Greenland Caledonides. *European Journal of Mineralogy*, 21, 1135–1148.
- McFarlane, C.R.M. (2006) Palaeoproterozoic evolution of the Challenger Au deposit, South Australia, from monazite geochronology. *Journal of Metamorphic Geology*, 24, 75–87.
- McFarlane, C.R.M., Carlson, W.D., and Connelly, J.N. (2003) Prograde, peak, and retrograde P-T paths from aluminium in orthopyroxene: High-temperature contact metamorphism in the aureole of the Makhavinekh Lake Pluton, Nain Plutonic Suite, Labrador. *Journal of Metamorphic Geology*, 21, 405–423.
- McFarlane, C.R.M., Connelly, J.N., and Carlson, W.D. (2005) Intracrystalline redistribution of Pb in zircon during high-temperature contact metamorphism. *Chemical Geology*, 217, 1–28.
- McKechnie, C.L., Annesley, I.R., and Ansdell, K.M. (2012) Medium- to low-pressure pelitic gneisses of Fraser Lakes Zone B, Wollaston domain, northern Saskatchewan, Canada: mineral compositions, metamorphic P-T-t path, and implications for the genesis of radioactive abyssal granitic pegmatites. *Canadian Mineralogist*, 50, 1669–1694.
- Meneghini, F., Kisters, A., Buick, I., and Fagereng, A. (2014) Fingerprints of late Neoproterozoic ridge subduction in the Pan-African Damara belt, Namibia. *Geology*, 42, 903–906.
- Meng, F., Zhang, J.X., and Cui, M. (2013) Discovery of Early Paleozoic eclogite from the East Kunlun, Western China and its tectonic significance. *Gondwana Research*, 23, 825–836.
- Menot, R.P., Pecher, A., Rolland, Y., Peucat, J.J., Pelletier, A., Duclaux, G., and Guillot, S. (2005) Structural setting of the neoarchean Bay Area (143–145 degrees E), Terre Adelie Terrains in the commonwealth Craton, East Antarctica. *Gondwana Research*, 8, 1–9.
- Meyer, M., Klemd, R., John, T., Gao, J., and Menneken, M. (2016) An (in-)coherent metamorphic evolution of high-P eclogites and their host rocks in the Chinese southwest Tianshan? *Journal of Metamorphic Geology*, 34, 121–146.
- Mezger, K., Bohlen, S.R., and Hanson, G.N. (1990) Metamorphic history of the Archean Pikwitonei granulite domain and the Cross Lake Subprovince, Superior Province, Manitoba, Canada. *Journal of Petrology*, 31, 483–517.
- Miller, B.V., Stewart, K.G., and Whitney, D.L. (2010) Three tectonothermal pulses recorded in eclogite and amphibolite of the Eastern Blue Ridge, Southern Appalachians. *Geological Society of America Memoir*, 206, 701–724.

- Millonig, L., Zeh, A., Gerdes, A., and Klemmd, R. (2008) Late Archaean high-grade metamorphism in the Central Zone of the Limpopo Belt (South Africa): petrological and geochronological evidence from the Bulai Pluton. *Lithos*, 103, 333–351.
- Millonig, L., Zeh, A., Gerdes, A., Klemmd, R., and Barton Jr., J.M., (2010) Decompressional heating of the Mahalapye Complex (Limpopo Belt, Botswana): a Response to Palaeoproterozoic Magmatic Underplating? *Journal of Petrology*, 51, 703–729.
- Mitchell, R.K., Indares, A., and Ryan, B. (2014) High to ultrahigh temperature contact metamorphism and dry partial melting of the Tasiuyak paragneiss, Northern Labrador. *Journal of Metamorphic Geology*, 32, 535–555.
- Moecher, D.P., Samson, S.D., and Miller, C.F. (2004) Precise time and conditions of peak taconian granulite facies metamorphism in the southern Appalachian orogen, U.S.A., with implications for zircon behavior during crustal melting events. *Journal of Geology*, 112, 289–304.
- Mohan, M.R., Satyanarayanan, M., Santosh, M., Sylvester, P.J., Tubrett, M., and Lam, R. (2013) Neoarchean suprasubduction zone arc magmatism in southern India: Geochemistry, zircon U-Pb geochronology and Hf isotopes of the Sittampundi Anorthosite Complex. *Gondwana Research*, 23, 539–557.
- Mojzsis, S.J., Devaraju, T.C., and Newton, R.C. (2003) Ion microprobe U-Pb age determinations on zircon from the late Archean granulite facies transition zone of southern India. *Journal of Geology*, 111, 407–425.
- Möller, A., Hensen, B.J., Armstrong, R.A., Mezger, K., and Ballevre, M. (2003) M U-Pb zircon and monazite age constraints on granulite-facies metamorphism and deformation in the Strangways Metamorphic Complex (central Australia). *Contributions to Mineralogy and Petrology*, 145, 406–423.
- Möller, A., Appel, P., Mezger, K., and Schenk, V. (1995) Evidence for a 2 Ga subduction zone: Eclogites in the Usagaran belt of Tanzania: *Geology*, 23, 1067–1070.
- Möller, C., Andersson, J., Dyck, B., and Lundin, I.A. (2015) Exhumation of an eclogite terrane as a hot migmatitic nappe, Sveconorwegian orogeny. *Lithos*, 226, 147–168.
- Moraes, R., and Fuck, R.A. (2000) Ultra-high-temperature metamorphism in central Brazil: The Barro Alto complex. *Journal of Metamorphic Geology*, 18, 345–358.
- Moraes, R., Fuck, R.A., Pimentel, M.M., Gioia, S.M.C.L., de Hollanda, M.H.B.M., and Armstrong, R. (2006) The bimodal rift-related Juscelândia volcanosedimentary sequence in central Brazil: Mesoproterozoic extension and Neoproterozoic metamorphism. *Journal of South American Earth Sciences*, 20, 287–301.
- Morrissey, L., Payne, J.L., Kelsey, D.E., and Hand, M. (2011) Grenvillian-aged reworking in the North Australian Craton, central Australia: Constraints from geochronology and modelled phase equilibria. *Precambrian Research*, 191, 141–165.
- Morrissey, L.J., Hand, M., Raimondo, T., and Kelsey, D.E. (2014) Long-lived high-T, low-P granulite facies metamorphism in the Arunta Region, central Australia. *Journal of Metamorphic Geology*, 32, 25–47.
- Morrissey, L.J., Hand, M., and Kelsey, D.E. (2015) Multi-stage metamorphism in the Rayner-Eastern Ghats Terrane: P-T-t constraints from the northern Prince Charles Mountains, east Antarctica. *Precambrian Research*, 267, 137–163.

- Morrissey, L.J., Hand, M., Kelsey, D.E., and Wade, B.P. (2016) Cambrian High-temperature Reworking of the Rayner–Eastern Ghats Terrane: Constraints from the Northern Prince Charles Mountains Region, East Antarctica. *Journal of Petrology*, 57, 53–92.
- Morrissey, L.J., Hand, M., Lane, K., Kelsey, D.E., and Dutch, R.A. (2016) Upgrading iron-ore deposits by melt loss during granulite facies metamorphism. *Ore Geology Reviews*, 74, 101–121.
- Motta Garcia, M.G., and Campos Neto, M.C. (2003) Contrasting metamorphic conditions in the Neoproterozoic collision-related Nappes south of Sao Francisco Craton, SE Brazil. *Journal of South American Earth Sciences*, 15, 853–870.
- Moyen, J.-F., Stevens, G., and Kisters, A.F.M. (2006) Record of mid-Archean subduction from metamorphism in the Barberton terrain, South Africa. *Nature*, 442, 559–562.
- Mueller, A.G., Nemchin, A.A., and Frei, R. (2004) The Nevoria gold skarn deposit, Southern Cross greenstone belt, Western Australia: II. Pressure-temperature-time path and relationship to postorogenic granites. *Economic Geology and the Bulletin of the Society of Economic Geologists*, 99, 453–478.
- Mulcahy, S.R., Vervoort, J.D., and Renne, P.R. (2015) Dating subduction-zone metamorphism with combined garnet and lawsonite Lu-Hf geochronology. *Journal of Metamorphic Geology*, 32, 515–533.
- Nabelek, P.I., and Chen, Y. (2014) The initial garnet-in reaction involving siderite-rhodochrosite, garnet re-equilibration and P-T-t paths of graphitic schists in the Black Hills orogen, South Dakota, USA. *Journal of Metamorphic Geology*, 32, 133–150.
- Nagel, T.J., Herwartz, D., Rexroth, S., Münker, C., Froitzheim, N., and Kurz, W. (2013) Lu-Hf dating, petrography, and tectonic implications of the youngest Alpine eclogites (Tauern Window, Austria). *Lithos*, 170, 179–190.
- Nahodilova, R., Stipska, P., Powell, R., Kosler, J., and Racek, M. (2014) High-Ti muscovite as a prograde relict in high pressure granulites with metamorphic Devonian zircon ages (Bestvina granulite body, Bohemian Massif): Consequences for the relamination model of subducted crust. *Gondwana Research*, 25, 630–648.
- Nakamura, D., and Hirajima, T. (2010) Significant cooling during exhumation of UHP eclogite from the Taohang area in the Sulu region of eastern China and its tectonic significance. *Island Arc*, 19, 707–717.
- Nehring, F., Foley, S.F., Hölttä, P., Van den Kerkhof, M. (2009) Internal Differentiation of the Archean Continental Crust: Fluid-Controlled Partial Melting of Granulites and TTG–Amphibolite Associations in Central Finland. *Journal of Petrology*, 50, 3–35.
- Nelson, D.R., Myers, J.S., and Nutman, A.P. (1995) Chronology and evolution of the Middle Proterozoic Albany–Fraser Orogen, Western Australia. *Australian Journal of Earth Sciences*, 42, 481–495.
- Nemchin, A.A., Pidgeon, R.T., and Wilde, S.A. (1994) Timing of Late Archaean granulite facies metamorphism in the southwestern Yilgarn Craton of Western Australia: evidence from U-Pb ages of zircons from mafic granulites. *Precambrian Research*, 68, 307–321.

- Nicoli, G., Stevens, G., Moyen, J.-F., and Frei, D. (2015) Rapid evolution from sediment to anatectic granulite in an Archean continental collision zone: the example of the Bandelierkop Formation metapelites, South Marginal Zone, Limpopo Belt, South Africa. *Journal of Metamorphic Geology*, 33, 177–202.
- Nutman, A.P., Bennett, V.C., Friend, C.R.L., Hidaka, H., Yi, K., Lee, S.R., and Kamiuchi, T. (2013) The Itsaq Gneiss Complex of Greenland: Episodic 3900 to 3660 Ma juvenile crust formation and recycling in the 3660 to 3600 Ma Isukasian orogeny. *American Journal of Science*, 313, 877–911.
- Nutman, A.P., Bennett, V.C., and Friend, C.R.L. (2015) Proposal for a continent ‘Itsaqia’ amalgamated at 3.66 Ga and rifted apart from 3.53 Ga: initiation of a Wilson cycle near the start of the rock record. *American Journal of Science*, 315, 509–536.
- Nutman, A.P., Friend, C.R.L., Bennett, V.C., 2002. Evidence for 3650–3600 Ma assembly of the northern end of the Itsaq Gneiss Complex, Greenland: implication for early Archaean tectonics. *Tectonics* 21, 5-1–5-28.
- O’Brien, P.J., Kröner, A., Jaeckel, P., Hegner, E., Zelazniewicz, A., and Kryza, R. (1997) Petrological and isotopic studies on palaeozoic high-pressure granulites, Gory Sowie Mts, Polish Sudetes. *Journal of Petrology*, 38, 433–456.
- O’Brien, P.J., Walte, N., and Li, J. (2005) The petrology of two distinct granulite types in the Hengshan Mts., China, and tectonic implications. *Journal of Asian Earth Sciences*, 24, 615–627.
- Oberhänsli, R., Koralay, E., Candan, O., Pourteau, A., and Bousquet, R. (2013) Late Cretaceous eclogitic high-pressure relics in the Bitlis Massif. *Geodinamica Acta*, 26, 175–190.
- Oh, C.W., Imayama, T., Yi, S.B., Kim, T., Ryu, I.C., Jeon, J., and Yi, K. (2014) Middle Paleozoic metamorphism in the Hongseong area, South Korea, and tectonic significance for Paleozoic orogeny in northeast Asia. *Journal of Asian Earth Sciences*, 95, 203–216.
- Omraní, H., Moazzen, M., Oberhänsli, R., Tsujimori, T., Bousquet, R., and Moayyed, M. (2013) Metamorphic history of glaucophane-paragonite-zoisite eclogites from the Shanderman area, northern Iran. *Journal of Metamorphic Geology*, 31, 791–812.
- Orozbaev, R.T., Takasu, A., Bakirov, A.B., Tagiri, M., Sakiev, K.S. (2010) Metamorphic history of eclogites and country rock gneisses in the Aktyuz area, Northern Tien-Shan, Kyrgyzstan: a record from initiation of subduction through to oceanic closure by continent-continent collision. *Journal of Metamorphic Geology*, 28, 317–339.
- Orozbaev R., Hirajima, T., Bakirov, A., Takasu, A., Maki, K., Yoshida, K., Sakiev, K., Bakirov, A., Hirata, T., Tagiri, M., and Togonbaeva, A. (2015) Trace element characteristics of clinozoisite pseudomorphs after lawsonite in talc-garnet-chloritoid schists from the Makbal UHP Complex, northern Kyrgyz Tian-Shan. *Lithos*, 226, 98–115.
- Ouzegane, K., and Boumaza, S. (1996) An example of ultrahigh-temperature metamorphism: orthopyroxene-sillimanite-garnet, sapphirine-quartz and spinel-quartz parageneses in Al-Mg granulites from In Hihaou, In Ouzal, Hoggar. *Journal of Metamorphic Geology*, 14, 693–708.
- Ouzegane, K., Djemai, S., and Guiraud, M. (1996) Gedrite-garnet-sillimanite-bearing granulites from Amessmessa area, south In Ouzal, Hoggar, Algeria. *Journal of Metamorphic Geology*, 14, 739–753.

- Ouzegane, K., Guiraud, M., and Kienast, J.R. (2003) Prograde and retrograde evolution in high-temperature corundum granulites (FMAS and KFMASH systems) from In Ouzzal Terrane (NW Hoggar, Algeria). *Journal of Petrology*, 44, 517–545.
- Padron-Navarta, J.A., Garrido, C.J. Sanchez-Navas, A., Tommasi, A., Sanchez-Vizcaino, V.L., Gomez-Pugnaire, M.T., and Hussain, S.S. (2008) P Oriented growth of garnet by topotactic reactions and epitaxy in high-pressure, mafic garnet granulite formed by dehydration melting of metastable hornblende-gabbro-norite (Jijal Complex, Kohistan Complex, north Pakistan). *Journal of Metamorphic Geology*, 26, 855–870.
- Page, F.Z., Essene, E.J., and Mukasa, S.B. (2003) Prograde and retrograde history of eclogites from the Eastern Blue Ridge, North Carolina, USA. *Journal of Metamorphic Geology*, 21, 685–698.
- Palin, R.M., Searle, M.P., Waters, D.J., Horstwood, M.S.A., and Parrish, R.R. (2012) Combined thermobarometry and geochronology of peraluminous metapelites from the Karakoram metamorphic complex, North Pakistan; New insight into the tectonothermal evolution of the Baltoro and Hunza Valley regions. *Journal of Metamorphic Geology*, 30, 793–820.
- Palin, R.M., Searle, M.P., Waters, D.J., Parrish, R.R., Roberts, N.M.W., Horstwood, M.S.A., Yeh, M.-W., Chung, S.-L., and Anh, T.T. (2012) A geochronological and petrological study of anatectic paragneiss and associated granite dykes from the Day Nui Con Voi metamorphic core complex, North Vietnam: constraints on the timing of metamorphism within the Red River shear zone. *Journal of Metamorphic Geology*, 31, 359–387.
- Palmeri, R., Chmielewski, R., Sandroni, S., Talarico, F., and Ricci, C.A. (2009) Petrology of the eclogites from western Tasmania: Insights into the Cambro-Ordovician evolution of the paleo-Pacific margin of Gondwana. *Lithos*, 109, 223–239.
- Palmeri, R., Ghiribelli, B., Ranalli, G., Talarico, F., and Ricci, C.A. (2003) Ultrahigh-pressure metamorphism and exhumation of garnet-bearing ultramafic rocks from the Lanterman Range (northern Victoria Land, Antarctica). *Journal of Metamorphic Geology*, 25, 225–243.
- Paquette, J.-L., Goncalves, P., Devouard, B., and Nicollet, C. (2004) Micro-drilling ID-TIMS U-Pb dating of single monazites: A new method to unravel complex poly-metamorphic evolution. Application to the UHT granulites of Andriamena (North-Central Madagascar). *Contributions to Mineralogy and Petrology*, 147, 110–122.
- Paquette, J.L., Monchoux, P., and Couturier, M. (1995) Geochemical and isotopic study of a norite-eclogite transition in the European Variscan belt - implications for U-Pb zircon systematics in metabasic rocks. *Geochimica et Cosmochimica Acta*, 59, 1611–1622.
- Parkinson, C.D., and Katayama, I. (1999) Present-day ultrahigh-pressure conditions of coesite inclusions in zircon and garnet: Evidence from laser Raman microspectroscopy. *Geology*, 27, 979–982.
- Parkinson, C.D., Motoki, A., Onishi, C.T., and Maruyama, S. (2001) Ultrahigh-pressure pyrope-kyanite granulites and associated eclogites in Neoproterozoic Nappes of Southeast Brazil. UHPM Workshop 2001, Waseda University, pp. 87–90.
- Pattison, D.R.M., Chacko, T., Farquhar, J., and McFarlane, C.R.M. (2003) Temperatures of granulite-facies metamorphism: Constraints from experimental phase equilibria and thermobarometry corrected for retrograde exchange. *Journal of Petrology*, 44, 867–900.

- Pauly, J., Marschall, H.R., Meyer, H.P., Chatterjee, N., and Monteleone, B. (2016) Prolonged Ediacaran–Cambrian Metamorphic History and Short-lived High-pressure Granulite-facies Metamorphism in the H.U. Sverdrupfjella, Dronning Maud Land (East Antarctica): Evidence for Continental Collision during Gondwana Assembly. *Journal of Petrology*, 57, 185–228.
- Peck, W.H., Bickford, M.E., McLelland, J.M., Nagle, A.N., and Swarr, G.J. (2010) Mechanism of metamorphic zircon growth in a granulite-facies quartzite, Adirondack Highlands, Grenville Province, New York. *American Mineralogist*, 95, 1796–1806.
- Perraki, M., and Faryad, S.W. (2014) First finding of microdiamond, coesite and other UHP phases in felsic granulites in the Moldanubian Zone: Implications for deep subduction and a revised geodynamic model for Variscan Orogeny in the Bohemian Massif. *Lithos*, 202, 157–166.
- Perraki, M., Proyer, A., Mposkos, E., Kaindl, R., and Hoinkes, G. (2006) Raman micro-spectroscopy on diamond, graphite and other carbon polymorphs from the ultrahigh-pressure metamorphic Kimi Complex of the Rhodope Metamorphic Province, NE Greece. *Earth and Planetary Science Letters*, 241, 672–685.
- Peucat, J.J., Ohta, Y., Gee, D.G., and Bernard-Griffiths, J. (1989) U-Pb, Sr and Nd evidence for Grenvillian and latest Proterozoic tectonothermal activity in the Spitsbergen Caledonides, Arctic Ocean. *Lithos*, 22, 275–285.
- Peucat, J.J., Capdevila, R., Drareni, A., Choukroune, P., Fanning, C.M., Bernard-Griffiths, J., and Fourcade, S. (1996) Major and trace element geochemistry and isotope (Sr, Nd, Pb, O) systematics of an Archaean basement involved in a 2.0 Ga very high-temperature (1000 °C) metamorphic event: In Ouzzal Massif, Hoggar, Algeria. *Journal of Metamorphic Geology*, 14, 667–692.
- Peucat, J.J., Barbosa, J.S.F., Pinho, I.C.D., Paquette, J.L., Martin, H., Fanning, C.M., Leal, A.B.D., and Cruz, S. (2011) Geochronology of granulites from the south Itabuna-Salvador-Curaca Block, Sao Francisco Craton (Brazil): Nd isotopes and U-Pb zircon ages. *Journal of South American Earth Sciences*, 31, 397–413.
- Peucat, J.J., Jayananda, M., Chardon, D., Capdevila, R., Fanning, C.M., and Paquette, J.L. (2013) The lower crust of the Dharwar Craton, Southern India: Patchwork of Archean granulitic domains. *Precambrian Research*, 227, 4–28.
- Philippon, M., Gueydan, F., Pitra, P., and Brun, J.-P. (2013) Preservation of subduction-related prograde deformation in lawsonite pseudomorph-bearing rocks. *Journal of Metamorphic Geology*, 31, 571–583.
- Phillips, G., Kelsey, D.E., Corvino, A.F., and Dutch, R.A. (2009) Continental Reworking during Overprinting Orogenic Events, Southern Prince Charles Mountains, East Antarctica. *Journal of Petrology*, 50, 2017–2041.
- Phillips, G., Offler, R., Rubatto, D., and Phillips, D. (2015) High-pressure metamorphism in the southern New England Orogen: Implications for long-lived accretionary orogenesis in eastern Australia. *Tectonics*, 34, 1979–2010.

- Pitra, P., Kouamelan, A.N., Ballèvre, M., and Peucat, J.-J. (2010) Palaeoproterozoic high-pressure granulite overprint of the Archean continental crust: evidence for homogeneous crustal thickening (Man Rise, Ivory Coast). *Journal of Metamorphic Geology*, 28, 41–58.
- Plunder, A., Agard, P., Chopin, C., Pourteau, A., and Okay, A.I. (2015) Accretion, underplating and exhumation along a subduction interface: From subduction initiation to continental subduction (Tavsanlı zone, W. Turkey). *Lithos*, 226, 233–254.
- Pourteau, A., Sudo, M., Candan, O., Lanari, P., Vidal, O., and Oberhänsli, R. (2013) Neotethys closure history of Anatolia: insights from Ar-40-Ar-39 geochronology and P-T estimation in high-pressure metasedimentary rocks. *Journal of Metamorphic Geology*, 31, 585–606.
- Pownall, J. M. (2015) UHT metamorphism on Seram, eastern Indonesia: reaction microstructures and P-T evolution of spinel-bearing garnet-sillimanite granulites from the Kobipoto Complex. *Journal of Metamorphic Geology*, 33, 909–935.
- Pownall, J. M., Hall, R., Armstrong, R.A., and Forster, M.A. (2014) Earth's youngest known ultrahigh-temperature granulites discovered on Seram, eastern Indonesia. *Geology*, 42, 279–282.
- Pullen, A., Kapp, P., Gehrels, G.E., Vervoort, J.D., and Ding, L. (2008) Triassic continental subduction in central Tibet and Mediterranean-style closure of the Paleo-Tethys Ocean. *Geology*, 36, 351–354.
- Qian, J.H., and Wei, C.J., 2016. P–T–t evolution of garnet amphibolites in the Wutai–Hengshan area, North China Craton: insights from phase equilibria and geochronology. *Journal of Metamorphic Geology*, in press.
- Qian, J.H., Wei, C.J., Clarke, G.L., Zhou, X.W. (2015) Metamorphic evolution and Zircon ages of Garnet-orthoamphibole rocks in southern Hengshan, North China Craton: Insights into the regional Paleoproterozoic P-T-t history. *Precambrian Research*, 256, 223–240.
- Qu, J.F., Xiao, W.J., Windley, B.F., Han, C.M., Mao, Q.G., Ao, S.J., and Zhang, J.E. (2011) Ordovician eclogites from the Chinese Beishan: implications for the tectonic evolution of the southern Altaids. *Journal of Metamorphic Geology*, 29, 803–820.
- Raimondo, T., Collins, A.S., Hand, M., Walker-Hallam, A., Smithies, R.H., Evins, P.M., and Howard, H.M. (2010) The anatomy of a deep intracontinental orogeny. *Tectonics*, 29, TC4024.
- Ravna, E.J., Krogh, and Terry, M.P. (2004) Geothermobarometry of UHP and HP eclogites and schists - an evaluation of equilibria among garnet-clinopyroxene-kyanite-phengite-coesite/quartz. *Journal of Metamorphic Geology*, 22, 570–592.
- Rawson, J.R., Carswell, D.A., and Smallwood, D. (2001) Garnet-bearing olivine-websterite within the Eastern Glenelg Lewisian of the Glenelg Inlier, NW Highlands. *Scottish Journal of Geology*, 37, 27–34.
- Redler, C., Johnson, T.E., White, R.W., and Kunz, B.E. (2012) Phase equilibrium constraints on a deep crustal metamorphic field gradient: metapelitic rocks from the Ivrea Zone (NW Italy). *Journal of Metamorphic Geology*, 30, 235–254.
- Regis, D., Rubatto, D., Darling, J., Cenki-Tok, B., Zucali, M., and Engi, M. (2014) Multiple Metamorphic Stages within an Eclogite-facies Terrane (Sesia Zone, Western Alps) Revealed by Th-U-Pb Petrochronology. *Journal of Petrology*, 55, 1429–1456.



- Regis, D., Warren, C.J., Young, D., and Roberts, N.M.W. (2014) Tectono-metamorphic evolution of the Jomolhari massif: Variations in timing of syn-collisional metamorphism across western Bhutan. *Lithos*, 190–191, 449–466.
- Regis, D., Warren, C.J., Mottram, C.M., and Roberts, N.M.W. (2016) Using monazite and zircon petrochronology to constrain the P–T–t evolution of the middle crust in the Bhutan Himalaya. *Journal of Metamorphic Geology*, 34, in press.
- Rekha, S., Upadhyay, D., Bhattacharya, A., Kooijman, E., Goon, S., Mahato, S., and Pant, N.C. (2011) Lithostructural and chronological constraints for tectonic restoration of Proterozoic accretion in the Eastern Indian Precambrian shield. *Precambrian Research*, 187, 313–333.
- Reno, B.L., Piccoli, P.M., Brown, M., and Trouw, R. (2012) *In situ* monazite (U–Th)–Pb ages from the Southern Brasília Belt, Brazil: constraints on the high-temperature retrograde evolution of HP granulites. *Journal of Metamorphic Geology*, 30, 81–112.
- Riel, N., Hattori, K., Guillot, S., Rayner, N., Davis, W., Latif, M., and Kausar, A.B. (2008) SHRIMP zircon ages of eclogites in the Stak massif, northern Pakistan. *Himalayan Journal of Sciences*, 5, 119–120.
- Rimmele, G., Parra, T., Goffe, B., Oberhänsli, R., Jolivet, L., and Candan, O. (2005) Exhumation paths of high-pressure-low-temperature metamorphic rocks from the Lycian Nappes and the Menderes Massif (SW Turkey): a multi-equilibrium approach. *Journal of Petrology*, 46, 641–669.
- Robb, L.J., Armstrong, R.A., and Waters, D.J. (1999) The history of granulite-facies metamorphism and crustal growth from single zircon U–Pb geochronology: Namaqualand, South Africa. *Journal of Petrology*, 40, 1747–1770.
- Roche, L., Korhonen, F., Johnson, S., Wingate, M., Hancock, L., Dunkley, D., Zi, J.W., Rasmussen, B., Muhling, J., Occhipinti, S., Dunbar, M., and Goldsworthy, J. (2016) The evolution of a Precambrian arc-related granulite facies gold deposit: evidence from the Glenburgh deposit, Western Australia. *Precambrian Research*, in review.
- Roger, F., Teyssier, C., Respaut, J.-P., Rey, P.F., Jolivet, M., Whitney, D.L., Paquette, J.-L., and Brunel, M. (2015) Timing of formation and exhumation of the Montagne Noire double dome, French Massif Central. *Tectonophysics*, 640–641, 53–69.
- Rojas-Agramonte, Y., Herwartz, D., Garcia-Casco, A., Kroner, A., Alexeiev, D.V., Klemm, R., Buhre, S., and Barth, M. (2013) Early Palaeozoic deep subduction of continental crust in the Kyrgyz North Tianshan: evidence from Lu–Hf garnet geochronology and petrology of mafic dikes. *Contributions to Mineralogy and Petrology*, 166, 525–543.
- Romer, R.L., and Rötzler, J. (2001) P–T–t evolution of ultrahigh-temperature granulites from the Saxon Granulite Massif, Germany. Part II: Geochronology. *Journal of Petrology*, 42, 2015–2032.
- Root, D., and Corfu, F. (2012) U–Pb geochronology of two discrete Ordovician high-pressure metamorphic events in the Seve Nappe Complex, Scandinavian Caledonides. *Contributions to Mineralogy and Petrology*, 163, 769–788.
- Rossetti, F., Goffe, B., Monie, P., Faccenna, C., and Vignaroli, G. (2004) Alpine orogenic P–T–t-deformation history of the Catena Costiera area and surrounding regions (Calabrian Arc, southern Italy): The nappe edifice of north Calabria revised with insights on the Tyrrhenian–Apennine system formation. *Tectonics*, 23, TC6011.

- Rötzler, J., and Romer, R.L. (2001) P-T-t evolution of ultrahigh-temperature granulites from the Saxon Granulite Massif, Germany. Part I: Petrology. *Journal of Petrology*, 42, 1995–2013.
- Rötzler, J., Romer, R.L., Budzinski, H., and Oberhänsli, R. (2004) Ultrahigh-temperature high-pressure granulites from Tirschheim, Saxon Granulite Massif, Germany: P-T-t path and geotectonic implications. *European Journal of Mineralogy*, 16, 917–937.
- Rötzler, J., Hagen, B., and Hoernes, S. (2008) Geothermometry of the ultrahigh-temperature Saxon granulites revisited. Part I: New evidence from key mineral assemblages and reaction textures. *European Journal of Mineralogy*, 20, 1097–1115.
- Rubatto, D., and Hermann, J. (2001) Exhumation as fast as subduction? *Geology*, 29, 3–6.
- Rubatto, D., and Hermann, J. (2003) Zircon formation during fluid circulation in eclogites (Monviso, Western Alps): Implications for Zr and Hf budget in subduction zones. *Geochimica et Cosmochimica Acta*, 67, 2173–2187.
- Rubatto, D., Gebauer, D., and Fanning, M. (2009) Jurassic formation and Eocene subduction of the Zermatt-Saas-Fee ophiolites: implications for the geodynamic evolution of the Central and Western Alps. *Contributions to Mineralogy and Petrology*, 132, 269–287.
- Rubatto, D., Hermann, J., and Buick, I.S. (2006) Temperature and bulk composition control on the growth of monazite and zircon during low-pressure anatexis (Mount Stafford, central Australia). *Journal of Petrology*, 47, 1973–1996.
- Rubatto, D., Ferrando, S., Compagnoni, R., and Lombardo, B. (2010) Carboniferous high-pressure metamorphism of Ordovician protoliths in the Argentera Massif (Italy), Southern European Variscan belt. *Lithos*, 116, 65–76.
- Rudnick, R.L., and Cameron, K.L. (1991) Age diversity of the deep crust in northern Mexico. *Geology*, 19, 1197–1200.
- Sajeev, K., Williams, I.S., and Osanai, Y. (2010) Sensitive high-resolution ion microprobe U-Pb dating of prograde and retrograde ultrahigh-temperature metamorphism as exemplified by Sri Lankan granulites. *Geology*, 38, 971–974.
- Sajeev, K., Jeong, J., Kwon, S., Kee, W.S., Kim, S.W., Komiya, T., Itaya, T., Jung, H.S., Park, Y. (2010) High P-T granulite relicts from the Imjingang belt, South Korea: Tectonic significance. *Gondwana Research*, 17, 75–86.
- Salazar Mora, C.A., Campos Neto, M.C., Stipp Basei, M.A. (2014) Syn-collisional lower continental crust anatexis in the Neoproterozoic Socorro-Guaxupe Nappe System, southern Brasília Orogen, Brazil: Constraints from zircon U-Pb dating, Sr-Nd-Hf signatures and whole-rock geochemistry. *Precambrian Research*, 255, 847–864.
- Sanders, I.S., Daly, J.S., and Davies, G.R. (1987) Late Proterozoic high-pressure granulite facies metamorphism in the north-east Ox inlier, north-west Ireland. *Journal of Metamorphic Geology*, 5, 69–85.
- Sanders, I.S., van Calsteren, P.W.C., and Hawkesworth, C.J. (1984) A Grenville Sm-Nd age for the Glenelg eclogite in northwest Scotland. *Nature*, 312, 439–440.

- Sandiford, M., and Powell, R. (1988) Pyroxene exsolution in granulites from Fyfe Hills, Enderby Land, Antarctica: Evidence for 1000 °C metamorphic temperatures in Archean continental crust – Reply. *American Mineralogist*, 73, 434–438.
- Sandmann, S., Nagel, T.J., Froitzheim, N., Ustaszewski, K., and Münker, C. (2015) Late Miocene to Early Pliocene blueschist from Taiwan and its exhumation via forearc extraction. *Terra Nova*, 27, 285–291.
- Santos, T.J.S., Garcia, M.G.M., Amaral, W.S., Caby, R., Wernick, E., Arthaud, M.H., Dantas, E.L., and Santosh, M. (2009) Relics of eclogite facies assemblages in the Ceará Central Domain, NW Borborema Province, NE Brazil: implications for the assembly of West Gondwana. *Gondwana Research*, 15, 454–470.
- Santos, T.J.S., Amaral, W.S., Ancelmi, M.F., Pitarello, M.Z., Fuck, R.A., and Dantas, E.L. (2015) U-Pb age of the coesite-bearing eclogite from NW Borborema Province, NE Brazil: Implications for western Gondwana assembly. *Gondwana Research*, 28, 1183–1196.
- Santosh, M., Yokoyama, K., Biju-Sekhar, S., and Rogers, J.J.W. (2003) Multiple tectonothermal events in the granulite blocks of southern India revealed from EPMA dating: Implications on the history of supercontinents. *Gondwana Research*, 6, 29–63.
- Santosh, M., Wan, Y.S., Liu, D.Y., Chunyan, D., and Li, J.H. (2009) Anatomy of Zircons from an Ultrahot Orogen: The Amalgamation of the North China Craton within the Supercontinent Columbia. *Journal of Geology*, 117, 429–443.
- Sarkar, T., and Schenk, V. (2014) Two-stage granulite formation in a Proterozoic magmatic arc (Ongole domain of the Eastern Ghats Belt, India): Part 1. Petrology and pressure-temperature evolution. *Precambrian Research*, 255, 485–509.
- Sarkar, T., Schenk, V., Appel, P., Berndt, J., and Sengupta, P. (2014) Two-stage granulite formation in a Proterozoic magmatic arc (Ongole domain of the Eastern Ghats Belt, India): Part 2. LA-ICP-MS zircon dating and texturally controlled in-situ monazite dating. *Precambrian Research*, 255, 467–484.
- Savko, K.A., Kotov, A.B., Sal'nikova, E.B., Korish, E.Kh., Pilyugin, S.M., Artemenko, G.V., and Korikovskii, S.P. (2010) The Age of Metamorphism of Granulite Complexes of the Voronezh Crystalline Massif: The Monazite U–Pb Geochronology. *Doklady Earth Sciences*, 435, 1575–1580.
- Scherer, E.E., Cameron, K.L., Johnson, C.M., Beard, B.L., Barovich, K.M., and Collerson, K.D. (1997) Lu-Hf geochronology applied to dating Cenozoic events affecting lower crustal xenoliths from Kilbourne Hole, New Mexico. *Chemical Geology*, 142, 63–78.
- Schmadicke, E., and Muller, W.F. (2000) Unusual exsolution phenomena in omphacite and partial replacement of phengite by phlogopite plus kyanite in an eclogite from the Erzgebirge. *Contributions to Mineralogy and Petrology*, 139, 629–642.
- Schmädicke, E., Mezger, K., Cosca, M.A., and Ockrusch, M. (1995) Variscan Sm-Nd and Ar-Ar ages of eclogite-facies rocks from the Erzgebirge, Bohemian Massif. *Journal of Metamorphic Geology*, 13, 537–552.
- Schmidt, J., Hacker, B.R., Ratschbacher, L., Stubner, K., Stearns, M., Kylander-Clark, A., Cottle, J.M., Alexander, A., Webb, G., Gehrels, G., and Minaev, V. (2011) Cenozoic deep crust in the Pamir. *Earth and Planetary Science Letters*, 312, 411–421.

- Schmidt, S., Nagel, T.J., and Froitzheim, N. (2010) A new occurrence of microdiamond-bearing metamorphic rocks, SW Rhodopes, Greece. *European Journal of Mineralogy*, 22, 189–198.
- Schmitt, R.D., Trouw, R.A.J., Van Schmus, W.R., and Pimentel, M.M. (2004) Late amalgamation in the central part of West Gondwana: new geochronological data and the characterization of a Cambrian collisional orogeny in the Ribeira Belt (SE Brazil). *Precambrian Research*, 133, 29–61.
- Schmitz, M.D., and Bowring, S.A. (2003) Ultrahigh-temperature metamorphism in the lower crust during Neoproterozoic Ventersdorp rifting and magmatism, Kaapvaal Craton, southern Africa: *Geological Society of America Bulletin*, 115, 533–548.
- Schneider, J., Bosch, D., Monie, P., Guillot, S., Garcia-Casco, A., Lardeaux, J.M., Torres-Roldan, R.L., and Trujillo, G.M. (2004) Origin and evolution of the Escambray Massif (Central Cuba): an example of HP/LT rocks exhumed during intraoceanic subduction. *Journal of Metamorphic Geology*, 22, 227–247.
- Scrimgeour, I., and Close, D. (1999) Regional high-pressure metamorphism during intracratonic deformation: the Petermann Orogeny, central Australia. *Journal of Metamorphic Geology*, 17, 557–572.
- Scrimgeour, I.R., Kinny, P.D., Close, D.F., Edgoose, C.J. (2005) High-T granulites and polymetamorphism in the southern Arunta Region, central Australia: Evidence for a 1.64 Ga accretional event. *Precambrian Research*, 142, 1–27.
- Seth, B., Armstrong, R.A., Brandt, S., Villa, I.M., and Kramers, J.D. (2003) Mesoproterozoic U-Pb and Pb-Pb ages of granulites in NW Namibia: Reconstructing a complete orogenic cycle. *Precambrian Research*, 126, 147–168.
- Sherlock, S., Kelley, S., Inger, S., Harris, N., and Okay, A. (1999)  $^{40}\text{Ar}$ - $^{39}\text{Ar}$  and Rb-Sr geochronology of high-pressure metamorphism and exhumation history of the Tavsanli Zone, NW Turkey. *Contributions to Mineralogy and Petrology*, 137, 46–58.
- Skrzypek, E., Stipska, P., and Cocherie, A. (2012) The origin of zircon and the significance of U-Pb ages in high-grade metamorphic rocks: a case study from the Variscan orogenic root (Vosges Mountains, NE France). *Contributions to Mineralogy and Petrology*, 164, 935–957.
- Skrzypek, E., Kawakami, T., Hirajima, T., Sakata, S., Hirata, T., and Ikeda, T. (2016) Revisiting the high temperature metamorphic field gradient of the Ryoke Belt (SW Japan): New constraints from the Iwakuni–Yanai area. *Lithos*, 260, 9–27.
- Smit, M.A., Hacker, B.R., and Lee, J. (2014) Tibetan garnet records early Eocene initiation of thickening in the Himalaya. *Geology*, 42, 591–594.
- Smit, M.A., Ratschbacher, L., Kooijman, E., and Stearns, M.A. (2014) Early evolution of the Pamir deep crust from Lu-Hf and U-Pb geochronology and garnet thermometry. *Geology*, 42, 1047–1050.
- Smithies, R.H., and Bagas, L. (1997) High pressure amphibolite-granulite facies metamorphism in the Paleoproterozoic Rudall Complex, central Western Australia. *Precambrian Research*, 83, 243–265.
- Smithies, R.H., Howard, H.M., Evins, P.M., Kirkland, C.L., Kelsey, D.E., Hand, M., Wingate, M.T.D., Collins, A.S., and Belousova, E. (2011) High-Temperature Granite Magmatism, Crust-Mantle

- Interaction and the Mesoproterozoic Intracontinental Evolution of the Musgrave Province, Central Australia. *Journal of Petrology*, 52, 931–958.
- Smye, A.J., Greenwood, L.V., and Holland, T.J.B. (2010) Garnet-chloritoid-kyanite assemblages: eclogite facies indicators of subduction constraints in orogenic belts. *Journal of Metamorphic Geology*, 28, 753–768.
- Smye, A.J., Bickle, M.J., Holland, T.J.B., Parrish, R.R., and Condon, D.J. (2011) Rapid formation and exhumation of the youngest Alpine eclogites: A thermal conundrum to Barrovian metamorphism. *Earth and Planetary Science Letters*, 306, 193–204.
- Söderlund, U., Hellstroem, F.A., and Kamo, S.L. (2008) Geochronology of high-pressure mafic granulite dykes in SW Sweden: tracking the P-T-t path of metamorphism using Hf isotopes in zircon and baddeleyite. *Journal of Metamorphic Geology*, 26, 539–560.
- Song, S.G., Niu, Y.L., Su, L., Zhang, C., and Zhang, L.F. (2014) Continental orogenesis from ocean subduction, continent collision/subduction, to orogen collapse, and orogen recycling: The example of the North Qaidam UHPM belt, NW China. *Earth-Science Reviews*, 129, 59–84.
- Sorcar, N., Hoppe, U., Dasgupta, S., and Chakraborty, S. (2014) High-temperature cooling histories of migmatites from the High Himalayan Crystallines in Sikkim, India: rapid cooling unrelated to exhumation? *Contributions to Mineralogy and Petrology*, 167, 957.
- Spandler, C., Rubatto, D., and Hermann, J. (2005) Late Cretaceous-Tertiary tectonics of the southwest Pacific: Insights from U-Pb sensitive, high-resolution ion microprobe (SHRIMP) dating of eclogite facies rocks from New Caledonia. *Tectonics*, 24, TC3003.
- Srogi, L., Wagner, M.E., and Lutz, T.M. (1993) Dehydration partial melting and disequilibrium in the granulite-facies Wilmington complex, Pennsylvania–Delaware Piedmont. *American Journal of Science*, 293, 405–462.
- Stepanov, A.S., Rubatto, D., Hermann, J., and Korsakov, A. (2016) Contrasting P-T paths within the Barchi-Kol UHP terrain (Kokchetav Complex): Implications for subduction and exhumation of continental crust. *American mineralogist*. 101, 788–807.
- Stevens, L.M., Baldwin, J.A., Cottle, J.M., and Kylander-Clark, A.R.C. (2015) Phase equilibria modelling and LASS monazite petrochronology: P-T-t constraints on the evolution of the Priest River core complex, northern Idaho. *Journal of Metamorphic Geology*, 33, 385–411.
- Stipská, P., Chopin, F., Skrzypek, E., Schulmann, K., Pitra, P., Lexa, O., Martelat, J.E., Bollinger, C., and Zackova, E. (2012) The juxtaposition of eclogite and mid-crustal rocks in the Orlica-Snieznik Dome, Bohemian Massif. *Journal of Metamorphic Geology*, 30, 213–234.
- St-Onge, M.R., Rayner, N., Palin, R.M., Searle, M.P., and Waters, D.J. (2013) Integrated pressure-temperature-time constraints for the Tso Moriri dome (Northwest India): implications for the burial and exhumation path of UHP units in the western Himalaya. *Journal of Metamorphic Geology*, 31, 469–504.
- Storey, C. (2008) The Glenelg-Attadale Inlier, NW Scotland, with emphasis on the Precambrian high-pressure metamorphic history and subsequent retrogression: an introduction and review. *Scottish Journal of Geology*, 44, 1–16.

- Storey, C.D., Brewer, T.A., and Temperley, S. (2005) Phase relations and P-T conditions for eclogite-facies rocks at Glenelg, north-west Scotland. *Geological Magazine*, 142, 605–615.
- Storey, C.D., Brewer, T.S., Anczkiewicz, R., Parrish, R.R., and Thirlwall, M.F. (2010) Multiple high-pressure metamorphic events and crustal telescoping in the NW Highlands of Scotland. *Journal of the Geological Society*, 167, 455–468.
- Stosch, H.G., and Lugmair, G.W. (1990) Geochemistry and evolution of MORB-type eclogites from the Munchberg Massif, southern Germany. *Earth and Planetary Science Letters*, 99, 230–249.
- Stowell, H., Tulloch, A., Zuluaga, C., and Koenig, A. (2010) Timing and duration of garnet granulite metamorphism in magmatic arc crust, Fiordland, New Zealand. *Chemical Geology*, 273, 91–110.
- Stowell, H., Parker, K.O., Gatewood, M., Tulloch, A., and Koenig, A. (2014) Temporal links between pluton emplacement, garnet granulite metamorphism, partial melting and extensional collapse in the lower crust of a Cretaceous magmatic arc, Fiordland, New Zealand. *Journal of Metamorphic Geology*, 32, 151–175.
- Su, W., Gao, J., Klemd, R., Li, J.L., Zhang, X., Li, X.H., Chen, N.S., and Zhang, L. (2010) U-Pb zircon geochronology of Tianshan eclogites in NW China: implication for the collision between the Yili and Tarim blocks of the southwestern Altaids. *European Journal of Mineralogy*, 22, 473–478.
- Suhr, N., Hoffmann, J.E., Kröner, A., and Schröder, S. (2015) Archean granulite-facies paragneisses from central Swaziland: inferences on Paleoarchean crustal reworking and a complex metamorphic history. *Journal of the Geological Society*, 172, 139–152.
- Tam, P.Y., Zhao, G., Sun, M., Li, S., Wu, M., and Yin, C. (2012a) Petrology and metamorphic P–T path of high-pressure mafic granulites from the Jiaobei massif in the Jiao-Liao-Ji Belt, North China Craton. *Lithos* 155, 94–109.
- Tam, P.Y., Zhao, G., Zhou, X., Sun, M., Guo, J., Li, S., Yin, C., Wu, M., and He, Y. (2012b.) Metamorphic P–T path and implications of high-pressure pelitic granulites from the Jiaobei massif in the Jiao-Liao-Ji Belt, North China Craton. *Gondwana Research* 22, 104–117.
- Tam, P.Y., Zhao, G., Zhou, X., Sun, M., Li, S., Iizuka, Y., Ma, G.S.-K., Yin, C., He, Y., and Wu, M. (2012c) Metamorphic P–T path and tectonic implications of medium-pressure pelitic granulites from the Jiaobei massif in the Jiao-Liao-Ji Belt, North China Craton. *Precambrian Research*, 220–221, 177–191.
- Tamblyn, R., Hand, M., Kelsey, D., Phillips, G., Anczkiewicz, R., and Och, D. (in revision) Long distance transport of eclogite and blueschist during slab retreat. *Geology*.
- Tang, X.C., and Zhang, K.J. (2014) Lawsonite- and glaucophane-bearing blueschists from NW Qiangtang, northern Tibet, China: mineralogy, geochemistry, geochronology, and tectonic implications. *International Geology Review*, 56, 150–166.
- Taylor, J., Stevens, G., Armstrong, R., and Kisters, A. (2010) Granulite facies anatexis in the Ancient Gneiss Complex, Swaziland, at 2.73 Ga: Mid-crustal metamorphic evidence for mantle heating of the Kaapvaal craton during Ventersdorp magmatism. *Precambrian research*, 177, 88–102.
- Taylor, J., Stevens, G., Buick, I.S., and Lana, C. (2012) Successive midcrustal high-grade metamorphic events provide insight into mid-Archean mountain-building along the SE margin of the proto-Kaapvaal craton. *Geological Society of America Bulletin*, 124, 1191–1211.

- Taylor, R.J.M., Clark, C., Johnson, T.E., Santosh, M., and Collins, A.S. (2015) Unravelling the complexities in high-grade rocks using multiple techniques: the Achankovil Zone of southern India. *Contributions to Mineralogy and Petrology*, 169, 51.
- Tenczer, V., Hauzenberger, C.A., Fritz, H., Whitehouse, M.J., Mogessie, A., Wallbrecher, E., Muhongo, S., and Hoinkes, G. (2006) Anorthosites in the Eastern Granulites of Tanzania - New SIMS zircon U-Pb age data, petrography and geochemistry. *Precambrian Research*, 148, 85–114.
- Tenczer, V., Hauzenberger, C.A., Fritz, H., Hoinkes, G., Muhongo, S., and Klotzli, U. (2011) The P-T-X-(fluid) evolution of meta-anorthosites in the Eastern Granulites, Tanzania. *Journal of Metamorphic Geology*, 29, 537–560.
- Thöni, M. (2006) Dating eclogite-facies metamorphism in the Eastern Alps – approaches, results, interpretations: a review. *Mineralogy and Petrology*, 88, 123–148.
- Tian, Z.L., Zhang, Z., and Dong, X. (2016) Metamorphism of high-pressure metagreywacke from the Eastern Himalayan Syntaxis: Phase equilibria and P–T path. *Journal of Metamorphic Geology*, 34, 697–718.
- Tibaldi, A.M., Alvarez-Valero, A.M., Otamendi, J.E., and Cristofolini, E.A. (2011) Formation of paired pelitic and gabbroic migmatites: An empirical investigation of the consistency of geothermometers, geobarometers, and pseudosections. *Lithos*, 122, 57–75.
- Timmermann, H., Stedra, V., Gerdes, A., Noble, S.R., Parrish, R.R., Dorr, W. (2004) The problem of dating high-pressure metamorphism: a U-Pb isotope and geochemical study on eclogites and related rocks of the Marianske Lazne Complex, Czech Republic. *Journal of Petrology*, 45, 1311–1338.
- Tomaschek, F., Kennedy, A.K., Villa, I.M., Lagos, M., and Ballhaus, C. (2003) Zircon from Syros, Cyclades, Greece - Recrystallization and mobilization of zircon during high-pressure metamorphism. *Journal of Petrology*, 44, 1977–2002.
- Tomkins, A. G., and Mavrogenes, J. A. (2002) Mobilization of gold as a polymetallic melt during pelite anatexis at the Challenger gold deposit, South Australia: a metamorphosed Archean gold deposit. *Economic Geology*, 97, 1249–1271.
- Tong, L., Xu, Y.G., Cawood, P.A., Zhou, X., Chen, Y., and Liu, Z. (2014) Anticlockwise P-T evolution at  $\square$  280 Ma recorded from ultrahigh-temperature metapelitic granulite in the Chinese Altai orogenic belt, a possible link with the Tarim mantle plume? *Journal of Asian Earth Sciences*, 94, 1–11.
- Tsujimori, T., Matsumoto, K., Wakabayashi, J., and Liou, J.G. (2006a) Franciscan eclogite revisited: Reevaluation of the P-T evolution of tectonic blocks from Tiburon Peninsula, California, USA. *Mineralogy and Petrology*, 88, 243–267.
- Tsunogae, T., Yang, Q.-Y., and Santosh M. (2016) Neoproterozoic–Early Paleoproterozoic and Early Neoproterozoic arc magmatism in the Lützow–Holm Complex, East Antarctica: Insights from petrology, geochemistry, zircon U–Pb geochronology and Lu–Hf isotopes. *Lithos*, in press.
- Tual, L., Pitra, P., and Möller, C. (2016) P–T evolution of Precambrian eclogite in the Sveconorwegian orogen, SW Sweden. *Journal of Metamorphic Geology*, in press.
- Tucker, N.M., Hand, M., and Payne, J.L. (2015a) A rift-related origin for regional medium-pressure, high-temperature metamorphism. *Earth and Planetary Science Letters*, 421, 75–88.

- Tucker, N.M., Hand, M., Kelsey, D.E., and Dutch, R.A. (2015b) A duality of timescales: Short-lived ultrahigh temperature metamorphism preserving a long-lived monazite growth history in the Grenvillian Musgrave–Albany–Fraser Orogen. *Precambrian Research*, 264, 204–234.
- Tuisku, P., and Huhma, H. (2006) Evolution of migmatitic granulite complexes: implications from Lapland Granulite Belt, part II: Isotopic dating. *Bulletin of the Geological Society of Finland*, 78, 143–175.
- Tuisku, P., Mikkola, P., and Huhma, H., 2006. Evolution of migmatitic granulite complexes: implications from Lapland Granulite Belt, part I: metamorphic petrology. *Bulletin of the Geological Society of Finland*, 78, 71–105.
- Tumiati, S., Thoni, M., Nimis, P., Martin, S., and Mair, V. (2003) Mantle-crust interactions during Variscan subduction in the Eastern alps (Nonsberg-Ulten zone): geochronology and new petrological constraints. *Earth and Planetary Science Letters*, 210, 509–526.
- Tusch, J., Naeraa, T., Hoffmann, J.E., and Münker, C. (2015) Combined Lu-Hf & Sm-Nd Garnet Constraints on Archean Crustal Growth at the SE Greenland Margin. *Goldschmidt2015 Abstracts*.
- Ulmus, J., Andersson, J., and Moller, C. (2015) Hallandian 1.45 Ga high-temperature metamorphism in Baltica: P-T evolution and SIMS U-Pb zircon ages of aluminous gneisses, SW Sweden. *Precambrian Research*, 265, 10–39.
- Usui, T., Nakamuri, E., Kobayashi, K., Maruyama, S., and Helmstaedt, H. (2003) Fate of the subducted Farallon plate inferred from eclogite xenoliths in the Colorado Plateau. *Geology*, 31, 589–592.
- Vaisanen, M., Manttari, I., and Holta, P. (2002) Svecofennian magmatic and metamorphic evolution in southwestern Finland as revealed by U-Pb zircon SIMS geochronology. *Precambrian Research*, 116, 111–127.
- Valli, F., Guillot, S., and Hattori, K.H. (2004) Source and tectono-metamorphic evolution of mafic and pelitic metasedimentary rocks from the central Quetico metasedimentary belt, Archean Superior Province of Canada. *Precambrian Research*, 132, 155–177.
- Vance, D., Strachan, R.A., and Jones, K.A. (1998) Extensional versus compressional settings for metamorphism: Garnet chronometry and pressure-temperature-time histories in the Moine Supergroup, northwest Scotland. *Geology*, 26, 927–930.
- van der Klaww, S.N.G.C., Reinecke, T., and Stöckhert, B., 1997, Exhumation of ultrahigh-pressure metamorphic oceanic crust from Lago di Cignana, Piedmontese zone, western Alps: a structural record in metabasites. *Lithos*, v. 41, p. 79-102.
- Van Kranendonk, M.J., Kröner, A., Hoffman, E.J., Nagel, T., and Anhaeusser, C.R. (2014) Just another drip: re-analysis of a proposed Mesoarchean suture from the Barberton Mountain Land, South Africa. *Precambrian Research*, 254, 19–35.
- Van Reenen, D.D., Boshoff, R., Smit, C.A., Perchuk, L.L., Kramers, J.D., McCourt, S., and Armstrong, R.A. (2008) Geochronological problems related to polymetamorphism in the Limpopo Complex. *South Africa. Gondwana Research*, 14, 644–662.



- Vielreicher, N.M., and McNaughton, N.J. (2002) SHRIMP U–Pb geochronology of magmatism and thermal events in the Archaean Marymia Inlier, central Western Australia. *International Journal of Earth Science*, 91, 406–432.
- von Quadt, A., and Gebauer, D. (1998) Evolution of eclogitic rocks in the Erzgebirge; a conventional and SHRIMP U–Pb zircon and Sm–Nd study. *Acta Universitatis Carolinae. Geologica*, 42, 324–325.
- Wallis, S.R., Anczkiewicz, R., Endo, S., Aoya, M., Platt, J.P., Thirlwall, M., and Hirata, T. (2009) Plate movements, ductile deformation and geochronology of the Sanbagawa belt, SW Japan: tectonic significance of 89–88 Ma Lu–Hf eclogite ages. *Journal of Metamorphic Geology*, 27, 93–105.
- Walsh, A.K., Kelsey, D.E., Kirkland, C.L., Hand, M., Smithies, R.H., Clark, C., and Howard, H.M. (2015) P–T–t evolution of a large, long-lived, ultrahigh-temperature Grenvillian belt in central Australia. *Gondwana Research*, 28, 531–564.
- Wan, B., Windley, B.F., Xiao, W.J., Feng, J.Y., and Zhang, J. (2015) Paleoproterozoic high-pressure metamorphism in the northern North China Craton and implications for the Nuna supercontinent. *Nature Communications*, 6, 8344.
- Wan, Y.S., Song, B., Yang, C., and Liu, D.Y. (2005) Zircon SHRIMP U–Pb geochronology of Archean rocks from the Fushun–Qingyuan Area, Liaoning Province and its geological significance. *Acta Geological Sinica*, 79, 78–87 (in Chinese).
- Wang, H., Wu, Y.B., Gao, S., Zhang, H.F., Liu, X.C., Gong, H.J., Peng, M., Wang, J., and Yuan, H.L. (2011) Silurian granulite-facies metamorphism, and coeval magmatism and crustal growth in the Tongbai orogen, central China. *Lithos*, 125, 249–271.
- Wang, H., Wu, Y.B., Gao, S., Zheng, J.P., Liu, Q., Liu, X.C., Qin, Z.W., Yang, S.H., and Gong, H.J. (2014) Deep subduction of continental crust in accretionary orogen: Evidence from U–Pb dating on diamond-bearing zircons from the Qinling orogen, central China. *Lithos*, 190–191, 420–429.
- Wang J.M., Zhang J.J., and Wang X.X. (2013). Structural kinematics, metamorphic P–T profiles and zircon geochronology across the Greater Himalayan Crystalline Complex in south–central Tibet: implication for a revised channel flow. *Journal of Metamorphic Geology*, 31, 607–628.
- Wang, J.-M., Rubatto, D., and Zhang, J.-J. (2015) Timing of partial melting and cooling across the Greater Himalayan Crystalline Complex (Nyalam, central Himalaya): In-sequence thrusting and its implications. *Journal of Petrology*, 56, 1677–1702.
- Wang, L., Kusky, T., Polat, A., Wang, S.J., Jiang, X.F., Zong, K.Q., Wang, J.P., Deng, H., and Fu, J.M. (2014) Partial melting of deeply subducted eclogite from the Sulu Orogen in China. *Nature Communications*, 5, 5604.
- Wang, W., Wei, C.J., Zhang, Y.H., Chu, H., Zhao, Y., Liu, X.C. (2014) Age and origin of sillimanite schist from the Chinese Altai metamorphic belt: implications for late Palaeozoic tectonic evolution of the Central Asian Orogenic Belt. *International Geology Review*, 56, 224–236.
- Wang, Y.B., Liu, D.Y., Chung, S.L., Tong, L.X., and Ren, L.D. (2008) SHRIMP zircon age constraints from the Larsmann Hills region, Prydz Bay, for a late Mesoproterozoic to early Neoproterozoic tectono-thermal event in East Antarctica. *American Journal of Science*, 308, 573–617.

- Wang Y., Zhang, L., Zhang, J., and Wei, C. (2016) The youngest eclogite in central Himalaya: P–T path, U–Pb zircon age and its tectonic implication. *Gondwana Research*, 41, 188–206.
- Ward, R., Stevens, G., and Kisters, A. (2008) Fluid and deformation induced partial melting and melt volumes in low-temperature granulite-facies metasediments, Damara Belt, Namibia. *Lithos*, 105, 253–271.
- Warren, C.J., Parrish, R.R., Waters, D.J., and Searle, M.P. (2005) Dating the geologic history of Oman's Semail ophiolite: insights from U–Pb geochronology. *Contributions to Mineralogy and Petrology*, 150, 403–422.
- Wei, C.J., and Clarke, G.L. (2011) Calculated phase equilibria for MORB compositions: a reappraisal of the metamorphic evolution of lawsonite eclogite. *Journal of Metamorphic Geology*, 29, 939–952.
- Wei, C.J., and Song, S.G. (2008) Chloritoid-glaucophane schist in the north Qilian orogen, NW China: phase equilibria and P–T path from garnet zonation. *Journal of Metamorphic Geology*, 26, 301–316.
- Wei, C.J., Zhang, C.G., Zhang, A.L., Wu, T.H., and Li, J.H. (2001) Metamorphic P–T conditions and geological significance of high-pressure granulite from the Jianping complex, western Liaoning province. *Acta Petrologica Sinica*, 17, 269–282.
- Wei, C.J., Yang, Y., Su, X.L., Song, S.G., and Zhang, L.F. (2009) Metamorphic evolution of low-T eclogite from the North Qilian orogen, NW China: evidence from petrology and calculated phase equilibria in the system NCKFMASHO. *Journal of Metamorphic Geology*, 27, 55–70.
- Wei, C.J., Li, Y.J., Yu, Y., and Zhang, J.S. (2010) Phase equilibria and metamorphic evolution of glaucophane-bearing UHP eclogites from the Western Dabieshan Terrane, Central China. *Journal of Metamorphic Geology*, 28, 647–666.
- Weller, O.M., and St-Onge, M.R. (2017) Record of modern-style plate tectonics in the Palaeoproterozoic Trans-Hudson orogeny. *Nature Geoscience*, 10, 305–311.
- Weller, O.M., St-Onge, M.R., Searle, M.P., Waters, D.J., Rayner, N., Chen, S., Chung, S.L., and Palin, R.M. (2015) Quantifying the P–T–t conditions of north–south Lhasa terrane accretion: new insight into the pre-Himalayan architecture of the Tibetan plateau. *Journal of Metamorphic Geology*, 33, 91–113.
- Weller, O.M., St-Onge, M.R., Rayner, N., Waters, D.J., Searle, M.P., and Palin, R.M. (2016) U–Pb zircon geochronology and phase equilibria modelling of a mafic eclogite from the Sumdo complex of south-east Tibet: Insights into prograde zircon growth and the assembly of the Tibetan plateau. *Lithos*, in press.
- Weller, O.M., Wallis, S.R., Aoya, M., and Nagaya, T. (2015b) Phase equilibria modelling of blueschist and eclogite from the Sanbagawa metamorphic belt of southwest Japan reveals along-strike consistency in tectonothermal architecture. *Journal of Metamorphic Geology*, 33, 579–596.
- White, R.W., Powell, R., and Clarke, G.L. (2003) Prograde metamorphic assemblage evolution during partial melting of metasedimentary rocks at low pressures: Migmatites from Mt Stafford, central Australia. *Journal of Petrology*, 44, 1937–1960.
- Whitney, D.L., and Hamilton, M.A. (2004) Timing of high-grade metamorphism in central Turkey and the assembly of Anatolia. *Journal of the Geological Society*, 161, 823–828.

- Whitney, D.L., Roger, F., Teyssier, C., Rey, P.F., and Respaut, J.-P. (2015) Syn-collapse eclogite metamorphism and exhumation of deep crust in a migmatite dome: The P-T-t record of the youngest Variscan eclogite (Montagne Noire, French Massif Central). *Earth and Planetary Science Letters*, 430, 224–234.
- Wilde, S.A. (1994) Crustal evolution of the southwestern Yilgam Craton. Geological Society of Australia (WA Division) Excursion Guidebook, 7, 20p.
- Wilke, F.D.H., O'Brien, P.J., Altenberger, U., Konrad-Schmolke, M., and Khan, M.A. (2010a) Multi-stage reaction history in different eclogite types from the Pakistan Himalaya and implications for exhumation processes. *Lithos*, 114, 70–85.
- Wilke, F.D.H., O'Brien, P.J., Gerdes, A., Timmerman, M.J., Sudo, M., and Khan, M.A. (2010b) The multistage exhumation history of the Kaghan Valley UHP series, NW Himalaya, Pakistan from U-Pb and  $\text{Ar}^{40}/\text{Ar}^{39}$  ages. *European Journal of Mineralogy*, 22, 703–719.
- Willigers, B.J.A., Krogstad, E.J., and Wijbrans, J.R. (2001) Comparison of thermochronometers in a slowly cooled granulite terrain: Nagssugtoqidian orogen, West Greenland. *Journal of Petrology*, 42, 1729–1749.
- Willner, A.P., Rotzler, K., and Maresch, W.V. (1997) Pressure-temperature and fluid evolution of quartzofeldspathic metamorphic rocks with a relic high-pressure, granulite-facies history from the Central Erzgebirge (Saxony, Germany). *Journal of Petrology*, 38, 307–336.
- Wong, B.L., Morrissey, L.J., Hand, M., Fields, C.E., and Kelsey, D.E. (2015) Grenvillian-aged reworking of late Paleoproterozoic crust of the southern North Australian Craton, central Australia: Implications for the assembly of Mesoproterozoic Australia. *Precambrian Research*, 270, 100–123.
- Wu, Y.B., Gao, S., Zhang, H.F., Yang, S.H., Jiao, W.F., Liu, Y.S., and Yuan, H.L. (2008) Timing of UHP metamorphism in the Hong'an area, western Dabie Mountains, China: evidence from zircon U-Pb age, trace element and Hf isotope composition. *Contributions to Mineralogy and Petrology*, 155, 123–133.
- Wu, Y.B., Wang, H., Gao, S., Hua, Z.C., Liu, X.C., and Gong, H. (2014) LA-ICP-MS monazite U-Pb age and trace element constraints on the granulite-facies metamorphism in the Tongbai orogen, central China. *Journal of Asian Earth Sciences*, 82, 90–102.
- Wu, K.K., Zhao, G.C., Sun, M., Yin, C.G., He, Y.H., and Tam, P.Y. (2013) Metamorphism of the northern Liaoning Complex: Implications for the tectonic evolution of Neoproterozoic basement of the Eastern Block, North China Craton. *Geoscience Frontiers*, 4, 305–320.
- Wu, J.L., Zhang, H.F., Zhai, M.G., Guo, J.H., Liu, L., Yang, W.Q., Wang, H.C., Zhao, L., Jia, X.L., and Wang, W. (2016) Discovery of pelitic high-pressure granulite from Manjinggou of the Huai'an Complex, North China Craton: Metamorphic P-T evolution and geological implications. *Precambrian Research*, 278, 323–336.
- Xiang, H., Zhang, Z.M., Lei, H.C., Qi, M., Dong, X., Wang, W., and Lin, Y.H. (2014) Paleoproterozoic ultrahigh-temperature pelitic granulites in the northern Sulu orogen: Constraints from petrology and geochronology. *Precambrian Research*, 254, 273–289.

- Xiao, L.L., Liu, F.L., and Chen, Y. (2014) Metamorphic P-T-t paths of the Zhanhuang metamorphic complex: Implications for the Paleoproterozoic evolution of the Trans-North China Orogen. *Precambrian Research*, 255, 216–235.
- Xu, W.-C., Zhang, H.-F., Parrish, R., Harris, N., Guo, L., and Yuan, H.L. (2010) Timing of granulite-facies metamorphism in the eastern Himalayan syntaxis and its tectonic implications. *Tectonophysics*, 485, 231–244.
- Yakymchuk, C., Brown, M., Clark, C., Korhonen, F.J., Piccoli, P.M., Siddoway, C.S., Taylor, R.J.M., and Vervoort, J.D. (2015) Decoding polyphase migmatites using geochronology and phase equilibria modelling. *Journal of Metamorphic Geology*, 33, 203–230.
- Yang, J.S., Xu, Z.Q., Li, T.F., Li, H.Q., Li, Z.L., Ren, Y.F., Xu, X.Z., and Chen, S.Y. (2007) Oceanic subduction-type eclogite in the Lhasa block, Tibet, China: Remains of the Paleo-Tethys ocean basin. *Geological Bulletin of China*, 2007, 1277–1287.
- Yang, P.S., and Indares, A.D. (2005) Mineral zoning, phase relations, and P-T evolution of high-pressure granulites from the Lelukuau teffane, northeastern Grenville Province, Quebec. *Canadian Mineralogist*, 43, 443–462.
- Yang, J.H., Wu, F.Y., Wilde, S.A., and Zhao, G.C. (2008) Petrogenesis and geodynamics of Late Archean magmatism in the eastern North China Craton: geochronological, geochemical and Nd-Nf isotopic evidence. *Precambrian Research*, 167, 125–149.
- Yang, Q.-Y., Santosh, M., and Tsunogae, T. (2014a) Ultrahigh-temperature metamorphism under isobaric heating: New evidence from the North China Craton. *Journal of Asian Earth Sciences*, 95, 2–16.
- Yang, Q.-Y., Santosh, M., and Tsunogae, T. (2014b) First report of Paleoproterozoic incipient charnockite from the North China Craton: Implications for ultrahigh-temperature metasomatism. *Precambrian Research*, 243, 168–180.
- Yang, Q.Y., Santosh, M., and Tsunogae, T. (2016) High-grade metamorphism during Archean–Paleoproterozoic transition associated with microblock amalgamation in the North China Craton: Mineral phase equilibria and zircon geochronology. *Lithos*, in press.
- Yang, X., Zhang, L.F., Tian, Z.L., and Bader, T. (2013) Petrology and U-Pb zircon dating of coesite-bearing metapelite from the Kebuerte Valley, western Tianshan, China. *Journal of Asian Earth Sciences*, 70–71, 295–307.
- Yin, C., Lin, S., Davis, D.W., Zhao, G., Xiao, W., Li, L., and He, Y. (2013) 2.1–1.85 Ga tectonic events in the Yangtze Block, South China: Petrological and geochronological evidence from the Kongling Complex and implications for the reconstruction of supercontinent Columbia. *Lithos*, 182–183, 200–210.
- Yin, C.Q., Zhao, G.C., Sun, M., Xia, X.P., Wei, C.J., Zhou, X.W., and Leung, W.H. (2009) LA-ICP-MS U-Pb zircon ages of the Qianlishan Complex: Constrains on the evolution of the Khondalite Belt in the Western Block of the North China Craton. *Precambrian Research*, 174, 78–94.
- Yin, C.Q., Zhao, G.C., Guo, J.H., Sun, M., Xia, X.P., Zhou, X.W., and Liu, C.H. (2011) U-Pb and Hf isotopic study of zircons of the Helanshan Complex: Constrains on the evolution of the Khondalite Belt in the Western Block of the North China Craton. *Lithos*, 122, 25–38.

- Yin, C.Q., Zhao, G.C., Wei, C.J., Sun, M., Guo, J.H., and Zhou, X.W. (2014) Metamorphism and partial melting of high-pressure pelitic granulites from the Qianlishan Complex: Constraints on the tectonic evolution of the Khondalite Belt in the North China Craton. *Precambrian Research*, 242, 172–186.
- Yong, W.J., Zhang, L., Hall, C.M., Mukasa, S.B., and Essene, E.J. (2013) The Ar-40/Ar-39 and Rb-Sr chronology of the Precambrian Aksu blueschists in western China. *Journal of Asian Earth Sciences*, 63, 197–205.
- Yoshimura, Y., Motoyoshi, Y., and Miyamoto, T. (2008) Sapphirine plus quartz association in garnet: implication for ultrahigh-temperature metamorphism at Rundvagshetta, Lutzow-Holm Complex, East Antarctica. *Geological Society Special Publication*, 308, 377–390.
- Yu, H.L., Zhang, L.F., Wei, C.J., Li, X.L. and Guo, J.H. (2017) Age and P–T Conditions of the Gridino-type eclogite in the Belomorian Province, Russia. *Journal of Metamorphic Geology*, 35, 855–869.
- Yu, S.Y., Zhang, J.X., and Del Real, P.G. (2011) Petrology and P–T path of high-pressure granulite from the Dulan area, North Qaidam Mountains, northwestern China. *Journal of Asian Earth Sciences*, 42, 641–660.
- Yu, S.Y., Zhang, J.X., Mattinson, C.G., del Real, P.G., Li, Y.S., and Gong, J.H. (2014) Paleozoic HP granulite-facies metamorphism and anatexis in the Dulan area of the North Qaidam UHP terrane, western China: Constraints from petrology, zircon U–Pb and amphibole Ar–Ar geochronology. *Lithos*, 198, 58–76.
- Zanchetta, S., Zanchi, A., Villa, I., Poli, S., and Muttoni, G. (2009) The Shanderman eclogites: a Late Carboniferous high-pressure event in the NW Talesh Mountains (NW Iran). *Geological Society Special Publication*, 312, 57–78.
- Zeh, A., Klemd, R., Buhlmann, S., and Barton, J.M. (2004) Pro- and retrograde P–T evolution of granulites of the Beit Bridge Complex (Limpopo Belt, South Africa): constraints from quantitative phase diagrams and geotectonic implications. *Journal of Metamorphic Geology*, 22, 79–95.
- Zeh, A., Gerdes, A., Barton Jr., J., and Klemd, R. (2010) U–Th–Pb and Lu–Hf systematics of zircon from TTG's, leucosomes, meta-anorthosites and quartzites of the Limpopo Belt (South Africa): Constraints for the formation, recycling and metamorphism of Palaeoarchaeic crust. *Precambrian Research*, 179, 50–68.
- Zeng, L.S., Gao, L.E., Yu, J.J., Hu, G.Y. (2011) SHRIMP zircon U/Pb dating on ultrahigh pressure rocks from Yangkou: Implications for the timing of partial melting in the Sulu UHP metamorphic belt. *Acta Petrologica Sinica*, 27, 1085–1094.
- Zetoutou, S., Ouzegane, K., Boubazine, S., Kienast, J.R. (2004) Azrou N'Fad (Central Hoggar, Algeria) one of the deepest terranes of LATEA: arguments based on P–T evolution in eclogite. *Journal of African Earth Sciences*, 39, 193–200.
- Zhai, Q.G., Zhang, R.Y., Jahn, B.M., Li, C., Song, S.G., and Wang, J. (2011) Triassic eclogites from central Qiangtang, northern Tibet, China: Petrology, geochronology and metamorphic P–T path. *Lithos*, 12, 173–189.
- Zhang, C.Zhang, L.F., Van Roermund, H., Song, S.G., and Zhang, G.B. (2011) Petrology and SHRIMP U–Pb dating of Xitieshan eclogite, North Qaidam UHP metamorphic belt, NW China. *Journal of Asian Earth Sciences*, 42, 752–767.

- Zhang, G.B., Ellis, D.J., Christy, A.G., Zhang, L.F., Niu, Y.L., and Song, S.G. (2009) UHP metamorphic evolution of coesite-bearing eclogite from the Yuka terrane, North Qaidam UHPM belt, NW China. *European Journal of Mineralogy*, 21, 1287–1300.
- Zhang, J.X., Mattinson, C.G., Meng, F.C., and Wan, Y.S. (2005) An early Paleozoic HP/HT granulite-garnet peridotite association in the south Altyn Tagh, NW China: P-T history and U-Pb geochronology. *Journal of Metamorphic Geology*, 23, 491–510.
- Zhang, J.X., Mattinson, C.G., Yu, S.Y., and Li, Y.S. (2014) Combined rutile–zircon thermometry and U–Pb geochronology: New constraints on Early Paleozoic HP/UHT granulite in the south Altyn Tagh, north Tibet, China. *Lithos* 200–201, 241–257.
- Zhang K.J., and Tang X.C. (2009) Eclogites in the interior of the Tibetan Plateau and their geodynamic implications. *Chinese Science Bulletin*, 54, 2556–2567.
- Zhang, K.J., Zhang, Y.X., Tang, X.C., Xie, Y.W., Sha, S.L., and Peng, X.J. (2008) First report of eclogites from central Tibet, China: evidence for ultradeep continental subduction prior to the Cenozoic India-Asian collision. *Terra Nova*, 20, 302–308.
- Zhang, L.F., Jiang, W.B., Wei, C.J., and Dong, S.B. (1999) Discovery of deerite from the Aksu Precambrian blueschist terrane and its geological significance. *Science in China Series D–Earth Sciences*, 42, 233–239.
- Zhang, L., Zhang, J., and Jin, Z. (2016) Metamorphic P-T-water conditions of the Yushugou granulites from the southeastern Tianshan orogen: Implications for Paleozoic accretionary orogeny. *Gondwana Research*, 29, 264–277.
- Zhang, R. Y., Lo, C.-H., Chung, S.-L., Grove, M., Omori, S., Iizuka, Y., Liou, J. G., and Tri, T. V. (2013) Origin and tectonic implication of ophiolite and eclogite in the Song Ma suture zone between the South China and Indochina blocks. *Journal of Metamorphic Geology*, 31, 49–62.
- Zhang, X.R., Shi, R.D., Huang, Q.S., Liu, D.L., Cidan, S.L., Yang, J.S., and Ding, L. (2010) Finding of high-pressure mafic granulites in the Amdo basement, central Tibet. *Chinese Science Bulletin*, 55, 3694–3702.
- Zhang, X.R., Shi, R.D., Huang, Q.S., Liu, D.L., Gong, X.H., Chen, S.S., Wu, K., Yi, G.D., Sun, Y.L., and Ding, L. (2014) Early Jurassic high-pressure metamorphism of the Amdo terrane, Tibet: Constraints from zircon U-Pb geochronology of mafic granulites. *Gondwana Research*, 26, 975–985.
- Zhang, X.Z., Dong, Y.S., Li, C., Deng, M.R., Zhang, L., and Xu, W. (2014) Silurian high-pressure granulites from Central Qiangtang, Tibet: Constraints on early Paleozoic collision along the northeastern margin of Gondwana. *Earth and Planetary Science Letters*, 405, 39–51.
- Zhang, Z.M., Dong, X., Liu, F., Lin, Y.H., Yan, R., He, Z.Y., and Santosh, M. (2012) The making of Gondwana: Discovery of 650 Ma HP granulites from the North Lhasa, Tibet. *Precambrian Research*, 212, 107–116.
- Zhao, G., Wilde, S.A., Guo, J., Cawood, P.A., Sun, M., and Li, X. (2010) Single zircon grains record two Paleoproterozoic collisional events in the North China Craton. *Precambrian Research*, 177, 266–276.

- Zhao, L., Tiesheng Li, T., Peng, P., Guo, J., Wang, W., Wang, H., Santosh, M., and Zhai, M. (2015) Anatomy of zircon growth in high pressure granulites: SIMS U–Pb geochronology and Lu–Hf isotopes from the Jiaobei Terrane, eastern North China Craton. *Gondwana Research*, 28, 1373–1390.
- Zirakparvar, N.A., Baldwin, S.L., and Vervoort, J.D. (2011) Lu–Hf garnet geochronology applied to plate boundary zones: Insights from the (U)HP terrane exhumed within the Woodlark Rift. *Earth and Planetary Science Letters*, 309, 56–66.
- Zirkler, A., Johnson, T.E., White, R.W., and Zack, T. (2012) Polymetamorphism in the mainland Lewisian complex, NW Scotland – phase equilibria and geochronological constraints from the Cnoc an t'Sidhean suite. *Journal of Metamorphic Geology*, 30, 865–885.
- Zhou, D.W., Su, L., Jian, P., Wang, R.S., Liu, X.M., Lu, G.X., and Wang, J.L. (2004) Zircon U–Pb SHRIMP ages of high-pressure granulite in Yushugou ophiolitic terrane in southern Tianshan and their tectonic implications. *Chinese Science Bulletin*, 49, 1415–1419.
- Zhou X.W., Zhao G.C., and Geng Y.S. (2010) Helanshan high pressure pelitic granulite: Petrologic evidence for collision event in the western block of the North China Craton. *Acta Petrologica Sinica*, 26, 2113–2121.
- Zhu, Y.F., Massonne, H.-J., and Zhu, M.F. (2009) Petrology of low-temperature, ultrahigh-pressure marbles and interlayered coesite eclogites near Sanqingge, Sulu terrane, eastern China. *Mineralogical Magazine*, 73, 307–332.
- Zong, K.Q., Liu, Y.S., Hu, Z.C., Kusky, T., Wang, D.B., Gao, C.G., Gao, S., and Wang, J.Q. (2010) Melting-induced fluid flow during exhumation of gneisses of the Sulu ultrahigh-pressure terrane. *Lithos*, 120, 490–510.
- Zulbati, F., and Harley, S.L. (2007) Late Archaean granulite facies metamorphism in the Vestfold Hills, East Antarctica. *Lithos*, 93, 39–67.